Cucumber Report

Sep 22, 2022, 2:03:53 PM

Start : Sep 22, 2:03:27.785 PM	End : Sep 22, 2:03:51.846 PM	Duration : 24.061 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 0









#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	24.061 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	Verify the buttons are available on screen while modify the Customer Address Information	12	11	1	0	24.057 s

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 24.061 s	Scenarios		Steps	
/ 2:03:27.785 PM // 2:03:51.846 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 12 Pass - 11 Fail - 1 Skip - 0	

(S)- Verify the buttons are available on screen while modify the Customer Address Information

FAILED	DURATION - 24.057 s		Steps	
/ 2:03:27.789 PM // 2:03:51.846 PM /			Total - 12 Pass - 11 Fail - 1 Skip - 0	
Check the functionality of Customer Address Details screen				
@AT_CAD_005				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.833 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.421 s
	screenshot		
	 +		
2	And User Login as maker	PASSED	3.304 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		
	+		

#	Step / Hook Details	Status	Duration
3	Then user should click on the menu toggle	PASSED	1.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
			
4	Then click on inbox to search for the Customer Address Details record	PASSED	0.198 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.347 s
	screenshot		
			
5	Then click on search button to search the record of Customer Address Details	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
			
6	Then enter the reference id of the Customer Address Details record	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
			
7	Then click on the entitle button of the Customer Address Details record of that reference id	PASSED	0.215 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then click on the Additional customer info tab in Customer Personal Information screen	PASSED	1.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.357 s
	screenshot		
			
9	Then select the Customer Address details record from the customer personal detail screen	PASSED	0.647 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.791 s
	screenshot		
			
10	Then select the record of Address details from the customer identification screen	PASSED	1.250 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.428 s
	screenshot		
			
11	Then verify Customer Address details screen should get open with mentioned Fields	PASSED	1.360 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
12	Then verify the functionality of Back button of customer address details screen	FAILED	1.162 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element is not clickable at point (289, 59). Other element would receive the click: <input class="native-input sc-ion-input-ios" aria-labelledby="ion-input-5-lbl" autocapitalize="off" autocomplete="off" autocorrect="off" name="ion-input-5" placeholder="" spellcheck="false" type="text"> (Session info: chrome=100.0.4896.60) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f1cc00db71388da72834caa9d17ed56e, clickElement {id=245cd48e-2a82-4b0d-b4a5-f415434649aa}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52120}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52120/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (f1cc00db71388da72834caa9d17ed56e)] -> xpath: //button[@ng-reflect-text='Go Back']/span[1]] Session ID: f1cc00db71388da72834caa9d17ed56e at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source) at stepdefinitions.CustomerAddressDetails.verify_the_functionality_of_back_button_of_customer_address_details_screen(CustomerAddressDetails.java:335) at ?.verify the functionality of Back button of customer address details screen(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:54) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		

#	Step / Hook Details	Status	Duration
			

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Verify the buttons are available on screen while modify the Customer Address Information	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Verify the buttons are available on screen while modify the Customer Address Information	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify the buttons are available on screen while modify the Customer Address Information	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify the buttons are available on screen while modify the Customer Address Information	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify the buttons are available on screen while modify the Customer Address Information	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify the buttons are available on screen while modify the Customer Address Information	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify the buttons are available on screen while modify the Customer Address Information	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify the buttons are available on screen while modify the Customer Address Information	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify the buttons are available on screen while modify the Customer Address Information	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify the buttons are available on screen while modify the Customer Address Information	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify the buttons are available on screen while modify the Customer Address Information	
(F) Check the functionality of Customer Address Details screen	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify the buttons are available on screen while modify the Customer Address Information	
(F) Check the functionality of Customer Address Details screen	