

# Cucumber Report

Jul 19, 2022, 8:59:21 PM

**Start : Jul 19, 8:59:06.594 PM**

**End : Jul 19, 8:59:21.007 PM**

**Duration : 14.413 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 1**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 1**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 5**

**FAILED - 0**

**SKIPPED - 0**







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	14.413 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	5	5	0	0	14.410 s


**(F)- Product Master Retail Functionality**

<b>PASSED</b>	<b>DURATION - 14.413 s</b>	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 8:59:06.594 PM // 8:59:21.007 PM /					

**(S)- Product Master Retail Field validation**

<div>PASSED</div> <div>DURATION - 14.410 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
<div>/ 8:59:06.597 PM // 8:59:21.007 PM /</div>			
<div>Product Master Retail Functionality</div>			
<div>@ProductMaster_Retail</div>			

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.481 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
			

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation


(F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality



### (F) Product Master Retail Functionality

[illegible]