Cucumber Report

| Start : Sep 20, 3:24:34.219 pm	End : Sep 20, 3:25:16.613 pm	Duration : 42.394 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 17

Features: 1

Scenarios: 1

Steps: 28

Pass %: 0 %

Pass %: 0 %

Pass %: 35 %

#	Feature Name	T	P	F	S	Duration
1	check the functionality of Customer address details	1	0	1	0	42.394 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of Customer address details	verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields	28	10	1	17	42.388 s

(F)- check the functionality of Customer address details

| FAILED	DURATION - 42.394 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 3:24:34.219 pm // 3:25:16.613 pm /		Pass - 0	1	Pass - 10	28
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

(S)- verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields

FAILED	DURATION - 42.388 s		Steps	
			Total - 28	
/ 3:24:34.225 pm // 3:25:16.613 pm /			Pass - 10	28
check the functionality of Customer address details			Fail - 1	
@AT_CAD_01			Skip - 17	

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	13.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.394 s
	screenshot		
2	And user click on Inbox Icon	PASSED	0.294 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.408 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
4	And user Enter Customer Address details Application ID	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
5	And user click on First record of Appdata Entry	PASSED	5.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
6	And user click on Additional customer Info Tab	PASSED	2.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.740 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	And user click on First Record Edit Icon	PASSED	0.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.737 s
	screenshot		
8	And user click on Address Information Add Icon	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.030 s
	screenshot		
9	And user verify the Address Type field and Choose the value	PASSED	0.724 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.462 s
	screenshot		
10	And user verify the Address status field and choose the value	PASSED	0.812 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		
11	And user verify the Residental status field and choose the value	FAILED	1.140 s

org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-twt-c320="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Select, Residential or Occupancy Status *" ng-reflect-model="1">...</ion-select> is not clickable at point (663, 450). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-5" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20005; --width:792.016px;">...</ion-popover> (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [72bad80fd755f0f4c74cbb06dc4f6823, clickElement {id=fa29d4a1-5824-4584-88a1-bcc29d4aa743}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60311}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60311/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (72bad80fd755f0f4c74cbb06dc4f6823)] -> xpath: //ion-label[text()=' Residential or Occupancy Status ']/parent::ion-item//ion-select] Session ID: 72bad80fd755f0f4c74cbb06dc4f6823

  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)

#	Step / Hook Details	Status	Duration
	at stepdefinitions.Customer_Address_Information. user_verify_the_residental_status_field_and_choose_the_value(Customer_Address_Information.java:86) at ?.user verify the Residental status field and choose the value(file:///C:/Users/inindc00075/git/Arshath_ULS/ Arshath_AzentioULSFramework/src/test/java/features/CustomerAddress_details.feature:14) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.171 s
12	And user verify the Address Line 1 field and Enter the Vaue	SKIPPED	0.000 s
13	And user verify the Address Line 2 field and Enter the Vaue	SKIPPED	0.000 s
14	And user verify the country field and choose the value	SKIPPED	0.000 s
15	And user verify the District Name field and Enter the value	SKIPPED	0.000 s
16	And user verify the Zip code field and Enter the value	SKIPPED	0.000 s
17	And user verify the PO Box Number field and Enter the value	SKIPPED	0.000 s
18	And user verify the Mobile Number primary field and Enter the value	SKIPPED	0.000 s
19	And user verify the Duration of stay field and Enter the value	SKIPPED	0.000 s
20	And user verify the Latitude details of the address field and Enter the Value	SKIPPED	0.000 s
21	And user verify the Longtitude details of the address field and Enter the Value	SKIPPED	0.000 s
22	And user verify the LandMark field and Enter the Value	SKIPPED	0.000 s
23	And user verify the Occupancy date field and choose the date	SKIPPED	0.000 s
24	And user verify the Landlord name field and Enter the Value	SKIPPED	0.000 s
25	And user verify the Landlord Number field and Enter the value	SKIPPED	0.000 s
26	And user verify the Rent amount field and Enter the Value	SKIPPED	0.000 s
27	And user verify the Frequency of Rent field and choose the value	SKIPPED	0.000 s
28	And user click the Save the button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) check the functionality of Customer
address details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) check the functionality of Customer
address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) check the functionality of Customer
address details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) check the functionality of Customer
address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields

(F) check the functionality of Customer address details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields

(F) check the functionality of Customer address details