

Cucumber Report

05-Sep-2022, 3:10:08 pm

Start : Sep 05, 3:09:35.272 pm

End : Sep 05, 3:10:05.492 pm

Duration : 30.220 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 14


FAILED - 1

SKIPPED - 34







#	Feature Name	T	P	F	S	Duration
1	<u>Check The functionality of the Personal Details App data Entry</u>	1	0	1	0	30.220 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The functionality of the Personal Details App data Entry	verify the availability of Add button on cuatomer details tab	49	14	1	34	30.214 s





(F)- Check The functionality of the Personal Details App data Entry



FAILED	DURATION - 30.220 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 49 Pass - 14 Fail - 1 Skip - 34	
/ 3:09:35.272 pm // 3:10:05.492 pm /					




(S)- verify the availability of Add button on customer details tab


<div>FAILED</div> <div>DURATION - 30.214 s</div>	<div></div>	<div>Steps</div> <div>Total - 49</div> <div>Pass - 14</div> <div>Fail - 1</div> <div>Skip - 34</div>	<div></div>
<div>/ 3:09:35.278 pm // 3:10:05.492 pm /</div>			
<div>Check The functionality of the Personal Details App data Entry</div>			
<div>@AT_PDE_002</div>			


#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	11.404 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
			
2	Then user click on Transaction Module	PASSED	0.286 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Application Details	PASSED	0.615 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.426 s
	screenshot		
			
4	And user click on Inbox Icon	PASSED	0.564 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
	screenshot		
			
5	And user click search icon	PASSED	0.246 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
			
6	And user search Appdata Entry	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	And user click on First record of Appdata Entry	PASSED	0.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.441 s
	screenshot		
			
8	And user click on Customer Details Tab	PASSED	1.367 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.652 s
	screenshot		
			
9	And user click the Add button annd verify it	PASSED	0.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
			
10	And user Choose customer Type	PASSED	0.789 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.364 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
11	And user Enter CIF ID	PASSED	0.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
			
12	And user Enter Application Number	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
			
13	And user Enter Customer Name	PASSED	0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
			
14	And user choose ID Type	PASSED	0.755 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	<p>And user Enter ID Number</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <input class="native-input sc-ion-input-ios" aria-labelledby="ion-input-4-lbl" autocapitalize="off" autocomplete="off" autocorrect="off" name="ion-input-4" placeholder="" spellcheck="false" type="number"> is not clickable at point (1113, 438). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-4" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20004; --width:537.016px;">...</ion-popover> (Session info: chrome=104.0.5112.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [91bb9b46e0cd11684e12aaab04c32129, clickElement {id=a685adef-42b5-4e68-9772-de4e1a227393}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.102, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:64837}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64837/devtoo..., se:cdpVersion: 104.0.5112.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (91bb9b46e0cd11684e12aaab04c32129)] -> xpath: //ion-label[text()=' ID Number ']/following-sibling::ion-input/input] Session ID: 91bb9b46e0cd11684e12aaab04c32129</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.PersonalDetails_AppDataEntry.user_enter_id_number(PersonalDetails_AppDataEntry.java:344) at ?.user Enter ID Number(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzzentioULSFramework/src/test/java/features/</p>	FAILED	1.137 s

#	Step / Hook Details	Status	Duration
	PersonalDetails_AppDataEntry.feature:59) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.163 s
16	And user Enter Mobile Number	SKIPPED	0.000 s
17	And user Choose Date of Birth	SKIPPED	0.001 s
18	And user Enter Email ID	SKIPPED	0.000 s
19	And user Click the search button	SKIPPED	0.000 s
20	And user click the Create New Record button	SKIPPED	0.000 s
21	And user Enter the customer Type field	SKIPPED	0.000 s
22	And user Enter the Applicant Type field	SKIPPED	0.000 s
23	And user Enter the Salutation field	SKIPPED	0.000 s
24	And user Enter the First Name field	SKIPPED	0.000 s
25	And user Enter the Middle Name filed	SKIPPED	0.000 s
26	And user Enter the Last Name field	SKIPPED	0.000 s
27	And user Enter the Father First Name field	SKIPPED	0.000 s
28	And user Enter the Father Middle Name field	SKIPPED	0.000 s
29	And user Enter the Father Last Name Field	SKIPPED	0.000 s
30	And user Enter the spouse First Name field	SKIPPED	0.000 s
31	And user Enter the spouse Middle name field	SKIPPED	0.000 s
32	And user Enter the spouse Last Name field	SKIPPED	0.000 s
33	And user Enter the No of children field	SKIPPED	0.000 s
34	And user Enter the spouse status field	SKIPPED	0.000 s
35	And user Enter the Date of birth field	SKIPPED	0.000 s
36	And user Enter the gender field	SKIPPED	0.000 s
37	And user Enter the Education Level field	SKIPPED	0.001 s
38	And user Enter the Marital status field	SKIPPED	0.000 s
39	And user Enter the Nationality field	SKIPPED	0.000 s
40	And user Enter the Ethnicity field	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
41	And user Enter the Religion field	SKIPPED	0.002 s
42	And user Enter the Residential status field	SKIPPED	0.000 s
43	And user Enter the Language field	SKIPPED	0.000 s
44	And user Enter the No Of dependents field	SKIPPED	0.000 s
45	And user Enter the Mothers maiden name field	SKIPPED	0.001 s
46	And user Enter the Type of Residence field	SKIPPED	0.000 s
47	And user Enter the category of client field	SKIPPED	0.000 s
48	And user Enter the Rating field	SKIPPED	0.000 s
49	And user Enter the Remark fields	SKIPPED	0.000 s


<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify the availability of Add button on customer details tab</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) verify the availability of Add button on customer details tab</u></p>	
<p><u>(F) Check The functionality of the Personal Details App data Entry</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
cudatmer details tab

(F) Check The functionality of the
Personal Details App data Entry



AZENTIO
ONEBanking

Search the menu


- Dashboard
- Configurations
- Transactions
- Application Details
- Facility Details
- Customer employment
- Income
- Customer debt
- Repayment Details
- Customer Reference
- Customer debt Islamic

Engl... LOS Aze...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
cudatmer details tab

(F) Check The functionality of the
Personal Details App data Entry



AZENTIO
ONEBanking

Search the menu

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 12:59	HLW	AHL
	3	APP_CREATE	NEWAPP	BREXEC	in02040	05-Aug-2022 18:36	HLW	AHL

Showing 1 to 10 of 175 entries

Engl... LOS Aze...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
customer details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 12:59	HLW	AHL
	3	APP_CREATE	NEWAPP	BREXEC	in02040	05-Aug-2022 18:36	HLW	AHL

Showing 1 to 10 of 175 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
customer details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Inbox

AppData

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10725	APP_CREATE	OFFERING	CREOFF	in02040	01-Sep-2022 12:39	HLW	AHL
	10720	APP_CREATE	DUPAPPDEC	BRMANG	in02040	29-Aug-2022 13:37	HLW	AHL
	10739	APP_CREATE	NEWAPP	BREXEC	in02040	11-Aug-2022 10:29	HLW	AHL
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10727	APP_CREATE	LEGVRFY	CPUEXEC	in02040	10-Aug-2022 13:50	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	159	FLOATING_RATE	MAKER	LOSMKR	in02040	08-Aug-2022 12:16	TSW	
	10728	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 13:12	HLW	AHL
	10733	APP_CREATE	LEGVRFY	CPUEXEC	in02040	06-Aug-2022 12:59	HLW	AHL
	3	APP_CREATE	NEWAPP	BREXEC	in02040	05-Aug-2022 18:36	HLW	AHL

Showing 1 to 10 of 175 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
customer details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	10738	APP_CREATE	APPDATAENT	CPUEXEC	in02040	10-Aug-2022 17:10	HLW	AHL
	10734	APP_CREATE	APPDATAENT	CPUEXEC	in02040	08-Aug-2022 12:33	HLW	AHL
	10703	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 16:40	HLW	AHL
	10696	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 14:22	HLW	AHL
	10653	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 12:38	HLW	AHL
	10690	APP_CREATE	APPDATAENT	CPUEXEC	in02040	03-Aug-2022 11:4	HLW	AHL
	10689	APP_CREATE	APPDATAENT	CPUEXEC	in02040	02-Aug-2022 15:32	HLW	AHL
	10686	APP_CREATE	APPDATAENT	CPUEXEC	in02040	29-Jul-2022 16:8	HLW	AHL
	10683	APP_CREATE	APPDATAENT	CPUEXEC	in02040	28-Jul-2022 18:18	HLW	AHL
	10681	APP_CREATE	APPDATAENT	CPUEXEC	in02040	28-Jul-2022 16:28	HLW	AHL

Showing 1 to 10 of 90 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
customer details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Customer Personal Information

Prev Application Info **Customer details** Additional Customer Info Customer Financials Facility info Document Details Next

Customer Personal Information

Form fields for customer information.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
cudatmer details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application Details

Facility Details

Customer employment

Income

Customer debt

Repayment Details

Customer Reference

Customer debt islamic

Customer details

Customer Personal Information

Search

Export

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>			Aakash		Patel	I	P	Active

Showing 1 to 1 of 1 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
cudatmer details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application Details

Facility Details

Customer employment

Income

Customer debt

Repayment Details

Customer Reference

Customer debt islamic

Customer details

Search Customer

Search

Clear

Customer Type *

Individual Customer

Application Number

Corporate Customer

ID Type *

Individual Customer

Small Medium Enterprise(SME)

Mobile Number

Email ID

CIF ID

Customer Name


ID Number

Date Of Birth

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
customer details tab

(F) Check The functionality of the
Personal Details App data Entry



AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application Details

Facility Details

Customer employment

Income

Customer debt

Repayment Details

Customer Reference

Customer debt Islamic

Prev Application Info **Customer details** Additional Customer Info Customer Financials Facility Info Document Details Next

Search Customer Search Clear

Customer Type * Individual Customer

CIF ID 165

Application Number

ID Type * Select

Mobile Number

Email ID

Customer Name

ID Number


Date Of Birth

Add

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
customer details tab

(F) Check The functionality of the
Personal Details App data Entry



AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Application Details

Facility Details

Customer employment

Income

Customer debt

Repayment Details

Customer Reference

Customer debt Islamic

Prev Application Info **Customer details** Additional Customer Info Customer Financials Facility Info Document Details Next

Search Customer Search Clear

Customer Type * Individual Customer

CIF ID 165

Application Number 561

ID Type * Select

Mobile Number

Email ID

Customer Name

ID Number

Date Of Birth

Add

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
customer details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Transactions details

Application Details

Facility Details

Customer employment

Income

Customer debt

Repayment Details

Customer Reference

Customer debt Islamic

Customer details

Additional Customer Info

Customer Financials

Facility Info

Document Details

Next

Search Customer

Search Clear

Customer Type * Individual Customer

CIF ID 165

Application Number 561

Customer Name Azentio

ID Type * Select

ID Number

Mobile Number

Date Of Birth

Email ID

Add

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
customer details tab

(F) Check The functionality of the
Personal Details App data Entry

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Transactions details

Application Details

Facility Details

Customer employment

Income

Customer debt

Repayment Details

Customer Reference

Customer debt Islamic

Customer details

Additional Customer Info

Customer Financials

Facility Info

Document Details

Next

Search Customer

Search Clear

Customer Type * Individual Customer

CIF ID 165

Application Number 561

Customer Name Azentio

ID Type * Select

ID Number

Mobile Number

Date Of Birth

Email ID

Add

Select

Aadhar

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify the availability of Add button on
customer details tab

(F) Check The functionality of the
Personal Details App data Entry

The screenshot displays the AZENTIO ONEBanking interface. On the left is a dark blue sidebar menu with options: Dashboard, Configurations, Transactions details, Application Details, Facility Details, Customer employment, Income, Customer debt, Repayment Details, Customer Reference, and Customer debt Islamic. The main content area has a top navigation bar with tabs: Prev, Application Info, Customer details (active), Additional Customer Info, Customer Financials, Facility Info, Document Details, and Next. Below the tabs is a 'Search Customer' section with a search bar and a 'Clear' button. The form contains several input fields: 'Customer Type' (dropdown menu showing 'Individual Customer'), 'CIF ID' (text field with '165'), 'Application Number' (text field with '561'), 'Customer Name' (text field with 'Azentio'), 'ID Type' (dropdown menu showing 'Select' with a dropdown list containing 'Aadhar'), 'ID Number' (text field), 'Date Of Birth' (text field with a calendar icon), and 'Email ID' (text field). The top right of the interface shows user information: 'Engl...', 'LOS', 'Aze...', and a profile picture.