


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	22.812 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	Verify the buttons are available on screen while modify the	12	9	1	2	22.801 s
	Address Details screen	Customer Address Information					

DETAILED SECTION

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 22.812 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 1:01:48.207	PM // 1:02:11.019 PM /	Pass - 0	1	Pass - 9	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Verify the buttons are available on screen while modify the Customer Address Information

FAILED DURATION - 22.801 s	5 Steps	
/ 1:01:48.218 PM // 1:02:11.019 PM /	4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
Check the functionality of Customer Address Details screen	2 - Pass - 9	12
	Skip - 2	
@AT_CAD_005	1 2 3 4 5 6 7 8 9 10 11 12	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.870 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.409 s
	screenshot		
	AZENTIO		
2	And User Login as maker	PASSED	3.774 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.085 s
	screenshot		
	AMENTO OF STATE OF ST		


#	Step / Hook Details	Status	Duration
3	Then user should click on the menu toggle	PASSED	0.466 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.953 s
	screenshot		
	ACTION OF B 100 100 100 100 100 100 100 100 100 1		
4	Then click on inbox to search for the Customer Address Details record	PASSED	0.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot		
	ACTION OF B S S S S S S S S S S S S S S S S S S		
5	Then click on search button to search the record of Customer Address Details	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
	## ATTION OF THE PROPERTY OF T		
6	Then enter the reference id of the Customer Address Details record	PASSED	0.115 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
	## ATTIVITY Company Mark Company Mark Company Mark Ma		
7	Then click on the entitle button of the Customer Address Details record of that reference id	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
-	·		

#	Step / Hook Details	Status	Duration
	A ZEMPTO OR OF SERVICE STATE		
8	Then click on the Additional customer info tab in Customer Personal Information screen	PASSED	2.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.905 s
	screenshot		
	ACRETO OR DESCRIPTION OF THE PROPERTY OF THE		
9	Then select the Customer Address details record from the customer personal detail screen	PASSED	0.474 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.551 s
	screenshot		
	ACRITICO ACRITI		
10	Then select the record of Address details from the customer identification screen	FAILED	0.529 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'986')]///td[1]/span/button[1]"} (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5512cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5cc3096c52a942ae76414ca267092918, findElement {using=xpath, value=!/span[contains(text(),'986')]///td[1]/span/button[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:50411}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50411/devtoo, se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5cc3096c52a942ae76414ca267092918 at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.CustomerAddressDetails. select_the_record_of_address_details_from_the_customer_identification_screen(CustomerAddressDetails.java:268) at ?.select the record of Address details from the customer identification screen(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:52)		
	* Not displayable characters are replaced by '?'. AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot Compared to the content of the conten	PASSED	0.121 5
11	Then verify Customer Address details screen should get open with mentioned Fields	SKIPPED	0.000 s
12	Then verify the functionality of Back button of customer address details screen	SKIPPED	0.001 s

EXPANDED SECTION -- 8 --


(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) User ID (S) Verify the buttons are available on **AZENTIO** screen while modify the Customer **Address Information** CONTINUE (F) Check the functionality of Customer Address Details screen **AZENTIO**° (Step) AFTER_STEP - stepdefinitions. **ONE**Banking HooksClass.addScreenshot(io.cucumber. java.Scenario) Q 88 Ø (S) Verify the buttons are available on screen while modify the Customer 0 **Address Information** (F) Check the functionality of Customer Address Details screen



EXPANDED SECTION



EXPANDED SECTION --- 11 --



EXPANDED SECTION --- 12 --

