

Cucumber Report

14-Nov-2022, 6:36:19 pm

Start : Nov 14, 6:35:06.107 pm

End : Nov 14, 6:36:16.153 pm

Duration : 1 m 10.046 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 9


FAILED - 1

SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	0	1	0	1 m 10.046 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expense Parameter record with invalid data	12	9	1	2	1 m 10.042 s





(F)- Check the functionality of Living Expenses Master




FAILED	DURATION - 1 m 10.046 s	Scenarios		Steps	
/ 6:35:06.107 pm // 6:36:16.153 pm /		Total - 1		Total - 12	
		Pass - 0		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Creation of Living Expense Parameter record with invalid data


<div>FAILED</div> <div>DURATION - 1 m 10.042 s</div>			<div>Steps</div> <div>Total - 12</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 2</div>	
/ 6:35:06.111 pm // 6:36:16.153 pm /				
Check the functionality of Living Expenses Master				
@AT_LE_017_Parameter_Invalid				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	16.065 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.497 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.480 s
	screenshot		
			
4	And user Goto the Temp view screen of living Expense	PASSED	0.685 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.605 s
	screenshot		
			
5	And user click on First record in living Expense	PASSED	0.856 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.024 s
	screenshot		
			
6	And user click on Living Expenses Parameter	PASSED	2.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.767 s
	screenshot		
			
7	And user click on Add Icon for Living Expenses	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.721 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user Pass the Exceldata value for ParaMeter Invalid	PASSED	0.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot 		
9	And user Enter Invalid value in Description and verify it	PASSED	0.690 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot 		
10	And user save the Record in Living Expenses org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//div[@role='alert'])[2]' (tried for 30 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.LivingExpense_Master.user_save_the_record_in_living_expenses(LivingExpense_Master.java:164) at ?.user save the Record in Living Expenses(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:479) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {\"method\":\"xpath\",\"selector\":\"(//div[@role='alert'])[2]\"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc551cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [993e869c2233c2e82a8b47581220ecfc, findElement {using=xpath, value=(//div[@role='alert'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\\Users\\ININDC~1\\AppData\\L..., goog:chromeOptions: {debuggerAddress: localhost:57204}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57204/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts:	FAILED	30.599 s

#	Step / Hook Details	Status	Duration
	<pre> {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 993e869c2233c2e82a8b47581220ecfc at jdk.internal.reflect.GeneratedConstructorAccessor41.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.LivingExpense_Master.user_save_the_record_in_living_expenses(LivingExpense_Master.java:164) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
11	And Validate the Message and verify it	SKIPPED	0.001 s
12	And user verify the Blank field in Living Expense	SKIPPED	0.000 s


<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living Expense Parameter record with invalid data</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living Expense Parameter record with invalid data</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with invalid data


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with invalid data

(F) Check the functionality of Living
Expenses Master



(F) Check the functionality of Living Expenses Master

	AZENTIO [™]	ONBanking	14-Nov-2022				Engl...	LOS	Aze...	
	Search the menu									
	Dashboard									
	Configurations									
	Project Master									
	Notification Master									
	Report Master									
	Target Master									
	Business Division Master									
	Approval Reviewer Level Matrix									
	Income Group Definition									
	Facility Type									
	NPA Identification									
	Classification Master									
	Living Expense									
	Transactions									
	Reports									

Action	Description ↑↓	Rule ID ↑↓	Effective Date ↑↓	Status ↑↓
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active

Showing 1 to 5 of 27 entries << < 1 2 3 4 5 > >>


(F) Check the functionality of Living Expenses Master

[illegible]

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with invalid data


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with invalid data

(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with invalid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBOOKING

14-Nov-2022

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

Project Master

Notification Master

Report Master

Target Master

Business Division Master

Approval Reviewer Level Matrix

Income Group Definition

Facility Type

NPA Identification

Classification Master

Living Expense

Transactions

Reports

Living Expense Definition

Living Expense Parameter

Living Expense Location

Living Expense Parameter

Description *

&*\$%\$#

Alphanumeric characters allowed

Code *

Select

Required field

Value *

Required field

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with invalid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBOOKING

14-Nov-2022

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

Project Master

Notification Master

Report Master

Target Master

Business Division Master

Approval Reviewer Level Matrix

Income Group Definition

Facility Type

NPA Identification

Classification Master

Living Expense

Transactions

Reports

Living Expense Definition

Living Expense Parameter

Living Expense Location

Living Expense Parameter

Description *

&*\$%\$#

Alphanumeric characters allowed

Code *

Select

Required field

Value *

Required field