Cucumber Report

| **Start : Jun 12, 3:29:49.085 pm**	**End : Jun 12, 3:29:52.794 pm**	**Duration : 3.709 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 19

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	3.709 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	Verify the Customer Address Information Parameter details List view	19	0	0	19	3.700 s

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 3.709 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 19 Pass - 0 Fail - 0 Skip - 19	19
/ 3:29:49.085 pm // 3:29:52.794 pm /					

(S)- Verify the Customer Address Information Parameter details List view

FAILED	DURATION - 3.700 s		Steps	
/ 3:29:49.094 pm // 3:29:52.794 pm /			Total - 19	
Check the functionality of Customer Address Details screen			Pass - 0 Fail - 0 Skip - 19	19
@AT_CAD_010				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	3.640 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 110 Current browser version is 114.0.5735.110 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.226', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User launch the kuls application	SKIPPED	0.000 s
2	And User Login as maker for transaction screen	SKIPPED	0.001 s
3	Then select data set ID for customer address details testcase010	SKIPPED	0.000 s
4	Then user should click on the menu toggle	SKIPPED	0.000 s
5	Then click on inbox to search for the Customer Address Details record	SKIPPED	0.000 s
6	Then click on search button to search the record of Customer Address Details	SKIPPED	0.001 s
7	Then enter the reference id of the Customer Address Details record	SKIPPED	0.000 s
8	Then click on the entitle button of the Customer Address Details record of that reference id	SKIPPED	0.000 s
9	Then click on the Additional customer info tab in Customer Personal Information screen	SKIPPED	0.000 s
10	Then select the Customer Address details record from the customer personal detail screen	SKIPPED	0.000 s
11	Then Verify system should display mention fields on List view of Customer Address Information Parameter details	SKIPPED	0.000 s
12	Then Verify the values in List view should be non editable on List view of Customer Address details	SKIPPED	0.001 s
13	Then select the record of Address details from the customer identification screen	SKIPPED	0.000 s
14	Then Verify the functionality of Back button on List view of Customer Address details	SKIPPED	0.000 s
15	Then click on export to pdf button system should download Pdf file of Customer Address details	SKIPPED	0.001 s
16	Then click on export to excel button system should download Excel file of Customer Address details	SKIPPED	0.000 s
17	Then verify search box should display matching record with matched data of Customer Address details	SKIPPED	0.000 s
18	Then verify search box should not display any record with mismatched data of Customer Address details	SKIPPED	0.001 s
19	Then Verify the functionality of add button	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		