
Duration: 13.007 s Start: Sep 20, 1:04:03.980 PM End: Sep 20, 1:04:16.987 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 1 SKIPPED - 0 SKIPPED - 0 SKIPPED - 7 9 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 10 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	0	1	0	13.007 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Title of your feature	To verify user is able to view Customer Information tab at	9	1	1	7	13.004 s
		New App Stage					

DETAILED SECTION -- 4 --

(F)- Title of your feature

FAILED	DURATION - 13.007 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 1:04:03.980 PN	1 // 1:04:16.987 PM /	Pass - 0	1	Pass - 1	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- To verify user is able to view Customer Information tab at New App Stage



#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	3.749 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.274 s
	screenshot		
	AZENTIO TO THE PROPERTY OF THE		
2	And login with valid credentials	FAILED	5.070 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dfd00f51d3b553cc0d93000549c59088, isElementDisplayed {id=15B1CE80FA40B77BBD5DACEEB05D62CA_element_13}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880, userDataDir: C:\Users\ININDC~2\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:51935}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:51935/devtoo, se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

#	Step / Hook Details	Status	Duration
"	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [org.openqa.selenium.remote.RemoteWebElement@49d27276 -> unknown locator] Session ID: dfd00f51d3b553cc0d93000549c59088 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196)	Status	Duranon
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:280) at stepdefinitions.ljaraLogin.loginWithljaraApplication(ljaraLogin.java:50) at stepdefinitions.ljaraTest.login_with_valid_credentials(ljaraTest.java:22) at ?.login with valid credentials(file:///C:/Users/ININDC00627/git/ULS_ljarah_Tauqeer/KULS_Sankar/src/test/java/features/testijarah.feature:31) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot ***********************************		
3	And User get the test data for test case AT_CD_01	SKIPPED	0.000 s
4	And User click the module name dropdown in ULS application	SKIPPED	0.001 s
5	And User select the module name as LOS in ULS application	SKIPPED	0.001 s
6	And user click on the hamburger menu	SKIPPED	0.000 s
7	And user click on the transactions module	SKIPPED	0.000 s
8	And user click on the application manager option	SKIPPED	0.000 s
9	And user click on the customer details module	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) **AZENTIO** (S) To verify user is able to view Customer Information tab at New App Stage (F) Title of your feature AZENTIO 31-Jan-2023 📰 🗠 🔐 Eng... 🔻 Co... 🔻 Cen... 🔻 🌘 🔻 (Step) AFTER_STEP - stepdefinitions. **ONE**Banking 88 HooksClass.addScreenshot(io.cucumber. java.Scenario) 0 (S) To verify user is able to view Customer Information tab at New App Stage (F) Title of your feature