

Cucumber Report

Sep 15, 2022, 11:58:49 AM

Start : Sep 15, 11:58:25.039 AM

End : Sep 15, 11:58:48.219 AM

Duration : 23.180 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 2







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Personal Details Disbursement Checker Functionality</u> | 1 | 0 | 1 | 0 | 23.180 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|----|---|---|---|----------|
| 1 | <u>Personal Details Disbursement Checker Functionality</u> | <u>To check the functionality of Personal Details Disbursement Checker</u> | 11 | 8 | 1 | 2 | 23.177 s |





(F)- Personal Details Disbursement Checker Functionality




| | | | | | |
|--|----------------------------|--|---|---|---|
| FAILED | DURATION - 23.180 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 11 Pass - 8 Fail - 1 Skip - 2 |  |
| / 11:58:25.039 AM // 11:58:48.219 AM / | | | | | |


(S)- To check the functionality of Personal Details Disbursement Checker

| | | | |
|---|---|--|--|
| <div>FAILED</div> <div>DURATION - 23.177 s</div> | <div></div> | <div>Steps</div> <div>Total - 11</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 2</div> | <div></div> |
| <div>/ 11:58:25.042 AM // 11:58:48.219 AM /</div> | | | |
| <div>Personal Details Disbursement Checker</div> <div>Functionality</div> | | | |
| <div>@PDDC-002</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 5.540 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.294 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 4.875 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.128 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then click on inbox | PASSED | 0.279 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.158 s |
| | screenshot  | | |
| 4 | Then click on inbox search icon | PASSED | 0.127 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.132 s |
| | screenshot  | | |
| 5 | Then search Personal Details Disbursement Checker record | PASSED | 1.111 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.078 s |
| | screenshot  | | |
| 6 | And maker user open the record from inbox | PASSED | 1.144 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.096 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 7 | Then click on Customer Details Segment button | PASSED | 2.190 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.221 s |
| | screenshot | | |
| |  | | |
| 8 | Then open Customer Details record | PASSED | 2.145 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.381 s |
| | screenshot | | |
| |  | | |
| 9 | Then Validate Personal Details Disbursement Checker Back button | FAILED | 1.427 s |
| | <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button_ngcontent-cmk-c669="" class="ios button button-clear in-toolbar button-has-icon-only ion-activatable ion-focusable hydrated">...</ion-button> is not clickable at point (275, 82). Other element would receive the click: <ion-button_ngcontent-cmk-c669="" class="ios button button-clear in-toolbar button-has-icon-only ion-activatable ion-focusable hydrated">...</ion-button> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b241b3b77a65ae1685f7d8404b871344, clickElement {id=6f56503c-6bea-4df1-885f-855a181d6c43}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\I\NINDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:64987}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64987/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (b241b3b77a65ae1685f7d8404b871344)] -> xpath: //ion-toolbar[1]/ion-buttons[1]/ion-button[1]] Session ID: b241b3b77a65ae1685f7d8404b871344</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source) at stepdefinitions.PersonalDetailsDisbursementChecker. validate_personal_details_disbursement_checker_back_button(PersonalDetailsDisbursementChecker.java:48) at ?.Validate Personal Details Disbursement Checker Back button(file:///C:/Users/inindc00089/git/ repository6/Priyanka_AzentioULSFramework/src/test/java/features/PersonalDetails_DisbursementChecker.feature:13) * Not displayable characters are replaced by '?'. </pre> | | |
| | <p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p>  | PASSED | 0.089 s |
| 10 | Then click on Customer Details Segment button | SKIPPED | 0.001 s |
| 11 | Then Validate Personal Details Disbursement Checker Add button | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker


(F) Personal Details Disbursement
Checker Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

The screenshot shows the AZENTIO ONEBanking application interface. The top navigation bar includes the AZENTIO logo, a search icon, and user profile information (Engl..., LOS, Aze...). The left sidebar contains a menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area is titled 'Inbox' and shows 'Action' with a search icon. Below the search bar, it displays 'Showing 0 to 0 of 0 entries' and a pagination control set to 10.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

The screenshot shows the AZENTIO ONEBanking application interface with a list of transactions in the inbox. The top navigation bar and left sidebar are the same as in the previous screenshot. The main content area is titled 'Inbox' and shows a table of transactions. The table has columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 entries, with the first entry highlighted. The pagination control at the bottom shows 'Showing 1 to 10 of 59 entries' and a pagination control set to 10.

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 512 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 15-Sep-2022 11:58 | HLW | AHL |
| | 507 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 15-Sep-2022 11:36 | HLW | AHL |
| | 510 | APP_CREATE | OFFERING | CREOFF | in02040 | 15-Sep-2022 11:28 | HLW | AHL |
| | 508 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 15-Sep-2022 11:24 | HLW | AHL |
| | 285 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 15-Sep-2022 10:39 | HLW | AHL |
| | 506 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 15-Sep-2022 10:22 | HLW | AHL |
| | 489 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 14-Sep-2022 20:59 | HLW | AHL |
| | 485 | APP_CREATE | OFFERING | CREOFF | in02040 | 14-Sep-2022 20:34 | HLW | AHL |
| | 480 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 14-Sep-2022 17:28 | HLW | AHL |
| | 478 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 14-Sep-2022 16:54 | HLW | AHL |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

313

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|------------------|---------------|---------|
| | 313 | APP_CREATE | DISBCKR | OPECHK | in02040 | 05-Sep-2022 15:3 | HLW | AHL |

Showing 1 to 1 of 1 entries

1

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Inbox

313

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|------------------|---------------|---------|
| | 313 | APP_CREATE | DISBCKR | OPECHK | in02040 | 05-Sep-2022 15:3 | HLW | AHL |

Showing 1 to 1 of 1 entries

1

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality


The screenshot displays the AZENTIO ONEBanking application interface. The top navigation bar includes the AZENTIO logo, a search menu, and various utility icons. The left sidebar contains a menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area shows a breadcrumb trail: Prev > Application Details > Customer details > Beneficiary Details > Payment Schedule > Drawdown > Drawdown details > Next. The Customer details tab is active, but the content area is currently blank, suggesting a loading state or a missing view.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

The screenshot displays the AZENTIO ONEBanking application interface, showing the Customer Personal Information table. The top navigation bar and left sidebar are identical to the previous screenshot. The main content area shows a breadcrumb trail: Prev > Application Details > Customer details > Beneficiary Details > Payment Schedule > Drawdown > Drawdown details > Next. The Customer details tab is active, and the Customer Personal Information table is displayed. The table has columns: Select, Action, CIF ID, First Name, Middle Name, Last Name, Customer Type, Applicant Type, and Status. A single entry is shown with the status 'Active'. The table footer indicates 'Showing 1 to 1 of 1 entries'.

| Select | Action | CIF ID | First Name | Middle Name | Last Name | Customer Type | Applicant Type | Status |
|-----------------------|--|--------|------------|-------------|-----------|---------------|----------------|--------|
| <input type="radio"/> |  | | testerA | mname | lname | I | P | Active |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Personal
Details Disbursement Checker

(F) Personal Details Disbursement
Checker Functionality

AZENTIO
ONEBanking

Engl... LOS Aze...

Prev Application Details **Customer details** Beneficiary Details Payment Schedule Drawdown Drawdown details Next

Customers Information

Initiate Video KYC

Personal Details

| | | | | | |
|-----------------------|---------------------|----------------------|-------------------|----------------------|-------------|
| Customer Type * | Individual Customer | Applicant Type * | Primary Applicant | KYC Status | |
| Salutation * | Mr | First Name * | testerA | Middle Name | mname |
| | | | | Last Name * | lname |
| Father's First Name * | Fname | Father's Middle Name | fmname | Father's Last Name * | flname |
| Spouse's First Name | | Spouse's Middle Name | | Spouse's Last Name | |
| No. Of Children | 0 | Spouse Status | Select | Date Of Birth * | 29-Jan-1991 |
| Gender * | MALE | Education Level * | Graduate | Marital Status * | Single |
| Nationality * | Indian | Category | General | Religion | HINDU |