# Cucumber Report

| Start : Feb 22, 3:07:19.173 PM | End : Feb 22, 3:08:03.734 PM | Duration : 44.561 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 9<br>FAILED - 1<br>SKIPPED - 6 |

Features: 1

Scenarios: 1

Steps: 16

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 56 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | To verify the functionalities of report master | 1 | 0 | 1 | 0 | 44.561 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To verify the functionalities of report master | To verify maker user can able to create report parameter details record with invalid input | 16 | 9 | 1 | 6 | 44.553 s |

## (F)- To verify the functionalities of report master

| FAILED | DURATION - 44.561 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 16 | |
| / 3:07:19.173 PM // 3:08:03.734 PM / | | Pass - 0 | **1** | Pass - 9 | **16** |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 6 | |

## (S)- To verify maker user can able to create report parameter details record with invalid input

| FAILED | DURATION - 44.553 s | | Steps | |
|---|---|---|---|---|
| | | | Total - 16 | |
| / 3:07:19.181 PM // 3:08:03.734 PM / | | | Pass - 9 | **16** |
| To verify the functionalities of report master | | | Fail - 1 | |
| @AT-RA-016 | | | Skip - 6 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate to ULS application URL | PASSED | 10.293 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.775 s |
| | screenshot | | |
| |  | | |
| 2 | Then login with valid maker credentials | PASSED | 8.947 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.039 s |
| | screenshot | | |
| |  | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | And go to configuration main menu | PASSED | 0.219 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.326 s |
| | screenshot | | |
| |  | | |
| 4 | And click on config Manager main module | PASSED | 0.290 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.391 s |
| | screenshot | | |
| |  | | |
| 5 | And click on view button neqar by report master module | PASSED | 0.656 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.923 s |
| | screenshot | | |
| |  | | |
| 6 | And click on add button in report master | PASSED | 0.413 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.634 s |
| | screenshot | | |
| |  | | |
| 7 | And click on add button in report parameter details | PASSED | 1.693 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.879 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 8 | And get the test data of parameter details validation scenario from excel | PASSED | 0.357 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.333 s |
| | screenshot | | |
| |  | | |
| 9 | And click on save button in report parameter details without filling the mendaory details | PASSED | 0.475 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.503 s |
| | screenshot | | |
| |  | | |
| 10 | Then verify user can get the validation for incomplete data in mendatory field in report parameter details | FAILED | 10.926 s |
| | org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-label[text()=' Param 1 Description 2 ']//ancestor::digital-text-box//parent::ion-col//div//ion-badge' (tried for 10 second(s) with 1000 milliseconds interval)<br>   at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)<br>   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)<br>   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:101)<br>   at stepdefinitions.ULS_ReportMasterSteps. verify_user_can_get_the_validation_for_incomplete_data_in_mendatory_field_in_report_parameter_details(ULS_ReportMasterSteps.java:242)<br>   at ?.verify user can get the validation for incomplete data in mendatory field in report parameter details(file:///C:/Users/ININDC00076/git/ Azentio_ULS/AzentioULSFramework_Anandh/src/test/java/features/ReportMaster.feature:372)<br>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[text()=' Param 1 Description 2 ']//ancestor::digital-text-box//parent::ion-col//div//ion-badge"}  (Session info: chrome=110.0.5481.104) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.56', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java. version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [984a17b6180481dbe0d848bf10d89bd3, findElement {using=xpath, value=//ion-label[text()=' Param 1 Description 2 ']//ancestor::digital-text-box//parent::ion-col//div//ion-badge}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.104, chrome: {chromedriverVersion: 110.0.5481.77 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | (65ed616c6e8e..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54701}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54701/devtoo..., se:cdpVersion: 110.0.5481.104, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 984a17b6180481dbe0d848bf10d89bd3<br><br>  at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>  at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>  at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)<br>  at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)<br>  at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)<br>  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)<br>  at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)<br>  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)<br>  at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:101)<br>  at stepdefinitions.ULS_ReportMasterSteps.<br>verify_user_can_get_the_validation_for_incomplete_data_in_mendatory_field_in_report_parameter_details(ULS_ReportMasterSteps.java:242)<br>  at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)<br>  at java.base/java.lang.reflect.Method.invoke(Method.java:578)<br>  at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)<br>  at io.cucumber.java.Invoker.invoke(Invoker.java:24)<br>  at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)<br>  at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)<br>  at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)<br>  at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)<br>  at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)<br>  at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)<br>  at io.cucumber.core.runner.TestStep.run(TestStep.java:64)<br>  at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)<br>  at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:578) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| | at org.testng.TestNG.run(TestNG.java:1031) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.409 s |
| | screenshot<br> | | |
| 11 | And enter characters in numeric field in report parameter details | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| 12 | Then verify system should not allow to enter the charecter data into the numeric input box | SKIPPED | 0.000 s |
| 13 | And enter special charecter inputs in report parameter details | SKIPPED | 0.000 s |
| 14 | Then verify system should through the validation for the special charecter inputs for special charecter | SKIPPED | 0.001 s |
| 15 | And click on template field and select the data from the drop down | SKIPPED | 0.000 s |
| 16 | And click on is mendatory dropdown and select the value from the dropdown | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create report parameter details record
with invalid input

(F) To verify the functionalities of report
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create report parameter details record
with invalid input

(F) To verify the functionalities of report
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create report parameter details record
with invalid input

(F) To verify the functionalities of report
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create report parameter details record
with invalid input

(F) To verify the functionalities of report
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create report parameter details record
with invalid input

(F) To verify the functionalities of report
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create report parameter details record
with invalid input

(F) To verify the functionalities of report
master



Report Master - List View

| Action | Report Name | Description | Report Type | Status |
|--------|-------------|-------------|-------------|--------|
| ✏ 👁 | Description1 | Ok | 57448 | Active |
| ✏ 👁 | Reports | Approved | 57446 | Active |
| ✏ 👁 | Reports | Done | 57945 | Active |
| ✏ 👁 | report01 | report01Desc | 57945 | Active |
| ✏ 👁 | reportT1 | reportDesc | 57945 | Active |

Showing 1 to 5 of 51 entries    1  2  3  4  5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create report parameter details record
with invalid input

(F) To verify the functionalities of report
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create report parameter details record
with invalid input

(F) To verify the functionalities of report
master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create report parameter details record
with invalid input

(F) To verify the functionalities of report
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
create report parameter details record
with invalid input

(F) To verify the functionalities of report
master