


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To test the dept details screen	1	0	1	0	41.475 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the dept details screen	verify while modification, when user keep any mandatory	11	10	1	0	41.468 s
		field blank and Fill the Invalid details					

DETAILED SECTION

(F)- To test the dept details screen

FAILED	DURATION - 41.475 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 4:49:44.168	pm // 4:50:25.643 pm /	Pass - 0	1	Pass - 10	11
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 0	

(S)- verify while modification, when user keep any mandatory field blank and Fill the Invalid details

FAILED	DURATION - 41.468 s	15	1												Steps		
/ <i>Δ</i> · <i>Δ</i> 9· <i>Δ</i> Δ 175 r	om // 4:50:25.643 pm /	10													Total - 11		
γ 4.45.44.175 μ	5/11 // 4.00.20.040 μ/11 /											i			Pass - 10	11	A
To test the dept	details screen	5			-										Fail - 1		,
@AT_DD_04		0		<u> </u>		<u> </u>	+-		<u> </u>			 -			Skip - 0		•
				1	2	3	4	5	6	7	8	9	10	11			

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	14.378 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.412 s
	screenshot		
	TATION IN PROPERTY OF THE PROP		
2	And click on mail box	PASSED	0.687 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
	## A PARTY ## A		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And select the app data entry first record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
And select the app data entry first record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARSED And user click on Customer Financials Tab ArTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ArTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ArTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ArTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ArTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.277 s ArTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.77 s ArTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.77 s	3	And search for app data entry record	PASSED	0.574 s
And select the app data entry first record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And user click on Customer Financials Tab AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.277 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.277 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.77 s			PASSED	0.169 s
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) screenshot And user click on Customer Financials Tab AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) PASSED 0.277 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) PASSED 0.277 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) PASSED 0.716 s		*** A SERVICE*** ********************************		
screenshot And user click on Customer Financials Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AATTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.277 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s	4	And select the app data entry first record	PASSED	0.300 s
And user click on Customer Financials Tab And user click on Customer Financials Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AAFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AAFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.277 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s			PASSED	0.378 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.277 s PASSED 0.716 s		*** ***		
screenshot And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.371 s recenshot And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.277 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s	5	And user click on Customer Financials Tab	PASSED	1.366 s
And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.275 s 1.371 s 0.277 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.277 s 0.277 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.802 s
And user click on First Record Edit Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.277 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.277 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s		A SENTICE		
Screenshot 7 And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.277 s 0.716 s	6	And user click on First Record Edit Icon	PASSED	0.275 s
7 And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.277 s 0.716 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.371 s
7 And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.277 s PASSED 0.716 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.716 s		A ZEUTION Windows State Control of the Control of		
	7	And click on pencil icon in financial commitment list view record	PASSED	0.277 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.716 s
		screenshot		

#	Step / Hook Details	Status	Duration
	ASSETTION S P (00) (00) (00)		
8	And Reupdate the sanction amount	PASSED	0.836 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot	1	
	# 2 # 5 # 50 50 50 # 4 # 4 # 50 50 50 # 4 # 4 # 50 50 50 # 5 # 4 # 50 50 50 # 5 # 4 # 50 50 50 # 5 # 4 # 50 50 50 # 5 # 50 50 50 # 5 # 50 50 50 # 5 # 5		
9	And user update Invalid data to interest rate percentage field	PASSED	0.336 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
	# 3 # 9 # 1 # 2 # 2 # 2 # 2 # 2 # 2 # 2 # 2 # 2		
10	And save the updated record in customerfinancial commitment record	PASSED	1.984 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
11	And user verify the validation Messgae for Invalid data	FAILED	10.250 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-badge[contains(text(),' Positive Integer Allowed')]' (tried for 10 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ULS_CustomerDeptDetailsSteps.user_verify_the_validation_messgae_for_invalid_data(ULS_CustomerDeptDetailsSteps.		

#	Step / Hook Details	Status	Duration
	java:1193)		
	at ?.user verify the validation Messgae for Invalid data(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/		
	java/features/ULS_CustomerDeptDetailsFEATURE.feature:81)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-		
	badge[contains(text(),' Positive Integer Allowed')]"} (Session info: chrome=105.0.5195.102) For documentation on this error, please visit:		
	https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.		
	selenium.chrome.ChromeDriver Command: [6d319ae9557694c3ebe7c3a4f734b9ea, findElement {using=xpath, value=//ion-		
	badge[contains(text(),' Positive Integer Allowed')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		
	105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883, userDataDir: C:\Users\ININDC~1\AppData\L},		
	goog:chromeOptions: {debuggerAddress: localhost:58746}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy:		
	normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58746/devtoo, se:cdpVersion:		
	105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000},		
	unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6d319ae9557694c3ebe7c3a4f734b9ea		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.ULS_CustomerDeptDetailsSteps.user_verify_the_validation_messgae_for_invalid_data(ULS_CustomerDeptDetailsSteps.		
	java:1193)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
	## ADVANCE		


EXPANDED SECTION -- 10 --

E AZENTIO Engl... LOS V Aze... V (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. **Product wise Analysis** java.Scenario) Dashboard Product-wise Amount Financeo Subproduct-wise Amount Financed Configurations 80,000,000 70,000,000 Transactions 60,000,000 50,000,000 40,000,000 30,000,000 Reports (S) verify while modification, when user keep any mandatory field blank and Fill the Invalid details (F) To test the dept details screen


AZENTIO Engl... LOS V Aze... V (Step) AFTER STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) Event Code Dashboard APP CREATE CHQPRT OPEEXEC in02040 23-Sep-2022 16:46 HLW Configurations APP_CREATE X Transactions APP CREATE CHQPRT OPFEXEC in02040 23-Sep-2022 16:17 HLW Reports in02040 APP CREATE CHQPRT OPEEXEC 23-Sep-2022 16:11 HLW APP_CREATE 23-Sep-2022 15:16 HLW APP_CREATE CHOPRE OPEEXEC in02040 (S) verify while modification, when user APP_CREATE CPUEXEC 23-Sep-2022 15:8 HLW keep any mandatory field blank and Fill APP_CREATE the Invalid details APP CREATE DISBCKR OPECHK in02040 23-Sep-2022 15:0 HLW APP_CREATE Showing 1 to 10 of 113 entries << < 1 2 3 4 5 > >> 10 V

(F) To test the dept details screen


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --





EXPANDED SECTION -- 15 --

