Cucumber Report

Start : Jul 20, 5:44:50.545 PM	End : Jul 20, 5:45:15.661 PM	Duration : 25.116 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 7 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	25.116 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	7	7	0	0	25.113 s

(F)- Product Master Retail Functionality

PASSED	DURATION - 25.116 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 5:44:50.545 PM // 5:45:15.661 PM /		Pass - 1	1	Pass - 7	7
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- verify Checker user is able to Approve the record

PASSED	DURATION - 25.113 s		Steps	
/ 5:44:50.548 PM // 5:45:15.661 PM /			Total - 7	
Product Master Retail Functionality			Pass - 7	7
@ProductMaster_Retail_Approve			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	8.906 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Product Setup	PASSED	0.100 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
	screenshot		
4	Then click on Product Master eye icon	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
5	Then click on inbox	PASSED	0.370 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
6	And open the record	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then submit the Record	PASSED	10.479 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify Checker user is able to Approve the record

(F) Product Master Retail Functionality