# Cucumber Report

| Start : Jul 20, 8:44:53.174 PM | End : Jul 20, 8:45:15.905 PM | Duration : 22.731 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 4 <br> FAILED - 1 <br> SKIPPED - 10 |

1

1

15

Pass %

0 %

Pass %

0 %

Pass %

26 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Check the functionality of product master | 1 | 0 | 1 | 0 | 22.731 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check the functionality of product master | Product Master - Modify records (approve, reject and return) at maker stage | 15 | 4 | 1 | 10 | 22.722 s |

## (F)- Check the functionality of product master

| *FAILED* | *DURATION - 22.731 s* | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | / *8:44:53.174 PM // 8:45:15.905 PM* / | Total - 1 | | Total - 15 | |
| | | Pass - 0 | | Pass - 4 | |
| | | Fail - 1 | 1 | Fail - 1 | 15 |
| | | Skip - 0 | | Skip - 10 | |

## (S)- Product Master - Modify records (approve, reject and return) at maker stage

| *FAILED* | *DURATION - 22.722 s* | | Steps | |
|---|---|---|---|---|
| | / *8:44:53.183 PM // 8:45:15.905 PM* / | | Total - 15 | |
| | Check the functionality of product master | | Pass - 4 | |
| | @M5 | | Fail - 1 | 15 |
| | | | Skip - 10 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the kuls application | PASSED | 10.735 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.485 s |
| | screenshot | | |
| | | | |
| 2 | And User Login as maker | PASSED | 0.000 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.293 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | Then user should navigate to product master | PASSED | 0.195 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.269 s |
| | screenshot | | |
| |  | | |
| 4 | And click on edit view of product master | PASSED | 0.256 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.376 s |
| | screenshot | | |
| |  | | |
| 5 | Then click on edit button of record2 to modify | FAILED | 5.213 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <span class="p-paginator-icon pi pi-angle-right"></span> is not clickable at point (1249, 608). Other element would receive the click: <div class="p-paginator-bottom p-paginator p-component ng-star-inserted" ng-reflect-ng-class="p-paginator p-component">...</div>   (Session info: chrome=100.0.4896.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [3f3778186871e3fe07e56cd85f229177, clickElement {id=b8f21bd7-938c-45d0-9a64-7e0b2e1533c0}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58959}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58959/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (3f3778186871e3fe07e56cd85f229177)] -> xpath: //kub-prime-table[1]/p-table[1]/div[1]/p-paginator[1]/div[1]/button[3]/span[1]] Session ID: 3f3778186871e3fe07e56cd85f229177<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)<br>at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>at jdk.internal.reflect.GeneratedMethodAccessor2.invoke(Unknown Source)<br>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>at jdk.proxy2/jdk.proxy2.$Proxy45.click(Unknown Source)<br>at stepdefinitions.ProductMaster_Retail.click_on_edit_button_of_record2_to_modify(ProductMaster_Retail.java:185)<br>at ?.click on edit button of record2 to modify(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:22)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.163 s |
| 6 | Then verify system allow user to save modified record with valid data | SKIPPED | 0.001 s |
| 7 | Then click on inbox button | SKIPPED | 0.001 s |
| 8 | And select the modified record from inbox to reject | SKIPPED | 0.000 s |
| 9 | Then click on submit button | SKIPPED | 0.000 s |
| 10 | And click on edit view of product master | SKIPPED | 0.000 s |
| 11 | Then click on edit button of record3 to modify | SKIPPED | 0.000 s |
| 12 | Then verify system allow user to save modified record with valid data | SKIPPED | 0.000 s |
| 13 | Then click on inbox button | SKIPPED | 0.000 s |
| 14 | And select the modified record from inbox to return | SKIPPED | 0.000 s |
| 15 | Then click on submit button | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

# AZENTIO™

| | | |
|---|---|---|
| Asset Collateral Config | | |
| Business Rules | | |
| Corporate Masters | | |
| Misc Config | | |
| Other Masters | | |
| Product Definitions | | |
| Product Setup | | |
| Asset Auto Master | | |
| Asset CD Master | | |
| Product master | | |
| Sub Product Master | | |
| Regulatory Product Defini... | | |
| Project Setup | | |
| Config Manager | | |

English ▾    LOS ▾    Azentio Software ▾

**Puneet**
01-Sep-2023

## Product Master

+    🔍    Export ▾

| Action | Product Group ↕ | Product Code ↕ | Product Description ↕ | Retail/Corporate ↕ | Status ↕ | Authorization Status ↕ |
|---|---|---|---|---|---|---|
| ✏️ 👁 | 98303249 | TL | | I | Active | |
| ✏️ 👁 | 98303249 | LENDING1 | | R | In-active | |
| ✏️ 👁 | 98303249 | 123 | | C | In-active | |
| ✏️ 👁 | 98303277 | 5261 | | R | In-active | |
| ✏️ 👁 | 98303249 | 741 | | C | In-active | |

Showing 131 to 135 of 135 entries    ≪  ‹  23  24  25  26  27  ›  ≫    5