


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To Verify the fuctionalities of Customer Employment	1	0	1	0	34.703 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Verify the fuctionalities of Customer	To verify fields in list view in customer employment	16	12	1	3	34.700 s
	Employment						

DETAILED SECTION -- 4 --

(F)- To Verify the fuctionalities of Customer Employment

FAILED	DURATION - 34.703 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 5:53:05.316 F	PM // 5:53:40.019 PM /	Pass - 0	1	Pass - 12	16
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 3	

(S)- To verify fields in list view in customer employment



#	Step / Hook Details	Status	Duration
1	And Choose the data set id for list view validation in customer employment	PASSED	0.882 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
	+		
2	Given Launch the kuls application and Navigate to Application details view list	PASSED	20.835 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.583 s
	screenshot		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click the search button in customer employement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.487 s	#	Step / Hook Details	Status	Duration
And click the search button in customer employement AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.622 s 0.622 s 0.793 s 0.275 s	3	Then Click the inbox in customer employment	PASSED	0.295 s
And click the search button in customer employement AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) 5 Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.622 s 0.622 s PASSED 0.293 s 0.275 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
And click the search button in customer employement AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 PASSED 0.293 s 0.293 s 0.293 s 0.293 s 0.293 s 0.275 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AGTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.275 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.230 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.230 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.487 s				
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AGTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.275 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.230 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.230 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED O.487 s	4	And click the search button in customer employement	PASSED	0.622 s
screenshot Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AAFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.230 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.167 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.487 s	<u> </u>			
5 Then Enter app data entry in the text bar AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click the first action icon in customer employement AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.115 s 0.275 s 0.275 s 0.230 s 0.230 s 0.230 s 7 Then Click the customer finanace tab in customer employement PASSED 2.167 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.487 s				0.200 0
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click the first action icon in customer employement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click the customer finanace tab in customer employment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)				
screenshot And click the first action icon in customer employement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 7 Then Click the customer finanace tab in customer employment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.167 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.487 s	5	Then Enter app data entry in the text bar	PASSED	0.115 s
And click the first action icon in customer employement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click the customer finanace tab in customer employment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.167 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.487 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
6 And click the first action icon in customer employement AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then Click the customer finanace tab in customer employment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.167 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.487 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then Click the customer finanace tab in customer employment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.167 s PASSED 0.230 s		PERFORMANCE OF THE PROPERTY OF		
Then Click the customer finanace tab in customer employment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.487 s	6	And click the first action icon in customer employement	PASSED	0.133 s
7 Then Click the customer finanace tab in customer employment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.487 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
7 Then Click the customer finanace tab in customer employment AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.487 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.487 s		The content of the		
	7	Then Click the customer finanace tab in customer employment	PASSED	2.167 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.487 s
		screenshot		

#	Step / Hook Details	Status	Duration
	FACEPOO FRANCE OF THE PROPERTY		
8	And click the first edit icon in customer finance tab	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.554 s
	screenshot		
	ACCIONO AND		
9	Then verify field Employer name in listview of the customer employment	PASSED	0.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
10	Then verify field nature of employment in listview of the customer employment	PASSED	0.065 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### Comparison of the Comp	PASSED	0.234 s
11	Then verify field employment type in listview of the customer employment	PASSED	0.026 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
11			

#	Step / Hook Details	Status	Duration
12	Then verify field status in listview of the customer employment	PASSED	0.029 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot	1	
13	And verify the functionality of Search box with matching data in list view of the customer employment	FAILED	1.310 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"(//span[text()='Bank of America '])[2]"} (Session info: chrome-99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'lNMUVADP016647', p: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1b7acca74eb9534833f57ae0352fcb66, findElement [using=xpath, value=(//span[text()=Bank of America '])[2]]} Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: '99.0.4844.82, chrome: (chromedriverVersion: 99.0.4858.80) (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L), goog.chromeOptions: {debuggerAddress: localhost:60064}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), sec.dpt. wsri/localhost:60664/devtoo, sec.dpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 1b7aeca74eb9534833f57ae0352fcb66 at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseC		

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source) at stepdefinitions.TransactionCustomerEmployment. verify_the_functionality_of_search_box_with_matching_data_in_list_view_of_the_customer_employment(TransactionCustomerEmployment. java:852) at ?.verify the functionality of Search box with matching data in list view of the customer employment(file:///C:/Users/inindc00073/git/repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/features/CustomerEmployment.feature:84) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
	ASSETTION The state of the first production of the state		
14	And verify the functionality of Search box with mismatch data in list view of the customer employment	SKIPPED	0.000 s
15	Then verify the functionality of Export to PDF button in the list view of the customer employment	SKIPPED	0.000 s
16	Then verify the functionality of Export to Excel button in the list view of the customer employment	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

 $\underline{\text{(S) To verify fields in list view in customer}}\\ \underline{\text{employment}}$

(F) To Verify the fuctionalities of Customer Employment


(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)


(S) To verify fields in list view in customer employment

(F) To Verify the fuctionalities of Customer Employment




EXPANDED SECTION -- 10 --







EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

