Cucumber Report

Start : Jul 19, 9:58:47.832 PM	*End : Jul 19, 9:59:13.250 PM*	**Duration : 25.418 s**
Features	Scenarios	Steps

PASSED - 1 *FAILED - 0* *SKIPPED - 0*	*PASSED - 1* *FAILED - 0* *SKIPPED - 0*	*PASSED - 6* *FAILED - 0* *SKIPPED - 0*

#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	25.418 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	6	6	0	0	25.414 s

(F)- Product Master Retail Functionality

PASSED	DURATION - 25.418 s		Scenarios		Steps	
/ 9:58:47.832 PM // 9:59:13.250 PM /			Total - 1		Total - 6	
			Pass - 1	1	Pass - 6	6
			Fail - 0		Fail - 0	
			Skip - 0		Skip - 0	

(S)- Product Master Retail Field validation

PASSED	DURATION - 25.414 s		Steps	
/ 9:58:47.836 PM // 9:59:13.250 PM /			Total - 6	
Product Master Retail Functionality			Pass - 6	6
@ProductMaster_Retail			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.943 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.582 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then click on Product Setup	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
4	Then click on Product Master eye icon	PASSED	0.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
5	Then click on Product Master add button	PASSED	5.221 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
6	Then verify all the fields are available on the screen	PASSED	5.651 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.090 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Regulatory Product Defini...
Project Setup
Config Manager
Sample Screens

English ▾   LOS ▾   Azentio Software ▾

Puneet
01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Regulatory Product Defini...
Project Setup
Config Manager
Sample Screens

English ▾   LOS ▾   Azentio Software ▾

Puneet
01-Sep-2023

Loading...

Powered by **Metabase**

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality