

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	1	0	0	28.377 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the	To verify the list view data in wareHouse master	13	13	0	0	28.369 s
	Warehouse Master						

(F)- check the functionality of the Warehouse Master

PASSED	DURATION - 28.377 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 12:41:42.202 pr	m // 12:42:10.579 pm /	Pass - 1	1	Pass - 13	13
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify the list view data in wareHouse master



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	14.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.462 s
	screenshot		
	AZENTO DE SENDO DE LA CALLANDA DE SENDO DE L		
2	Then user click on configurations Tab	PASSED	0.707 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
	A SERVICE IN THE WORLD SERVICE IN THE WORL		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on view button in ware house master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
And click on view button in ware house master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.373 s PASSED 0.373 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.378 s PASSED 0.388 s	3	When user click Config Manager menu	PASSED	0.296 s
And click on view button in ware house master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And select the first approved record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.358 s PASSED 0.358 s			PASSED	0.301 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And select the first approved record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED O.373 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED O.720 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED O.373 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED O.368 s Then verify System should display the currect description value PASSED O.086 s		AZENTO J P 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 90 90 4 AZENTO J P 90 90 90 90 90 90 90 90 90 90 90 90 90		
screenshot And select the first approved record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify System should display the currect description value PASSED 0.373 s 0.720 s	4	And click on view button in ware house master	PASSED	0.195 s
And select the first approved record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Get The approved record data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.358 s Then verify System should display the currect description value PASSED 0.086 s		screenshot	PASSED	0.946 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Get The approved record data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then verify System should display the currect description value PASSED 0.720 s 0.720 s 0.720 s				
screenshot And Get The approved record data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify System should display the currect description value PASSED O.086 s	5	And select the first approved record	PASSED	0.373 s
And Get The approved record data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify System should display the currect description value PASSED 2.183 s PASSED 0.358 s PASSED 0.086 s			PASSED	0.720 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then verify System should display the currect description value PASSED 0.358 s PASSED 0.358 s		ASSITIOS		
screenshot Then verify System should display the currect description value PASSED 0.086 s	6	And Get The approved record data	PASSED	2.183 s
7 Then verify System should display the currect description value PASSED 0.086 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.358 s
		screenshot		
	7	Then verify System should display the currect description value	PASSED	0.086 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	## 100 00 00 00 00 00 00 00 00 00 00 00 00		
8	Then verify system should display the currect address value	PASSED	0.242 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
9	Then verify system should display the currect phone 1 value	PASSED	0.051 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.221 s
	screenshot		
	## 100 100 100 100 100 100 100 100 100 1		
10	Then verify system should display the currect fax value	PASSED	0.056 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
11	Then verify system should display the currect mail value	PASSED	0.055 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		

#	Step / Hook Details	Status	Duration
	# EXCEPTION # # # 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100 100		
12	Then verify system should display the currect contarct person value	PASSED	0.056 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
	# EXCEPTION # # # # # # # # # # # # # # # # # # #		
13	Then verify system should display the exact status of the record	PASSED	0.056 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
	# MANUTO # # MANUTO # # MANUTO		


EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

