

Cucumber Report

Dec 1, 2022, 3:21:36 PM

Start : Dec 01, 3:20:38.489 PM

End : Dec 01, 3:21:35.513 PM

Duration : 57.024 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 4


FAILED - 1

SKIPPED - 35







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionalities of beneficiary details</u>	1	0	1	0	57.024 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionalities of beneficiary details</u>	<u>To verify maker user can able to update the beneficiary record before save</u>	40	4	1	35	57.020 s



(F)- To verify the functionalities of beneficiary details

FAILED	DURATION - 57.024 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 40 Pass - 4 Fail - 1 Skip - 35	
/ 3:20:38.489 PM // 3:21:35.513 PM /					


(S)- To verify maker user can able to update the beneficiary record before save

<div>FAILED</div> <div>DURATION - 57.020 s</div>			<div>Steps</div> <div>Total - 40</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 35</div>	
/ 3:20:38.493 PM // 3:21:35.513 PM /				
To verify the functionalities of beneficiary details				
@AT-BD-003				

#	Step / Hook Details	Status	Duration
1	Given Launch the kuls application and Navigate to Application details view list	PASSED	39.802 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.708 s
	screenshot		
			
2	Then choose the data set id to update the beneficiary detail record before save	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And Navigate to Mail box of Application details and search the DISBMKR value	PASSED	0.598 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.308 s
	screenshot		
			
4	And search the disbursement maker record	PASSED	0.391 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.228 s
	screenshot		
			
5	And select the first record of disbursment maker stage	FAILED	10.348 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //tr[1]/td[text()=' DISBMKR']/preceding-sibling::td[3]/button' (tried for 10 second(s) with 1000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.BeneficiaryDetails.select_the_first_record_of_disbursment_maker_stage(BeneficiaryDetails.java:544)</p> <p>at ?.select the first record of disbursment maker stage(file:///C:/Users/inindc00073/git/repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/features/BeneficiaryDetails.feature:69)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//tr[1]/td[text()=' DISBMKR']/preceding-sibling::td[3]/button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cb670e8337e344fdf6a5a8a6cad9ba59, findElement {using=xpath, value="//tr[1]/td[text()=' DISBMKR']/preceding-sibling::td[3]/button"} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\Options: {debuggerAddress: localhost:60522}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:60522/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cb670e8337e344fdf6a5a8a6cad9ba59</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)</p> <p>atjava.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>atjava.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIsVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.BeneficiaryDetails.select_the_first_record_of_disbursement_maker_stage(BeneficiaryDetails.java:544) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	screenshot		
			
6	And go to beneficiary details tab	SKIPPED	0.000 s
7	And click on add button on beneficiary details screen	SKIPPED	0.001 s
8	Then To verify the field Application Id in beneficiary details	SKIPPED	0.000 s
9	And To verify the field Beneficiary Name in beneficiary details	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
10	Then To verify the field Beneficiary Type in beneficiary details	SKIPPED	0.001 s
11	And To verify the field Beneficiary KYC in beneficiary details	SKIPPED	0.000 s
12	Then To verify the field Beneficiary address in beneficiary details	SKIPPED	0.000 s
13	And To verify the field Account Type in beneficiary details	SKIPPED	0.000 s
14	Then To verify the field IBAN Account Number in beneficiary details	SKIPPED	0.000 s
15	And To verify the field MICR Type in beneficiary details	SKIPPED	0.000 s
16	Then To verify the field Beneficiary MICR code in beneficiary details	SKIPPED	0.000 s
17	And To verify the field Bank code in beneficiary details	SKIPPED	0.000 s
18	Then To verify the field Branch Name in beneficiary details	SKIPPED	0.000 s
19	And To verify the field IFSC code in beneficiary details	SKIPPED	0.000 s
20	Then To verify the field Payment Type in beneficiary details	SKIPPED	0.000 s
21	And To verify the field Payment Mode in beneficiary details	SKIPPED	0.000 s
22	Then To verify the field Beneficiary email in beneficiary details	SKIPPED	0.000 s
23	And To verify the field remark in beneficiary details	SKIPPED	0.000 s
24	Then verify user can able to update the facility application ID field	SKIPPED	0.001 s
25	Then verify user can able to update beneficiary name field	SKIPPED	0.000 s
26	Then verify user can able to update beneficiary type field	SKIPPED	0.001 s
27	Then verify user can able to update beneficiary KYC field	SKIPPED	0.000 s
28	Then verify user can able to update the beneficiary address field	SKIPPED	0.000 s
29	Then verify user can able to update the account type field	SKIPPED	0.001 s
30	Then verify user can able to update the IBAN account no field	SKIPPED	0.000 s
31	Then verify user can able to update the MICR Type field	SKIPPED	0.000 s
32	Then verify user can able to update the beneficiary MICR Code field	SKIPPED	0.000 s
33	Then verify user can able to update the Bank code field	SKIPPED	0.000 s
34	Then verify user can able to update the branch name field	SKIPPED	0.000 s
35	Then verify user can able to update the IFSC Code	SKIPPED	0.000 s
36	Then verify user can able to update the payment type field	SKIPPED	0.000 s
37	Then verify user can able to update the payment mode field	SKIPPED	0.000 s
38	Then verify user can able to update the beneficiary email field	SKIPPED	0.000 s
39	Then verify user can able to update the remarks field	SKIPPED	0.000 s
40	And click on save button to save the updated beneficiary details record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
update the beneficiary record before save


(F) To verify the functionalities of
beneficiary details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
update the beneficiary record before save

(F) To verify the functionalities of
beneficiary details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
update the beneficiary record before save

(F) To verify the functionalities of
beneficiary details

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with the following items: Dashboard, Configurations, Transactions, Application manager, Customer details, Customer details islamic, Customer identification details, Customer address details, Application Details, Facility Details, Customer employment, Income, Customer debt, Repayment Details, and Reports. The main area is titled 'Inbox' and shows 'Showing 0 to 0 of 0 entries'. At the top right, there is a search bar with 'DISBMKR' entered and a dropdown menu with 'Engl...', 'LOS', and 'Aze...'. The date '11-Jan-2024' is also visible.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
update the beneficiary record before save

(F) To verify the functionalities of
beneficiary details

The screenshot shows the AZENTIO ONEBanking application interface with the same sidebar menu as above. The main area is titled 'Inbox' and shows 'Showing 1 to 10 of 15 entries'. The search bar contains 'DISBMKRDISBMKR'. The inbox table lists 10 entries, each with an 'Action' button (a person icon) and a 'Reference Id'.

Action	Reference Id	Client Name	Event	Workflow	Employee Name	Stage Code	Stage Desc	Role Code	Created Date	Approver Role
	1586	Aanchal Bizoara	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	29-Nov-2022	
	3429	MEENAL	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	29-Nov-2022	
	702	Shipra Kothari	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	28-Nov-2022	
	2759	Rohit	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	28-Nov-2022	
	2878	Aakash BT	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	22-Nov-2022	
	2659	Rohit	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	15-Nov-2022	
	1292	ROHIT	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	09-Nov-2022	
	1234	AKSHITA	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	09-Nov-2022	
	2165	Aakash BT	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	09-Nov-2022	
	1917	Harsh Sharma	Loan Application	Home Loan Workflow	in02040	DISBMKR	Disbursement Maker	OPEMKR	04-Nov-2022	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker user can able to
update the beneficiary record before save

(F) To verify the functionalities of
beneficiary details

AZENTIO

ONE APPLICATION

Search the menu

Dashboard

Configurations

Transactions

Application manager

Customer details

Customer details islamic

Customer identification details

Customer address details

Application Details

Facility Details

Customer employment

Income

Customer debt

Repayment Details

Reports

Inbox

Action

Reference Id

Client Name

Event

Workflow

Employee Name

Stage Code

Stage Desc

Role Code

Created Date

Approver Role

DISBMRDISBMR

Showing 0 to 0 of 0 entries

<<

<

>

>>

10