

Cucumber Report

25 Feb 2023, 2:10:00 PM

Start : Feb 25, 2:08:42.485 PM

End : Feb 25, 2:09:58.800 PM

Duration : 1 m 16.315 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of fee master</u>	1	0	1	0	1 m 16.315 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of fee master</u>	<u>To verify user able to save the modified record with blank and invalid details</u>	10	8	1	1	1 m 16.304 s




(F)- To verify the functionality of fee master



FAILED	DURATION - 1 m 16.315 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 8 Fail - 1 Skip - 1	
/ 2:08:42.485 PM // 2:09:58.800 PM /					

(S)- To verify user able to save the modified record with blank and invalid details


FAILED	DURATION - 1 m 16.304 s		Steps Total - 10 Pass - 8 Fail - 1 Skip - 1	
/ 2:08:42.496 PM // 2:09:58.800 PM /				
To verify the functionality of fee master				
@FeeMaster_M7				

#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	30.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot 		
2	And Click the configuration	PASSED	0.155 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
	screenshot 		

#	Step / Hook Details	Status	Duration
3	Then Click the config Manager	PASSED	0.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
	screenshot		
			
4	And Click the temp view in the fee master	PASSED	0.308 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.597 s
	screenshot		
			
5	Then Choose the data set id for fee master negative validation	PASSED	1.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.659 s
	screenshot		
			
6	Then Choose the First record in the fee master for modification	PASSED	0.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.456 s
	screenshot		
			
7	And Click the legacy code1 and pass the invalid details	PASSED	5.781 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.422 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then Verify the invalid field validation popup in the fee master	PASSED	0.057 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
	screenshot 		
9	And Click the charge type and make that field as blank in fee master org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-select[@aria-label='Select, Charge Type *']' (tried for 30 second(s) with 5000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.FeeMaster.click_the_charge_type_and_make_that_field_as_blank_in_fee_master(FeeMaster.java:848) at ?.Click the charge type and make that field as blank in fee master(file:///C:/Users/ININDC00073/git/Azentio_ULS/Kamala_Priya_AzentioULSFramework3/src/test/java/features/FeeMaster.feature:138) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-select[@aria-label='Select, Charge Type *']"} (Session info: chrome=110.0.5481.177) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.85', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f2bff2a0bb5a4fff1b0dd27bf2f7613a, findElement {using=xpath, value=//ion-select[@aria-label='Select, Charge Type *']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.177, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:51171}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51171/devtoo..., se:cdpVersion: 110.0.5481.177, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f2bff2a0bb5a4fff1b0dd27bf2f7613a at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)	FAILED	30.282 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.FeeMaster.click_the_charge_type_and_make_that_field_as_blank_in_fee_master(FeeMaster.java:848) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		
			
10	Then Verify the balank field validation popup in the fee master	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user able to save the
modified record with blank and invalid
details


(F) To verify the functionality of fee master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user able to save the
modified record with blank and invalid
details


(F) To verify the functionality of fee master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user able to save the
modified record with blank and invalid
details


(F) To verify the functionality of fee master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user able to save the
modified record with blank and invalid
details

(F) To verify the functionality of fee master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user able to save the
modified record with blank and invalid
details

(F) To verify the functionality of fee master

AZENTIO ONE Banking

30-Dec-2022

Engl... LOS Aze...

Search the menu

List Of Charges

Export

Action	Description	Charge Type	Created By	Status	Authorization Status
	Updated fee fsdf	52034	in02256	Active	CHECKER
	Fee1fsd	52033	in02256	In-active	
	Fee1	52033	in02256	In-active	CHECKER
	Processing Fee1	52033	in02256	Active	
	c	52033	in02256	Active	

Showing 1 to 5 of 66 entries

1 2 3 4 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user able to save the
modified record with blank and invalid
details

(F) To verify the functionality of fee master

AZENTIO ONE Banking

30-Dec-2022

Engl... LOS Aze...

Search the menu

List Of Charges

Export

Action	Description	Charge Type	Created By	Status	Authorization Status
	Updated fee fsdf	52034	in02256	Active	CHECKER
	Fee1fsd	52033	in02256	In-active	
	Fee1	52033	in02256	In-active	CHECKER
	Processing Fee1	52033	in02256	Active	
	c	52033	in02256	Active	

Showing 1 to 5 of 66 entries

<< < 1 2 3 4 5 > >>

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user able to save the
modified record with blank and invalid
details

(F) To verify the functionality of fee master

AZENTIO ONE Banking

30-Dec-2022

Engl... LOS Aze...

Search the menu

Charge Tax

Charge

Description * Updated fee fsdf

Charge Type * Second

Due Code Select

Legacy Code1 #@\$%

Legacy Code2 Update2

Charge Flag * Systemm Generated Charges

GST Applicable State Source State

Is Tax Allowed

Tax Calculation Method In Advance

Include in APR

Amortize NO

Deduct NO

Upfront NO

Status

Amort Rate Method Specific Rate

Amort Tenure(Method) Specific Tenure

Amount Recovery Deduct from Disbursement

Amort Frequency Quarterly

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user able to save the
modified record with blank and invalid
details

(F) To verify the functionality of fee master

AZENTIO ONE Banking

30-Dec-2022

Engl... LOS Aze...

Search the menu

Charge Tax

Charge

Description * Updated fee fsdf

Charge Type * Second

Due Code Select

Legacy Code1 #@\$%

Legacy Code2 Update2

Charge Flag * Systemm Generated Charges

GST Applicable State Source State

Is Tax Allowed

Tax Calculation Method In Advance

Include in APR

Amortize NO

Deduct NO

Upfront NO

Status

Amort Rate Method Specific Rate

Amort Tenure(Method) Specific Tenure

Amount Recovery Deduct from Disbursement

Amort Frequency Quarterly

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user able to save the
modified record with blank and invalid
details

(F) To verify the functionality of fee master

AZENTIO ONEBOOKING

30-Dec-2022 [Calendar] [Email] [Grid] [Engl...] [LOS] [Aze...] [User]

Search the menu

Charge Tax

Charge

Description *
Updated fee fsdf

Charge Flag *
Systemm Generated Charges

Legacy Code1
#@\$%

Alphanumeric characters allowed

GST Applicable State
Source State

Tax Calculation Method
In Advance

Amortize
NO

Upfront
NO

Amort Rate Method
Specific Rate

Amount Recovery
Deduct from Disbursement

Charge Type *
Second

Due Code
Select

Legacy Code2
Update2

Is Tax Allowed
[On]

Include in APR
[On]

Deduct
NO

Status
[On]

Amort Tenure(Method)
Specific Tenure

Amort Frequency
Quarterly

Dashboard

Configurations

Config Manager

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Transactions

Reports