

Cucumber Report

Sep 16, 2022, 1:26:21 PM

Start : Sep 16, 1:25:48.530 PM

End : Sep 16, 1:26:19.927 PM

Duration : 31.397 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 7

FAILED - 1

SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Property Details screen</u>	1	0	1	0	31.397 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	Verify the functionality of Activate/Deactivate button of Property Details screen	9	7	1	1	31.393 s

(F)- Check the functionality of Property Details screen


FAILED	DURATION - 31.397 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 9 Pass - 7 Fail - 1 Skip - 1	
/ 1:25:48.530 PM // 1:26:19.927 PM /					

(S)- Verify the functionality of Activate/Deactivate button of Property Details screen


<div>FAILED</div> <div>DURATION - 31.393 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:25:48.534 PM // 1:26:19.927 PM /</div>				
<div>Check the functionality of Property Details screen</div>				
<div>@AT_PD_006</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.718 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.471 s
	screenshot		
			
2	And User Login as maker	PASSED	4.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then user should click on the menu toggle from maker stage	PASSED	0.923 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
			
4	Then click on inbox to search for the Property Details record	PASSED	0.355 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
	screenshot		
			
5	Then click on search button to search the record of Property Details in inbox	PASSED	0.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
			
6	Then enter the reference id of the Property Details record	PASSED	0.072 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
			
7	Then click on the entitle button of the Property Details record of that reference id	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p>Then click on the Property Details tab</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-modal[1]/descendant::ion-segment-button[11]' (tried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:92) at stepdefinitions.PropertyDetails.click_on_the_property_details_tab(PropertyDetails.java:93) at ?.click on the Property Details tab(file:///C:/Users/inindc00091/git/Devesh_AzenzioULS_FW/AzenzioULSFrameworkCopy/src/test/java/features/PropertyDetails.feature:12)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-modal[1]/descendant::ion-segment-button[11]"} (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b71103a10b966b76f8472d50abeed8ca, findElement {using=xpath, value=//ion-modal[1]/descendant::ion-segment-button[11]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:52886}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52886/devtoo..., se:cdpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b71103a10b966b76f8472d50abeed8ca atjdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source)</p>	FAILED	10.476 s


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92) at stepdefinitions.PropertyDetails.click_on_the_property_details_tab(PropertyDetails.java:93) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.362 s
9	Then open the record of Property Details to modify	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen


(F) Check the functionality of Property
Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

AZENTIO ONEBanking

Search the menu

- Dashboard
- Configurations
- Transactions
- Reports

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

AZENTIO ONEBanking

Search the menu

- Dashboard
- Configurations
- Transactions
- Reports

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	483	APP_CREATE	OFFERING	CREOFF	in02040	16-Sep-2022 11:12	HLW	AHL
	551	APP_CREATE	APPDATAENT	CPUEXEC	in02040	16-Sep-2022 10:53	HLW	AHL
	546	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 19:12	HLW	AHL
	541	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 17:24	HLW	AHL
	539	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 17:7	HLW	AHL
	515	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 14:24	HLW	AHL
	516	APP_CREATE	OFFERING	CREOFF	in02040	15-Sep-2022 14:23	HLW	AHL
	517	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 13:2	HLW	AHL
	512	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 11:58	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

AZENTIO
ONEBanking

Search the menu

Dashboard
Configurations
Transactions
Reports

Inbox

×

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	483	APP_CREATE	OFFERING	CREOFF	in02040	16-Sep-2022 11:12	HLW	AHL
	551	APP_CREATE	APPDATAENT	CPUEXEC	in02040	16-Sep-2022 10:53	HLW	AHL
	546	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 19:12	HLW	AHL
	541	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 17:24	HLW	AHL
	539	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 17:7	HLW	AHL
	515	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 14:24	HLW	AHL
	516	APP_CREATE	OFFERING	CREOFF	in02040	15-Sep-2022 14:23	HLW	AHL
	517	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 13:2	HLW	AHL
	512	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 11:58	HLW	AHL

Engl...

LOS

Aze...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen

AZENTIO
ONEBanking

Search the menu

Dashboard
Configurations
Transactions
Reports

Inbox

×

50d

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	483	APP_CREATE	OFFERING	CREOFF	in02040	16-Sep-2022 11:12	HLW	AHL
	551	APP_CREATE	APPDATAENT	CPUEXEC	in02040	16-Sep-2022 10:53	HLW	AHL
	546	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 19:12	HLW	AHL
	541	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 17:24	HLW	AHL
	539	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 17:7	HLW	AHL
	515	APP_CREATE	DISBMKR	OPEMKR	in02040	15-Sep-2022 14:24	HLW	AHL
	516	APP_CREATE	OFFERING	CREOFF	in02040	15-Sep-2022 14:23	HLW	AHL
	517	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 13:2	HLW	AHL
	512	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 11:58	HLW	AHL

Engl...


LOS

Aze...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify the functionality of
Activate/Deactivate button of Property
Details screen

(F) Check the functionality of Property
Details screen



Search the menu


- Dashboard
- Configurations
- Transactions
- Reports

Inbox

506

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL

Showing 1 to 1 of 1 entries



Search the menu

- Dashboard
- Configurations
- Transactions
- Reports

Customer Personal Information

Prev Application Info **Customer details** Additional Customer Info Customer Financials Facility Info Document Det Next

+ Search Export

Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>		testerE	mname	Iname	I	P	Active	

Showing 1 to 1 of 1 entries