# Cucumber Report

| Start : Feb 14, 10:08:03.696 AM | End : Feb 14, 10:08:07.648 AM | Duration : 3.952 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 0<br>SKIPPED - 28 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | To verify the functionality of Deposit Account master | 1 | 0 | 1 | 0 | 3.952 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To verify the functionality of Deposit Account master | To verify user is able to add new Deposite account record in the system by entering valid data | 28 | 0 | 0 | 28 | 3.942 s |

## (F)- To verify the functionality of Deposit Account master

| FAILED | DURATION - 3.952 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | / 10:08:03.696 AM // 10:08:07.648 AM / | Total - 1 | | Total - 28 | |
| | | Pass - 0 | 1 | Pass - 0 | 28 |
| | | Fail - 1 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 28 | |

## (S)- To verify user is able to add new Deposite account record in the system by entering valid data

| FAILED | DURATION - 3.942 s | | Steps | |
|---|---|---|---|---|
| / 10:08:03.706 AM // 10:08:07.648 AM / | | | Total - 28 | |
| To verify the functionality of Deposit Account master | | | Pass - 0 | 28 |
| | | | Fail - 0 | |
| @DepositMaster_M1_1_1c | | | Skip - 28 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario) | FAILED | 3.865 s |
| | org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.77 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.169', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] <br> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) <br> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) <br> at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) <br> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) <br> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) <br> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) <br> at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) <br> at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) <br> at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) <br> at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) <br> at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)<br>at resources.BaseClass.initializeDriver(BaseClass.java:28)<br>at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32) | | |
| 1 | Given Get the URL and login as maker | SKIPPED | 0.000 s |
| 2 | And Click the configuration | SKIPPED | 0.000 s |
| 3 | Then Click the config Manager | SKIPPED | 0.000 s |
| 4 | And Click the eye icon of deposit master | SKIPPED | 0.000 s |
| 5 | Then Choose the data set id for creation of deposit account master | SKIPPED | 0.001 s |
| 6 | Then Click the Add button in the deposit master | SKIPPED | 0.000 s |
| 7 | And Verify all the fields in deposit screen | SKIPPED | 0.001 s |
| 8 | Then Select the Bank name in deposit master | SKIPPED | 0.000 s |
| 9 | And Select the branch name in deposit master | SKIPPED | 0.000 s |
| 10 | Then Choose the accounting type in deposit master | SKIPPED | 0.000 s |
| 11 | And Enter the account number in depost master | SKIPPED | 0.000 s |
| 12 | Then Choose the account currency in deposit master | SKIPPED | 0.000 s |
| 13 | And Choose the payment account indicator | SKIPPED | 0.000 s |
| 14 | Then Select the chart of account mapping type in deposit master | SKIPPED | 0.000 s |
| 15 | And Select the account status | SKIPPED | 0.000 s |
| 16 | Then Save the record in deposit master | SKIPPED | 0.000 s |
| 17 | And Click the pencil icon in deposit master | SKIPPED | 0.000 s |
| 18 | Then Click the branch maping | SKIPPED | 0.000 s |
| 19 | And Verify the  fields in branch mappinng | SKIPPED | 0.000 s |
| 20 | Then Choose the availble collection | SKIPPED | 0.001 s |
| 21 | And Map the available collection to selected | SKIPPED | 0.000 s |
| 22 | Then save the record in branch mapping | SKIPPED | 0.000 s |
| 23 | And Click the inbox in deposit master | SKIPPED | 0.000 s |
| 24 | Then Search the record in serch field | SKIPPED | 0.000 s |
| 25 | And Get the reference id and store it in json | SKIPPED | 0.000 s |
| 26 | And Click the first action icon in deposit master | SKIPPED | 0.000 s |
| 27 | Then Submit the record in deposit master | SKIPPED | 0.001 s |
| 28 | And User Logout from application | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 0.002 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null<br>    at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |