


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	1	0	1	0	30.438 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living	To verify list view functionality of approved records in living	12	8	1	3	30.430 s
	Expenses Master	expense					

DETAILED SECTION

(F)- Check the functionality of Living Expenses Master

FAILED	DURATION - 30.438 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 5:54:00.172 pm	n // 5:54:30.610 pm /	Pass - 0	1	Pass - 8	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- To verify list view functionality of approved records in living expense




#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	14.477 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.099 s
	screenshot		
	AZENTO INCLUDED TO THE PROPERTY OF THE PROPER		
2	Then user click on configurations Tab	PASSED	0.472 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
	ASSING Level 2 P NO		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Then Verify the values in List view should be non editable in Living Expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.535 S 0.535 S 0.561 S	#	Step / Hook Details	Status	Duration
screenshot Then Click the Eye icon of the living expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then Verify the values in List view should be non editable in Living Expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.800 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.319 s	3	When user click Config Manager menu	PASSED	0.150 s
4 Then Click the Eye icon of the living expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Verify the values in List view should be non editable in Living Expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.800 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.800 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.800 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.535 s
4 Then Click the Eye icon of the living expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Verify the values in List view should be non editable in Living Expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Verify the values in List view should be non editable in Living Expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Verify the functionality of Add button in Living Expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) FASSED O.565 s O.561 s O.561 s O.562 s O.563 s O.564 s O.564 s O.565 s O.565 s O.565 s O.566 s O		screenshot		
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot Then Verify the values in List view should be non editable in Living Expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot And To verify the functionality of Add button in Living Expense AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.365 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) pASSED O.365 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) pASSED O.368 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) pASSED O.308 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.300 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.319 s		SENTO STATE OF THE PROPERTY O		
screenshot Then Verify the values in List view should be non editable in Living Expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And To verify the functionality of Add button in Living Expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.561 s O.561 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.800 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.800 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.800 s O.801 s	4	Then Click the Eye icon of the living expense	PASSED	0.630 s
5 Then Verify the values in List view should be non editable in Living Expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And To verify the functionality of Add button in Living Expense AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.561 s 7 And user Pass the Exceldata value for validation AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.800 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.800 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.181 s
5 Then Verify the values in List view should be non editable in Living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And To verify the functionality of Add button in Living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.561 s 7 And user Pass the Exceldata value for validation PASSED O.800 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.800 s PASSED O.319 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And To verify the functionality of Add button in Living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user Pass the Exceldata value for validation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.365 s 0.561 s 0.561 s				
screenshot And To verify the functionality of Add button in Living Expense AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 7 And user Pass the Exceldata value for validation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.800 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.319 s	5	Then Verify the values in List view should be non editable in Living Expense	PASSED	0.168 s
6 And To verify the functionality of Add button in Living Expense PASSED 0.058 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.561 s screenshot PASSED 0.561 s 7 And user Pass the Exceldata value for validation PASSED 0.800 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.319 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
6 And To verify the functionality of Add button in Living Expense PASSED 0.058 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And user Pass the Exceldata value for validation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.800 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.319 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And user Pass the Exceldata value for validation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.561 s PASSED 0.800 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.319 s				
7 And user Pass the Exceldata value for validation PASSED 0.800 s AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.319 s	6	And To verify the functionality of Add button in Living Expense	PASSED	0.058 s
7 And user Pass the Exceldata value for validation AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.800 s 0.319 s			PASSED	0.561 s
7 And user Pass the Exceldata value for validation PASSED 0.800 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.319 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.319 s				
	7	And user Pass the Exceldata value for validation	PASSED	0.800 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
		screenshot		

#	Step / Hook Details	Status	Duration
	ACETTE A		
8	Then To verify the functionality of View in Approved records in Living Expense	PASSED	0.119 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.248 s
9	And To verify the functionality of Search box with matching data in Living Expense	FAILED	0.530 s
	java.lang.NullPointerException: Cannot invoke "java.util.Map.get(Object)" because "this.testData" is null at stepdefinitions.LivingExpense.to_verify_the_functionality_of_search_box_with_matching_data_in_living_expense(LivingExpense.java:99) at ?.To verify the functionality of Search box with matching data in Living Expense(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:302) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot ***********************************		
10	Then To verify the functionality of Search box with mismatch data in Living Expense	SKIPPED	0.000 s
11	And To verify the functionality of Export to PDF button in Living Expense	SKIPPED	0.000 s
12	Then To verify the functionality of Export to Excel button in Living Expense	SKIPPED	0.000 s


EXPANDED SECTION -- 7




EXPANDED SECTION -- 8 --



EXPANDED SECTION



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

