Cucumber Report

Start : Jul 21, 12:41:07.708 AM	*End : Jul 21, 12:41:19.761 AM*	*Duration : 12.053 s*
Features	Scenarios	Steps

PASSED - 0	PASSED - 0	PASSED - 1
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 7

Features: 1

Scenarios: 1

Steps: 9

Pass % — Features: 0 %

Pass % — Scenarios: 0 %

Pass % — Steps: 11 %

#	Feature Name	T	P	F	S	Duration
1	*Check the functionality of product master*	1	0	1	0	12.053 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product master	Product Master - Modify records (approve, reject and return) at checker stage	9	1	1	7	12.047 s

(F)- Check the functionality of product master

FAILED	DURATION - 12.053 s	Scenarios		Steps	
	/ 12:41:07.708 AM // 12:41:19.761 AM /	Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 9 Pass - 1 Fail - 1 Skip - 7	9

(S)- Product Master - Modify records (approve, reject and return) at checker stage

FAILED	DURATION - 12.047 s		Steps	
	/ 12:41:07.714 AM // 12:41:19.761 AM /		Total - 9 Pass - 1 Fail - 1 Skip - 7	9
	Check the functionality of product master			
	@M6			

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.611 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.392 s
	screenshot		
2	And User Login as checker	FAILED	0.033 s

	java.lang.NullPointerException: Cannot invoke "String.hashCode()" because "userID" is null
	    at stepdefinitions.KULS_Application_Login.ulSApplicationLoginAsAChecker(KULS_Application_Login.java:51)
	    at stepdefinitions.ProductMaster_Retail.user_login_as_checker(ProductMaster_Retail.java:222)
	    at ?.User Login as checker(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:40)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.261 s

#	Step / Hook Details	Status	Duration
	screenshot		
3	Then click on menu button	SKIPPED	0.001 s
4	Then click on inbox button	SKIPPED	0.000 s
5	Then select the modified record to approve	SKIPPED	0.000 s
6	Then click on approve button	SKIPPED	0.000 s
7	Then enter remark for approve	SKIPPED	0.000 s
8	Then click on approved button	SKIPPED	0.001 s
9	Then user verify that system should display confirmation message after approved	SKIPPED	0.002 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Product Master - Modify records (approve, reject and return) at checker stage	
(F) Check the functionality of product master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Product Master - Modify records (approve, reject and return) at checker stage	
(F) Check the functionality of product master	