


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Login Functionality of kuls	1	1	0	0	14.728 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Login Functionality of kuls	Login KULS with valid credentials	2	2	0	0	14.723 s

DETAILED SECTION -- 4 --

## **(F)-** Login Functionality of kuls

PASSED	DURATION - 14.728 s	Scenarios		Steps	
		Total - 1		Total - 2	
/ 1:15:09.539 PM	1 // 1:15:24.267 PM /	Pass - 1	1	Pass - 2	2
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- Login KULS with valid credentials



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
	AZENTIO AL REGIONAL DE LA REGIONAL D		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		

DETAILED SECTION -- 5 --

#	Step / Hook Details	Status	Duration
	AZENTIO S P PRODUCTION OF THE		

EXPANDED SECTION -- 6 -

