

Cucumber Report

Sep 22, 2022, 2:49:01 PM

Start : Sep 22, 2:47:20.092 PM

End : Sep 22, 2:49:00.008 PM

Duration : 1 m 39.916 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 15
FAILED - 1
SKIPPED - 13







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Customer Address Details screen</u>	1	0	1	0	1 m 39.916 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields	29	15	1	13	1 m 39.904 s

(F)- Check the functionality of Customer Address Details screen




FAILED	DURATION - 1 m 39.916 s	Scenarios		Steps	
/ 2:47:20.092 PM // 2:49:00.008 PM /		Total - 1		Total - 29	
		Pass - 0		Pass - 15	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	






(S)- verify post clicking on Add button, the Customer Address Information screen is getting open with all valid fields


<div>FAILED</div> <div>DURATION - 1 m 39.904 s</div>		Steps	
/ 2:47:20.104 PM // 2:49:00.008 PM /		Total - 29	
Check the functionality of Customer Address Details screen		Pass - 15	
@AT_CAD_01		Fail - 1	
		Skip - 13	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
	screenshot		
			
2	And User Login as maker	PASSED	3.322 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Inbox Icon	PASSED	1.022 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot		
			
4	And user click search icon	PASSED	0.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
			
5	And user Enter Customer Address details Application ID	PASSED	0.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
			
6	And user click on First record of Appdata Entry	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
7	And user click on Additional customer Info Tab	PASSED	8.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.684 s
	screenshot		
			
8	And user click on First Record Edit Icon	PASSED	0.535 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.504 s
	screenshot		
			
9	And user click on Address Information Add Icon	PASSED	7.460 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.534 s
	screenshot		
			
10	And user verify the Address Type field and Choose the value	PASSED	0.687 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
			
11	And user verify the Address status field and choose the value	PASSED	0.385 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	And user verify the Residential status field and choose the value	PASSED	0.445 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.337 s
	screenshot		
			
13	And user verify the Address Line 1 field and Enter the Vaue	PASSED	0.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
			
14	And user verify the Address Line 2 field and Enter the Vaue	PASSED	0.255 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
			
15	And user verify the country field and choose the value	PASSED	1.890 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
16	<p>And user verify the District Name field and Enter the value</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of [[ChromeDriver: chrome on WINDOWS (6b3eee6512def88f94bfe0a828a5695b)] -> xpath: //ion-label[text()=' Neighbourhood/District Name']/parent::ion-item//input] (tried for 60 second(s) with 2 milliseconds interval) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: unknown at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:103) at stepdefinitions.Customer_Address_Information. user_verify_the_district_name_field_and_enter_the_value(Customer_Address_Information.java:165) at ?.user verify the District Name field and Enter the value(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/CustomerAddressDetails.feature:129) * Not displayable characters are replaced by '?'. </p>	FAILED	1 m 0.018 s
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.188 s
17	And user verify the Zip code field and Enter the value	SKIPPED	0.001 s
18	And user verify the PO Box Number field and Enter the value	SKIPPED	0.000 s
19	And user verify the Mobile Number primary field and Enter the value	SKIPPED	0.000 s
20	And user verify the Duration of stay field and Enter the value	SKIPPED	0.001 s
21	And user verify the Latitude details of the address field and Enter the Value	SKIPPED	0.000 s
22	And user verify the Longitude details of the address field and Enter the Value	SKIPPED	0.000 s
23	And user verify the LandMark field and Enter the Value	SKIPPED	0.000 s
24	And user verify the Occupancy date field and choose the date	SKIPPED	0.000 s
25	And user verify the Landlord name field and Enter the Value	SKIPPED	0.000 s
26	And user verify the Landlord Number field and Enter the value	SKIPPED	0.000 s
27	And user verify the Rent amount field and Enter the Value	SKIPPED	0.000 s
28	And user verify the Frequency of Rent field and choose the value	SKIPPED	0.000 s
29	And user click the Save the button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the AZENTIO ONEBanking application interface. The top navigation bar includes the AZENTIO logo, a search icon, a calendar icon, a notification bell with a '3' badge, a grid icon, and dropdown menus for 'Engl...', 'LOS', and 'Aze...'. A user profile icon is on the far right. The main content area is titled 'Inbox' and shows 'Action' as the only entry. At the bottom, it says 'Showing 0 to 0 of 0 entries' with pagination controls and a '10' dropdown.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen


The screenshot shows the AZENTIO ONEBanking application interface with a list of transactions in the 'Inbox'. The table has columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, Product, Workflow Type, Event Type, and Transaction Type. There are 10 rows of data.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	DISBCKR	OPECHK	in02040	22-Sep-2022 14:40	HLW	AHL		T	T
	639	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	638	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen



AZENTIO
ONEBanking

Engl... LOS Aze...


Inbox X 506

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	636	APP_CREATE	DISBCKR	OPECHK	in02040	22-Sep-2022 14:40	HLW	AHL		T	T
	639	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	638	APP_CREATE	DUPAPPDEC	BRMANG	in02040	22-Sep-2022 14:11	HLW	AHL		T	T
	620	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 13:35	HLW	AHL		T	T
	231	CHARGE_MST	MAKER	LOSMKR	in02040	22-Sep-2022 13:9	TSW			M	M
	631	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:53	HLW	AHL		T	T
	619	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	630	APP_CREATE	APPDATAENT	CPUEXEC	in02040	22-Sep-2022 12:50	HLW	AHL		T	T
	629	APP_CREATE	NEWAPP	BREXEC	in02040	22-Sep-2022	HLW	AHL		T	T

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen



AZENTIO
ONEBanking

Engl... LOS Aze...

Inbox X 506


Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product	Workflow Type	Event Type	Transaction Type
	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL		T	

Showing 1 to 1 of 1 entries << < 1 > >> 10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields


(F) Check the functionality of Customer
Address Details screen




(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen



Select	Action	CIF ID	First Name	Middle Name	Last Name	Customer Type	Applicant Type	Status
<input type="radio"/>			testerE	mname	lname	I	P	Active

AZENTIO

ONEBanking

26003

12345612345

Y

Engl...

LOS

Aze...

Active

<

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Rep Next

>

AZENTIO

ONEBanking

26003

12345612345

Y

Engl...
LOS
Aze...

Active

Prev
Application Info
Customer details
Additional Customer Info
Customer Financials
Facility Info
Document Details
Offering
Rep
Next

AZENTIO

ONEBanking

26003

12345612345

Y

Engl...
LOS
Aze...

Active

Q

<
Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Rep Next >

AZENIO™

Select
Factory Address
Head Quarter Address
Home ✓
Office Customer Address
Place of actual Residence

Customer ID :

Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print ⓘ

Address Type *
Home

Residential Or Occupancy Status *
Select

Address Line 1 *

Country *
Select

Address Status *
Select

Communication Address
ⓘ

Address Line 2 *

Province Id *
Select

AZENIO™

Select
Factory Address
Head Quarter Address
Home ✓
Office Customer Address
Place of actual Residence

Customer ID :

Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print ⓘ

Address Type *
Home

Residential Or Occupancy Status *
Select

Address Line 1 *

Country *
Select

Address Status *
Select

Communication Address
ⓘ

Address Line 2 *

Province Id *
Select

AZENIO™

Select
Factory Address
Head Quarter Address
Home ✓
Office Customer Address
Place of actual Residence

Customer ID :

Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print ⓘ

Address Type *
Home

Residential Or Occupancy Status *
Select

Address Line 1 *

Country *
Select

Address Status *
Select

Communication Address
ⓘ

Address Line 2 *

Province Id *
Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

Customer Address

Address Type * Home

Residential Or Occupancy Status * Select

Address Line 1 *

Country * Select

Address Status * Previous

Province Id * Select

Select
Current
Previous ✓

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO ONEBanking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

Customer Address

Address Type * Home

Residential Or Occupancy Status * Financed

Address Line 1 * If Rental, Month Rental

Country * Others

Address Status * Previous

Province Id * Select

Select
Current
Previous ✓

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

Customer Address

Address Type *
Home

Residential Or Occupancy Status *
Financed

Address Line 1 *
2B

Country *
Select

Address Status *
Previous

Communication Address
☐

Address Line 2 *

Province Id *
Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

AZENTIO
ONEBanking

Application ID : Applicant Name : Customer ID :

Prev Application Info Customer details **Additional Customer Info** Customer Financials Facility Info Document Details Offering Next

Approve Reject Return Eligibility Check Print

Customer Address

Address Type *
Home

Residential Or Occupancy Status *
Financed

Address Line 1 *
2B

Country *
Select

Address Status *
Previous

Communication Address
☐

Address Line 2 *
ABCD

Province Id *
Select

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the 'Customer Address Information' screen in the AZENTIO ONE Banking application. The top navigation bar includes a hamburger menu, a search icon, and a list of icons (gear, magnifying glass, clock). The main header displays 'INDONESIA', 'IRAN (ISLAMIC REPUBLIC OF)', 'IRAQ', 'IRELAND', 'ISLE OF MAN', 'ISRAEL', 'ITALY', 'JAMAICA', 'JAPAN', 'JERSEY, C.I.', 'JORDAN', and 'KAZAKHSTAN'. Below this is a 'Country *' dropdown menu with a 'Select' button. The right sidebar contains a 'Customer ID :' field, a 'Next' button, and a 'Print' button. The main content area has a 'Previous' dropdown for 'Address Status *', a 'Communication Address' field, a toggle switch, and 'Address Line 2 *' and 'Province Id *' dropdown menus. The bottom navigation bar includes 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', and 'Next'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify post clicking on Add button, the
Customer Address Information screen is
getting open with all valid fields

(F) Check the functionality of Customer
Address Details screen

The screenshot shows the 'Customer Address Details' screen in the AZENTIO ONE Banking application. The top navigation bar includes a hamburger menu, a search icon, and a list of icons (gear, magnifying glass, clock). The main header displays 'Application ID :', 'Applicant Name :', and 'Customer ID :'. Below this is a 'Prev' button and a 'Next' button. The main content area has a 'Home' dropdown for 'Address Type *', a 'Financed' dropdown for 'Residential Or Occupancy Status *', and 'Address Line 1 *' and 'Country *' dropdown menus. The right sidebar contains a 'Previous' dropdown for 'Address Status *', a 'Communication Address' field, a toggle switch, and 'Address Line 2 *' and 'Province Id *' dropdown menus. The bottom navigation bar includes 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info', 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', and 'Next'.