Cucumber Report

| Start : Aug 25, 2:37:49.473 PM	End : Aug 25, 2:39:57.187 PM	Duration : 2 m 7.714 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 1 FAILED - 1 SKIPPED - 0	PASSED - 13 FAILED - 1 SKIPPED - 10

2	2	24

50 %	50 %	54 %

#	Feature Name	T	P	F	S	Duration
1	collateral Functionality	1	0	1	0	1 m 45.999 s
2	IncentiveMaster Functionality	1	1	0	0	21.691 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	collateral Functionality	collateral - to check the functionality of list view buttons of approved records	12	1	1	10	1 m 45.993 s
2	IncentiveMaster Functionality	To verify the Incentive Definition details List view Approved Records	12	12	0	0	21.691 s

(F)- collateral Functionality

FAILED	DURATION - 1 m 45.999 s	Scenarios		Steps	
/ 2:37:49.473 PM // 2:39:35.472 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 12 Pass - 1 Fail - 1 Skip - 10	12

(S)- collateral - to check the functionality of list view buttons of approved records

FAILED	DURATION - 1 m 45.993 s		Steps	
/ 2:37:49.479 PM // 2:39:35.472 PM /			Total - 12	
collateral Functionality			Pass - 1	12
@M9			Fail - 1 Skip - 10	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.444 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.472 s
	screenshot		
2	And User Login as maker	FAILED	1 m 21.786 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72a20c7e6f15699ef9ad82b739e8ef2c, findElement {using=xpath, value=//ion-menu[1]/ion-card-content[1]/ion-col[1]/div[1]/ion-button[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63355}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63355/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

| #	Step / Hook Details	Status	Duration

	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 72a20c7e6f15699ef9ad82b739e8ef2c
	
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
	   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
	   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)
	   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)
	   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)
	   at jdk.proxy2/jdk.proxy2.$Proxy45.toString(Unknown Source)
	   at java.base/java.lang.String.valueOf(String.java:4215)
	   at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)
	   at org.openqa.selenium.support.ui.ExpectedConditions$10.toString(ExpectedConditions.java:298)
	   at java.base/java.lang.String.valueOf(String.java:4215)
	   at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)
	   at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)
	   at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)
	   at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:40)
	   at stepdefinitions.KULS_Login.user_login_as_maker(KULS_Login.java:39)
	   at ?.User Login as maker(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/Collateral.feature:206)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.206 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72a20c7e6f15699ef9ad82b739e8ef2c, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63355}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63355/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 72a20c7e6f15699ef9ad82b739e8ef2c		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
3	Then click on Asset collateral config	SKIPPED	0.000 s
4	Then click on collateral eye icon	SKIPPED	0.000 s
5	Then verify collateral details list view fields should display all the fields	SKIPPED	0.001 s
6	Then values in collateral list view should not be editable	SKIPPED	0.000 s
7	Then verify collateral add button should allow to create new record	SKIPPED	0.000 s
8	Then verify collateral search box should display matching record with matched data	SKIPPED	0.000 s
9	Then verify collateral search box should not display any record with mismatched data	SKIPPED	0.000 s
10	Then click on collateral export to pdf button system should download Pdf file	SKIPPED	0.000 s
11	Then click on collateral export to excel button system should download Excel file	SKIPPED	0.001 s
12	Then user logout from the application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.255 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72a20c7e6f15699ef9ad82b739e8ef2c, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63355}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63355/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 72a20c7e6f15699ef9ad82b739e8ef2c at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

| #	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)		
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(F)- IncentiveMaster Functionality

PASSED	DURATION - 21.691 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 2:39:35.496 PM // 2:39:57.187 PM /		Pass - 1	1	Pass - 12	12
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify the Incentive Definition details List view Approved Records

PASSED	DURATION - 21.691 s		Steps	
/ 2:39:35.496 PM // 2:39:57.187 PM /			Total - 12	
IncentiveMaster Functionality			Pass - 12	12
			Fail - 0	
@M9 @IncentiveMaster			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.770 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

#	Step / Hook Details	Status	Duration
2	And User Login as maker	PASSED	4.801 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
3	Then click on Misc Config	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
	screenshot		
4	Then click on Incentive Master eye icon	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
5	Then verify Incentive Master list view should display all the fields	PASSED	1.407 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		

#	Step / Hook Details	Status	Duration
6	Then values in Incentive Master list view value should not be editable	PASSED	0.046 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
7	Then verify Incentive Master add button should allow to create new record	PASSED	1.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
8	Then verify Incentive Master search box should display matching record with matched data	PASSED	1.735 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		
9	Then verify Incentive Master search box should not display any record with mismatched data	PASSED	1.263 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		

#	Step / Hook Details	Status	Duration
10	Then click on Incentive Master export to pdf button system should download Pdf file	PASSED	0.396 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.208 s
11	Then click on Incentive Master export to excel button system should download Excel file	PASSED	1.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.174 s
12	Then user logout from the application	PASSED	0.375 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.132 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) collateral - to check the functionality of list view buttons of approved records	
(F) collateral Functionality	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify the Incentive Definition details List view Approved Records	
(F) IncentiveMaster Functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the Incentive Definition details List view Approved Records

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the Incentive Definition details List view Approved Records

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the Incentive Definition
details List view Approved Records

(F) IncentiveMaster Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the Incentive Definition
details List view Approved Records

(F) IncentiveMaster Functionality

List of Incentive Definition

Action	Description	Incentive Mode	Incentive Type	Status
	ok	57909	57887	Active
	TARGET TARGET	57907	57886	Active
	test123	57908	57887	Active
	Incentives 1	57909	57887	Active
	Desc	57909	57887	Active

Showing 1 to 5 of 6 entries   «   <   1   2   >   »   5 ∨

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the Incentive Definition details List view Approved Records

(F) IncentiveMaster Functionality

List of Incentive Definition

Action	Description ↑↓	Incentive Mode ↑↓	Incentive Type ↑↓	Status ↑↓
✏ 👁	ok	57909	57887	Active
✏ 👁	TARGET TARGET	57907	57886	Active
✏ 👁	test123	57908	57887	Active
✏ 👁	Incentives 1	57909	57887	Active
✏ 👁	Desc	57909	57887	Active

Showing 1 to 5 of 6 entries « ‹ 1 2 › » 5

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the Incentive Definition details List view Approved Records

(F) IncentiveMaster Functionality

List of Incentive Definition

Action	Description ↑↓	Incentive Mode ↑↓	Incentive Type ↑↓	Status ↑↓
✏ 👁	ok	57909	57887	Active

Incentive Definition

Incentive Definition

Incentive Code *

Description *

Description 2

Description 3

Incentive Mode * Select

Incentive Type * Select

Flat Amount

Percentage

Incentive Computation On * Select

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the Incentive Definition details List view Approved Records

(F) IncentiveMaster Functionality

List of Incentive Definition

Action	Description	Incentive Mode	Incentive Type	Status
✎ 👁	ok	57909	57887	Active
✎ 👁	TARGET TARGET	57907	57886	Active
✎ 👁	test123	57908	57887	Active
✎ 👁	Incentives 1	57909	57887	Active
✎ 👁	Desc	57909	57887	Active

Showing 1 to 5 of 6 entries « ‹ 1 2 › » 5

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the Incentive Definition details List view Approved Records

(F) IncentiveMaster Functionality

List of Incentive Definition

Action	Description	Incentive Mode	Incentive Type	Status

Showing 0 to 0 of 0 entries « ‹ › » 5

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the Incentive Definition details List view Approved Records

(F) IncentiveMaster Functionality

List of Incentive Definition

Action	Description	Incentive Mode	Incentive Type	Status
✏ 👁	ok	57909	57887	Active
✏ 👁	TARGET TARGET	57907	57886	Active
✏ 👁	test123	57908	57887	Active
✏ 👁	Incentives 1	57909	57887	Active
✏ 👁	Desc	57909	57887	Active

Showing 1 to 5 of 6 entries « ‹ 1 2 › » 5

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the Incentive Definition details List view Approved Records

(F) IncentiveMaster Functionality

List of Incentive Definition

Action	Description	Incentive Mode	Incentive Type	Status
✏ 👁	ok	57909	57887	Active
✏ 👁	TARGET TARGET	57907	57886	Active
✏ 👁	test123	57908	57887	Active
✏ 👁	Incentives 1	57909	57887	Active
✏ 👁	Desc	57909	57887	Active

Showing 1 to 5 of 6 entries « ‹ 1 2 › » 5

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)
(S) To verify the Incentive Definition details List view Approved Records
(F) IncentiveMaster Functionality

Branch Code:

Last Login   22 Feb, 2022 | 14.06

🔒   Change Password

⚙   Setting

↪   Logout