# Cucumber Report

| Start : Jul 29, 10:17:03.810 PM | End : Jul 29, 10:17:22.898 PM | Duration : 19.088 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 0 <br> FAILED - 1 <br> SKIPPED - 0 | PASSED - 8 <br> FAILED - 1 <br> SKIPPED - 2 |

Features: 1

Scenarios: 1

Steps: 11

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 72 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Project Master Retail Functionality | 1 | 0 | 1 | 0 | 19.088 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Project Master Retail Functionality | To check the functionality of list view buttons of approved records | 11 | 8 | 1 | 2 | 19.085 s |

## (F)- Project Master Retail Functionality

| | | | | | |
|---|---|---|---|---|---|
| *FAILED* | *DURATION - 19.088 s* | | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | |
| */ 10:17:03.810 PM // 10:17:22.898 PM /* | | | Steps<br>Total - 11<br>Pass - 8<br>Fail - 1<br>Skip - 2 | 11 | |

## (S)- To check the functionality of list view buttons of approved records

| | | | |
|---|---|---|---|
| *FAILED* | *DURATION - 19.085 s* | | Steps<br>Total - 11<br>Pass - 8<br>Fail - 1<br>Skip - 2 |
| */ 10:17:03.813 PM // 10:17:22.898 PM /* | | | |
| Project Master Retail Functionality | | | |
| @ProjectMaster_ListView | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given User launch the kuls application | PASSED | 10.388 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.184 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 0.000 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.112 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| |  | | |
| 3 | Then click on Project Setup | PASSED | 0.102 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.150 s |
| | screenshot  | | |
| 4 | Then click on Project Master eye icon | PASSED | 0.176 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.493 s |
| | screenshot  | | |
| 5 | Then verify Project details list view fields should display all the fields | PASSED | 0.613 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.133 s |
| | screenshot  | | |
| 6 | Then verify Values in Project details List view should be non editable | PASSED | 0.041 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.162 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | Then verify Project details add button should allow to create new record | PASSED | 1.417 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.154 s |
| | screenshot | | |
| |  | | |
| 8 | Then verify Project details search box should display matching record with matched data | PASSED | 1.683 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.154 s |
| | screenshot | | |
| |  | | |
| 9 | Then verify Project details search box should not display any record with mismatched data | FAILED | 0.135 s |
| | org.openqa.selenium.json.JsonException: java.lang.reflect.InvocationTargetException Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [781b9b707f1d4d477e514da4eb583a05, actions {actions=[org.openqa. selenium.interactions.Sequence@d0b814d]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 781b9b707f1d4d477e514da4eb583a05<br><br>at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:362)<br>at org.openqa.selenium.json.JsonOutput.lambda$new$16(JsonOutput.java:154)<br>at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287)<br>at org.openqa.selenium.json.JsonOutput.lambda$new$22(JsonOutput.java:169)<br>at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183)<br>at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) | | |
| | at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) | | |
| | at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) | | |
| | at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) | | |
| | at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) | | |
| | at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) | | |
| | at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$23(JsonOutput.java:169) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$24(JsonOutput.java:182) | | |
| | at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$25(JsonOutput.java:177) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:42) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) | | |
| | at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:617) | | |
| | at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) | | |
| | at helper.ClicksAndActionsHelper.doubleClick(ClicksAndActionsHelper.java:61) | | |
| | at stepdefinitions.ProjectMaster.verify_project_details_search_box_should_not_display_any_record_with_mismatched_data(ProjectMaster.java:138) | | |
| | at ?.verify Project details search box should not display any record with mismatched data(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/ProjectMaster.feature:13) | | |
| | Suppressed: org.openqa.selenium.json.JsonException: Attempting to close incomplete json stream Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver        at org.openqa.selenium.json.JsonOutput.close(JsonOutput.java:303)        at org.openqa.selenium.json.Json.toJson(Json.java:40)        at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253)        at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127)        at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172)        at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)        at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)        at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)        at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615)        at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:617)        at org.openqa.selenium.interactions.Actions.perform(Actions.java:573)        at helper.ClicksAndActionsHelper.doubleClick(ClicksAndActionsHelper.java:61)        at stepdefinitions.ProjectMaster.verify_project_details_search_box_should_not_display_any_record_with_mismatched_data(ProjectMaster.java:138)        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | invoke(DelegatingMethodAccessorImpl.java:43)        at java.base/java.lang.reflect.Method.invoke(Method.java:568)        at io.cucumber.java. Invoker.doInvoke(Invoker.java:66)        at io.cucumber.java.Invoker.invoke(Invoker.java:24)        at io.cucumber.java.AbstractGlueDefinition. invokeMethod(AbstractGlueDefinition.java:47)        at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)        at io. cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)        at io.cucumber.core.runner.PickleStepDefinitionMatch. runStep(PickleStepDefinitionMatch.java:63)        at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)        at io. cucumber.core.runner.TestStep.executeStep(TestStep.java:92)        at io.cucumber.core.runner.TestStep.run(TestStep.java:64)        at io. cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)        at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)        at io.cucumber.testng.TestNGCucumberRunner. lambda$runScenario$0(TestNGCucumberRunner.java:116)        at io.cucumber.core.runtime.CucumberExecutionContext. runTestCase(CucumberExecutionContext.java:117)        at io.cucumber.testng.TestNGCucumberRunner. runScenario(TestNGCucumberRunner.java:113)        at io.cucumber.testng.AbstractTestNGCucumberTests. runScenario(AbstractTestNGCucumberTests.java:31)        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)        at java.base/jdk.internal.reflect. DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)        at java.base/java.lang.reflect.Method.invoke(Method. java:568)        at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)        at org.testng.internal. TestInvoker.invokeMethod(TestInvoker.java:598)        at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)        at org. testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)        at org.testng.internal.TestInvoker$MethodInvocationAgent. invoke(TestInvoker.java:824)        at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)        at org.testng.internal. TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)        at org.testng.internal.TestMethodWorker.run(TestMethodWorker. java:128)        at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)        at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596)        at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)        at org.testng. SuiteRunner.runSequentially(SuiteRunner.java:371)        at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)        at org.testng. SuiteRunner.run(SuiteRunner.java:276)        at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)        at org.testng. SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)        at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)        at org.testng. TestNG.runSuitesLocally(TestNG.java:1134)        at org.testng.TestNG.runSuites(TestNG.java:1063)        at org.testng.TestNG.run(TestNG. java:1031)        at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)        at org.testng.remote.RemoteTestNG. initAndRun(RemoteTestNG.java:251)        at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) Caused by: java.lang.reflect. InvocationTargetException <br>   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) <br>   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) <br>   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) <br>   at java.base/java.lang.reflect.Method.invoke(Method.java:568) <br>   at org.openqa.selenium.json.JsonOutput.convertUsingMethod(JsonOutput.java:358) <br>   at org.openqa.selenium.json.JsonOutput.lambda$new$16(JsonOutput.java:154) <br>   at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) <br>   at org.openqa.selenium.json.JsonOutput.lambda$new$22(JsonOutput.java:169) <br>   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.accept(ForEachOps.java:183) <br>   at java.base/java.util.stream.ReferencePipeline$2$1.accept(ReferencePipeline.java:179) <br>   at java.base/java.util.Iterator.forEachRemaining(Iterator.java:133) <br>   at java.base/java.util.Spliterators$IteratorSpliterator.forEachRemaining(Spliterators.java:1845) <br>   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) <br>   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) <br>   at java.base/java.util.stream.ForEachOps$ForEachOp.evaluateSequential(ForEachOps.java:150) <br>   at java.base/java.util.stream.ForEachOps$ForEachOp$OfRef.evaluateSequential(ForEachOps.java:173) <br>   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at java.base/java.util.stream.ReferencePipeline.forEach(ReferencePipeline.java:596) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$23(JsonOutput.java:169) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$24(JsonOutput.java:182) | | |
| | at com.google.common.collect.SingletonImmutableBiMap.forEach(SingletonImmutableBiMap.java:66) | | |
| | at org.openqa.selenium.json.JsonOutput.lambda$new$25(JsonOutput.java:177) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:287) | | |
| | at org.openqa.selenium.json.JsonOutput.write(JsonOutput.java:278) | | |
| | at org.openqa.selenium.json.Json.toJson(Json.java:42) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:253) | | |
| | at org.openqa.selenium.remote.codec.AbstractHttpCommandCodec.encode(AbstractHttpCommandCodec.java:127) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:172) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.perform(RemoteWebDriver.java:615) | | |
| | at org.openqa.selenium.interactions.Actions$BuiltAction.perform(Actions.java:617) | | |
| | at org.openqa.selenium.interactions.Actions.perform(Actions.java:573) | | |
| | at helper.ClicksAndActionsHelper.doubleClick(ClicksAndActionsHelper.java:61) | | |
| | at stepdefinitions.ProjectMaster.verify_project_details_search_box_should_not_display_any_record_with_mismatched_data(ProjectMaster.java:138) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) | | |
| | at io.cucumber.java.Invoker.invoke(Invoker.java:24) | | |
| | at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) | | |
| | at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) | | |
| | at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) | | |
| | at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) | | |
| | at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10) | | |
| | at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) | | |
| | at io.cucumber.core.runner.TestStep.run(TestStep.java:64) | | |
| | at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) | | |
| | at io.cucumber.core.runner.TestCase.run(TestCase.java:104) | | |
| | at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116) | | |
| | at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) | | |
| | at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) | | |
| | at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) | | |
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:568) | | |
| | at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) | | |
| | at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) | | |
| | at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) | | |
| | at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824) | | |
| | at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) | | |
| | at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) | | |
| | at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) | | |
| | at org.testng.TestRunner.privateRun(TestRunner.java:794) | | |
| | at org.testng.TestRunner.run(TestRunner.java:596) | | |
| | at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) | | |
| | at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) | | |
| | at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) | | |
| | at org.testng.SuiteRunner.run(SuiteRunner.java:276) | | |
| | at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) | | |
| | at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) | | |
| | at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) | | |
| | at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) | | |
| | at org.testng.TestNG.runSuites(TestNG.java:1063) | | |
| | at org.testng.TestNG.run(TestNG.java:1031) | | |
| | at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) | | |
| | at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) | | |
| | Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div/span/input"}   (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [781b9b707f1d4d477e514da4eb583a05, findElement {using=xpath, value=//div/span/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60376}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60376/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 781b9b707f1d4d477e514da4eb583a05 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.$Proxy45.getWrappedElement(Unknown Source) | | |
| | at org.openqa.selenium.interactions.PointerInput$Origin.asArg(PointerInput.java:201) | | |
| | at org.openqa.selenium.interactions.PointerInput$Move.encode(PointerInput.java:152) | | |
| | at org.openqa.selenium.interactions.Sequence.encode(Sequence.java:73) | | |
| | at org.openqa.selenium.interactions.Sequence.toJson(Sequence.java:82) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.142 s |
| | screenshot  | | |
| 10 | Then click on Project details export pdf button system should download Pdf file | SKIPPED | 0.000 s |
| 11 | Then click on Project details export excel button system should download Excel file | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of list view buttons of approved records

(F) Project Master Retail Functionality

---

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of list view buttons of approved records

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of list view buttons of approved records

(F) Project Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of list view buttons of approved records

(F) Project Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To check the functionality of list view buttons of approved records

(F) Project Master Retail Functionality

## Project Details

| Action | Project Code | Project Name | Builder | Group | City | State | Maker Date | Checker Date | Status |
|--------|--------------|--------------|---------|-------|------|-------|------------|--------------|--------|
| ✏ 👁 | MANOJB | MANOJA SOCIETY | 7 | 7 | 238 | 202 | | | Active |
| ✏ 👁 | SUNNY | LEONE | 7 | 7 | 0 | 1105474 | | | Active |
| ✏ 👁 | 12 | Azentio New | 7 | 7 | 909904 | 1105474 | | | Active |
| ✏ 👁 | pcode12121 | BKC | 7 | 7 | 0 | 1105474 | | | Active |
| ✏ 👁 | VISH | Lodha project | 7 | 7 | 909904 | 1105474 | | | Active |

Showing 1 to 5 of 13 entries « ‹ 1 2 3 › » 5

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) To check the functionality of list view buttons of approved records

(F) Project Master Retail Functionality

## Project Details

| Action | Project Code | Project Name | Builder | Group | City | State | Maker Date | Checker Date | Status |
|--------|--------------|--------------|---------|-------|------|-------|------------|--------------|--------|
| ✏ 👁 | MANOJB | MANOJA SOCIETY | 7 | 7 | 238 | 202 | | | Active |
| ✏ 👁 | SUNNY | LEONE | 7 | 7 | 0 | 1105474 | | | Active |
| ✏ 👁 | 12 | Azentio New | 7 | 7 | 909904 | 1105474 | | | Active |
| ✏ 👁 | pcode12121 | BKC | 7 | 7 | 0 | 1105474 | | | Active |
| ✏ 👁 | VISH | Lodha project | 7 | 7 | 909904 | 1105474 | | | Active |

Showing 1 to 5 of 13 entries « ‹ 1 2 3 › » 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of list view
buttons of approved records

(F) Project Master Retail Functionality

### AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini…
- Project Setup
- **Project Master**
- Builder Master
- Group Master
- Config Manager
- Sample Screens

English ▾  LOS ▾  Azentio Software ▾   Puneet
01-Sep-2023

**Project Details**

| Action | Project Code | Project Name | Builder | Group | City | State | Maker Date | Checker Date | Status |
|---|---|---|---|---|---|---|---|---|---|

**Project Master Add**

Project Type *
Select

Sourcing Branch *
Select

Project Code *

Builder Group *
Select

Name Of The Project *

Builder Name *
Select

Construction Finance *
Select

Remarks

Green Project *
Select

Agency Name
Select

---

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of list view
buttons of approved records

(F) Project Master Retail Functionality

### AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini…
- Project Setup
- **Project Master**
- Builder Master
- Group Master
- Config Manager
- Sample Screens

English ▾  LOS ▾  Azentio Software ▾   Puneet
01-Sep-2023

**Project Details**

Azentio New   Export ▾

| Action | Project Code | Project Name | Builder | Group | City | State | Maker Date | Checker Date | Status |
|---|---|---|---|---|---|---|---|---|---|
| ✎ 👁 | MANOJB | MANOJA SOCIETY | 7 | 7 | 238 | 202 | | | Active |
| ✎ 👁 | SUNNY | LEONE | 7 | 7 | 0 | 1105474 | | | Active |
| ✎ 👁 | 12 | Azentio New | 7 | 7 | 909904 | 1105474 | | | Active |
| ✎ 👁 | pcode12121 | BKC | 7 | 7 | 0 | 1105474 | | | Active |
| ✎ 👁 | VISH | Lodha project | 7 | 7 | 909904 | 1105474 | | | Active |

Showing 1 to 5 of 13 entries   «  ‹  1  2  3  ›  »   5 ▾

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To check the functionality of list view buttons of approved records

(F) Project Master Retail Functionality

## AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Regulatory Product Defini…
- Project Setup
- **Project Master**
- **Builder Master**
- **Group Master**
- Config Manager
- Sample Screens

English ▾ | LOS ▾ | Azentio Software ▾ | **Puneet** 01-Sep-2023

### Project Details

Export ▾

| Action | Project Code | Project Name | Builder | Group | City | State | Maker Date | Checker Date | Status |
|--------|--------------|--------------|---------|-------|------|-------|------------|--------------|--------|
| ✏ 👁 | MANOJB | MANOJA SOCIETY | 7 | 7 | 238 | 202 | | | Active |
| ✏ 👁 | SUNNY | LEONE | 7 | 7 | 0 | 1105474 | | | Active |
| ✏ 👁 | 12 | Azentio New | 7 | 7 | 909904 | 1105474 | | | Active |
| ✏ 👁 | pcode12121 | BKC | 7 | 7 | 0 | 1105474 | | | Active |
| ✏ 👁 | VISH | Lodha project | 7 | 7 | 909904 | 1105474 | | | Active |

Showing 1 to 5 of 13 entries  «  ‹  1  2  3  ›  »  5 ▾