

Cucumber Report

Jul 20, 2022, 8:20:08 PM

Start : Jul 20, 8:19:25.941 PM

End : Jul 20, 8:20:07.473 PM

Duration : 41.532 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 7







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | <u>Check the functionality of product master</u> | 1 | 0 | 1 | 0 | 41.532 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--|--|----|---|---|---|----------|
| 1 | <u>Check the functionality of product master</u> | <u>Product Master - Modify records (approve, reject and return) at maker stage</u> | 15 | 7 | 1 | 7 | 41.528 s |




(F)- Check the functionality of product master



| | | | | | |
|--------------------------------------|----------------------------|-----------|---|------------|---|
| FAILED | DURATION - 41.532 s | Scenarios |  | Steps |  |
| / 8:19:25.941 PM // 8:20:07.473 PM / | | Total - 1 | | Total - 15 | |
| | | Pass - 0 | | Pass - 7 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 7 | |

(S)- Product Master - Modify records (approve, reject and return) at maker stage


| | | | | |
|--|--|---|--|--|
| <div>FAILED</div> <div>DURATION - 41.528 s</div> | | <div></div> | <div>Steps</div> <div>Total - 15</div> <div>Pass - 7</div> <div>Fail - 1</div> <div>Skip - 7</div> | <div></div> |
| <div>/ 8:19:25.945 PM // 8:20:07.473 PM /</div> | | | | |
| <div>Check the functionality of product master</div> | | | | |
| <div>@M5</div> | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 11.337 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.428 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 0.000 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.275 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then user should navigate to product master | PASSED | 0.200 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.225 s |
| | screenshot | | |
| |  | | |
| 4 | And click on edit view of product master | PASSED | 0.280 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.374 s |
| | screenshot | | |
| |  | | |
| 5 | Then click on edit button of record2 to modify | PASSED | 1.484 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.274 s |
| | screenshot | | |
| |  | | |
| 6 | Then verify system allow user to save modified record with valid data | PASSED | 1.188 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.228 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 7 | Then click on inbox button | PASSED | 0.307 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.411 s |
| | screenshot  | | |
| 8 | And select the modified record from inbox to reject <pre>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//td[contains(text(), 'PRODUCT_MST')]/../td[1]/button)[2]' (tried for 20 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementWithFluentwait(WaitHelper.java:93) at stepdefinitions.ProductMaster_Retail.select_the_modified_record_from_inbox_to_reject(ProductMaster_Retail.java:136) at ?.select the modified record from inbox to reject(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:25) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//td[contains(text(), 'PRODUCT_MST')]/../td[1]/button)[2]"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9dd60f9196d7ba907456029d5a7b2267, findElement {using=xpath, value=(//td[contains(text(), 'PRODUCT_MST')]/../td[1]/button)[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:/Users/ININDC~1/AppData/L..., goog:chromeOptions: {debuggerAddress: localhost:58242}}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58242/devtoo..., se.cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9dd60f9196d7ba907456029d5a7b2267 at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</pre> | FAILED | 20.443 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:93) at stepdefinitions.ProductMaster_Retail.select_the_modified_record_from_inbox_to_reject(ProductMaster_Retail.java:136) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | <pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 0.114 s |
| 9 | Then click on submit button | SKIPPED | 0.000 s |
| 10 | And click on edit view of product master | SKIPPED | 0.000 s |
| 11 | Then click on edit button of record3 to modify | SKIPPED | 0.000 s |
| 12 | Then verify system allow user to save modified record with valid data | SKIPPED | 0.000 s |
| 13 | Then click on inbox button | SKIPPED | 0.000 s |
| 14 | And select the modified record from inbox to return | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|-----------------------------|---------|----------|
| 15 | Then click on submit button | SKIPPED | 0.001 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot displays the Azentio Software interface. The top navigation bar includes the Azentio logo, a hamburger menu, and user information (Puneet, 01-Sep-2023). The left sidebar lists various configuration options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is titled 'Product Master' and contains a large, empty white box with a loading spinner, indicating that the data is not yet loaded or is in a pending state. A small 'Powered by Metabase' logo is visible in the bottom left corner of the main content area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master

The screenshot displays the Azentio Software interface, specifically the 'Product wise Analysis' section. The top navigation bar and left sidebar are identical to the previous screenshot. The main content area is titled 'Product wise Analysis' and contains three large, empty white boxes with loading spinners, indicating that the data is not yet loaded or is in a pending state. The boxes are labeled 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. A small 'Powered by Metabase' logo is visible in the bottom left corner of the main content area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top bar with a search icon, an 'Export' button, and a user profile for Puneet (01-Sep-2023). Below this is a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with 'Active' status. The fourth row is highlighted with an orange border. At the bottom, a pagination bar shows 'Showing 11 to 15 of 137 entries' and a page number '3'.

| Action | Product Group | Product Code | Product Description | Retail/Corporate | Status | Authorization Status |
|--------|---------------|--------------|---------------------|------------------|--------|----------------------|
| | 98303249 | HL | | R | Active | |
| | 98303249 | LFH | | R | Active | |
| | 98303275 | depo15 | | R | Active | |
| | 98303275 | depo14 | | R | Active | |
| | 98303249 | jj | | R | Active | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master edit form. The sidebar is the same as in the previous screenshot. The main content area has a top bar with a back arrow, the title 'Product Master', and buttons for 'Submit', 'Cancel', and a help icon. Below this is a form with fields for Product Group (Deposits), Product Code (depo14), Product Description (empty), Retail/Corporate (Retail), DM Code (depo14), Status (toggle switch), and Remarks (ok). A 'Required field' label is visible next to the Product Description field. At the bottom, a blue button says 'Please fill all the details'.

Product Group: Deposits

Product Code: depo14

Product Description:

Retail/Corporate: Retail

DM Code: depo14

Status: ☒

Remarks: ok

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|-------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 5556 | PRODUCT_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 20:16 | TSW | |
| | 43 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 19:56 | TSW | |
| | 42 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 19:33 | TSW | |
| | 40 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 19:8 | TSW | |
| | 39 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 19:5 | TSW | |
| | 38 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 19:3 | TSW | |
| | 37 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 18:59 | TSW | |
| | 36 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 18:56 | TSW | |
| | 35 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 18:52 | TSW | |
| | | | | | | 20-Jul-2022 18:49 | TSW | |

Please fill all the details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|-------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 5556 | PRODUCT_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 20:16 | TSW | |
| | 43 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 19:56 | TSW | |
| | 42 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 19:33 | TSW | |
| | 40 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 19:8 | TSW | |
| | 39 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 19:5 | TSW | |
| | 38 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 19:3 | TSW | |
| | 37 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 18:59 | TSW | |
| | 36 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 18:56 | TSW | |
| | 35 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 18:52 | TSW | |
| | 34 | SCHEME_MST | MAKER | LOSMKR | in00135 | 20-Jul-2022 18:49 | TSW | |