Cucumber Report

| Start : Oct 13, 2:22:46.807 pm	End : Oct 13, 2:23:27.569 pm	Duration : 40.762 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 18 FAILED - 1 SKIPPED - 10

#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	0	1	0	40.762 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	Modification of Warehouse Master record	29	18	1	10	40.753 s

(F)- check the functionality of the Warehouse Master

FAILED	DURATION - 40.762 s	Scenarios		Steps	
		Total - 1		Total - 29	
/ 2:22:46.807 pm // 2:23:27.569 pm /		Pass - 0	1	Pass - 18	29
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- Modification of Warehouse Master record

FAILED	DURATION - 40.753 s		Steps	
/ 2:22:46.816 pm // 2:23:27.569 pm /			Total - 29	
check the functionality of the Warehouse Master			Pass - 18	29
			Fail - 1	
@AT_WHM_T005_Modification			Skip - 10	

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	15.561 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
2	Then user click on configurations Tab	PASSED	0.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.434 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.429 s
	screenshot		
4	And user click list view icon of Warehouse Master	PASSED	0.205 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.648 s
	screenshot		
5	And user click on Add icon for Warehouse master	PASSED	0.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.750 s
	screenshot		
6	And user Enter the value in description and verify it	PASSED	1.733 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		
7	And user Enter the value in Address field and verify it	PASSED	0.658 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And user Enter the value in country field and verify it	PASSED	1.491 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.405 s
	screenshot 		
9	And user Enter the value in state field and verify it	PASSED	0.673 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.367 s
	screenshot 		
10	And user Enter the value in Location field and verify it	PASSED	0.610 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.396 s
	screenshot 		
11	And user Enter the value in Zip code field and verify it	PASSED	0.567 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And user Enter the value in Phone field and verify it	PASSED	0.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
13	And user Enter the value in Fax field and verify it	PASSED	0.405 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
14	And user Enter the value in Email field and verify it	PASSED	0.455 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
15	And user Enter the value in Contact person field and verify it	PASSED	0.349 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		

| #	Step / Hook Details	Status	Duration
16	And user save the warehouse master Record	PASSED	0.175 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s
	screenshot		
17	And user click Temp view icon of Warehouse Master	PASSED	0.601 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.616 s
	screenshot		
18	And user click on First Record Edit icon	PASSED	0.344 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.533 s
	screenshot		
19	And user Enter the value in description and Modify it	FAILED	2.828 s
	org.openqa.selenium.InvalidElementStateException: invalid element state (Session info: chrome=105.0.5195.127) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [266ab90cd0c2fd8a740f1c1cee2afb12, clearElement {id=6947db0b-74cf-4d3c-a308-ac540a41f7e4}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59416}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59416/devtoo..., se:cdpVersion:		

#	Step / Hook Details	Status	Duration
	105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (266ab90cd0c2fd8a740f1c1cee2afb12)] -> xpath: //ion-col[1]/digital-text-box[1]/ion-item[1]/ion-input[1]/input[1]] Session ID: 266ab90cd0c2fd8a740f1c1cee2afb12 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.clear(RemoteWebElement.java:126) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.clear(Unknown Source) at stepdefinitions.WareHouseMaster.user_enter_the_value_in_description_and_modify_it(WareHouseMaster.java:555) at ?.user Enter the value in description and Modify it(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:157) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.300 s
20	And user Enter the value in Address field and Modify it	SKIPPED	0.001 s
21	And user click on the update button	SKIPPED	0.000 s
22	And user click list view icon of Warehouse Master	SKIPPED	0.000 s
23	And user click on First Record Edit icon	SKIPPED	0.000 s
24	And user Enter the value in description and ReModify it	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
25	And user Enter the value in Address field and ReModify it	SKIPPED	0.000 s
26	And user click on the update button	SKIPPED	0.001 s
27	And user goto the Maker Inbox and store the Referance ID	SKIPPED	0.000 s
28	Then user Click on Action Icon	SKIPPED	0.000 s
29	And user verify the submit button and submit the Record from Maker stage	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Warehouse Master
record

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Warehouse Master
record

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Warehouse Master
record

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modification of Warehouse Master
record

(F) check the functionality of the
Warehouse Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Modification of Warehouse Master record	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Modification of Warehouse Master record	
(F) check the functionality of the Warehouse Master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modification of Warehouse Master record

(F) check the functionality of the Warehouse Master