
## **Cucumber Report**




FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	check the functionality of the Warehouse Master	1	0	1	0	2 m 17.787 s

SCENARIOS SUMMARY




-- 3 --

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	check the functionality of the	verify while modification system enters the invalid data	9	8	1	0	2 m 17.768 s
	Warehouse Master	(Invalid data types)					

## **(F)-** check the functionality of the Warehouse Master

FAILED	DURATION - 2 m 17.787 s	Scenarios		Steps	
		Total - 1		Total - 9	
/ 5:01:28.401 µ	om // 5:03:46.188 pm /	Pass - 0	1	Pass - 8	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- verify while modification system enters the invalid data (Invalid data types)



#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	23.504 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.058 s
	screenshot		
	DESCRIPTION OF THE PROPERTY OF		
2	Then user click on configurations Tab	PASSED	0.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.126 s
	screenshot		
	TOTAL STATE OF THE		


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  4 And user click list view icon of Warehouse Master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user click Temp view icon of Warehouse Master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user click Temp view icon of Warehouse Master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  6 And user click on First Record Edit icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 And user Enter the value in description and Modify it  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 And user Enter the value in description and Modify it  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.2467 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.376 s	#	Step / Hook Details	Status	Duration
And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click on First Record Edit icon  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user click Temp view icon of Warehouse Master  And user cli	3	When user click Config Manager menu	PASSED	0.597 s
And user click list view icon of Warehouse Master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click Temp view icon of Warehouse Master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  12.467 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  12.467 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  12.467 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
4 And user click list view icon of Warehouse Master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user click Temp view icon of Warehouse Master  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And user click on First Record Edit icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.212 s  1.2467 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.2467 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.2467 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.2467 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user click Temp view icon of Warehouse Master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user click on First Record Edit icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  7 And user click on First Record Edit icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.773 s  1.773 s  PASSED  1.212 s  PASSED  1.212 s  PASSED  1.2467 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.2467 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.309 s		TOTAL PARTY OF THE		
screenshot  After_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Adjuster Enter the value in description and Modify it  After_Step - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  12.467 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.309 s	4	And user click list view icon of Warehouse Master	PASSED	0.397 s
5 And user click Temp view icon of Warehouse Master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user click on First Record Edit icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  PASSED  0.262 s  PASSED  1.212 s  7 And user Enter the value in description and Modify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.2467 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.2467 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.309 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.807 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click Temp view icon of Warehouse Master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on First Record Edit icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  12.467 s  PASSED  0.309 s		screenshot		
And user click Temp view icon of Warehouse Master  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user click on First Record Edit icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AND USER CONTROL OF THE WASSED TO STAND TO		** NO NO NO NO **  *********************		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user click on First Record Edit icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user Enter the value in description and Modify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AND USER Enter the value in description and Modify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.773 s  1.773 s  1.773 s  1.773 s	5		DASSED	0.516 c
screenshot  And user click on First Record Edit icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  7 And user Enter the value in description and Modify it  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  1.212 s  2.467 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.309 s	5	· · · · · · · · · · · · · · · · · · ·		
And user click on First Record Edit icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user Enter the value in description and Modify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.212 s  PASSED  1.2467 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.309 s			- PASSED	1.7755
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And user Enter the value in description and Modify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.212 s  PASSED  1.2467 s  PASSED  0.309 s		## ACCUPATION  ## ACC		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  7 And user Enter the value in description and Modify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.212 s  PASSED  1.2467 s  PASSED  0.309 s	6	And user click on First Record Edit icon	PASSED	0.262 s
Screenshot  7 And user Enter the value in description and Modify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.309 s				
7 And user Enter the value in description and Modify it  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.309 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.309 s		## A CONTROL OF THE PROPERTY O		
	7	And user Enter the value in description and Modify it	PASSED	12.467 s
screenshot			PASSED	0.309 s
		screenshot		

#	Step / Hook Details	Status	Duration
	# 1 (0) (0) (0) (0) (0) (0) (0) (0) (0) (0)		
8	And user Enter the value in Address field and Modify it	PASSED	0.724 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.235 s
	screenshot		
	Screenshot		
	TENTE BY MIN		
9	And user Enter Invalid Data in warehouse Master	FAILED	2.050 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: "method": "xpath", "selector": "/lion-badge contains(text(), Maximum 50 characters are allowed)]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511.cbda' System info: host: "INMUVADP014547", ip: '10.1.47.111", os.name: Windows 10", os.arch: 'amd64", os.version: '10.0", java.version: '17.0.1" Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [ba83fd3b93db21962e091ca3f8c30d65, findElement {using=xpath, value=//lion-badge[contains(text(), Maximum 50 characters are allowed)]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883, userDataDir: C:\Users\NiNDC-1\AppData\L), goog:chromeOptions: {debuggerAddress: localhost:58715}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58715/dovtoo, se.cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 300000, unhandledPromptBehavior: dismiss and notify, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Session ID: ba83fd3b93db21962e091ca3f8c30d65 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.WareHouseMaster.user_enter_invalid_data_in_warehouse_master(WareHouseMaster.java:714) at ?.user Enter Invalid Data in warehouse Master(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:198) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.642 s
	screenshot		
	## ## ## ## ## ## ## ## ## ## ## ## ##		






EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

