


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Document Details screen	1	0	1	0	27.537 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	Verify system should allow user to do a modification with	14	7	1	6	27.532 s
	Document Details screen	valid data					

DETAILED SECTION

(F)- Check the functionality of Customer Document Details screen

FAILED	DURATION - 27.537 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 5:29:04.074	PM // 5:29:31.611 PM /	Pass - 0	1	Pass - 7	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- Verify system should allow user to do a modification with valid data

FAILED DURATION - 27.532 s	10		- i	-;			- ;			<u> </u>		-,	-,				Steps		
/ 5:29:04.079 PM // 5:29:31.611 PM /	8	-				-	-									-	Total - 14		
Check the functionality of Customer Document	4	1	-							-							Pass - 7	14	
Details screen	2					-	1		<u> </u>		-	-		-	-	-	Skip - 6		
@AT_DLDD_003			1	2	3	4	5	6	7	8	9	10	11	12	13	14	Ship 0		

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.417 s
	screenshot		
	AZENTIO		
2	And User Login as maker	PASSED	3.504 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
	AMENTO O D D D D D D D D D D D D D D D D D D		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.233 s PASSED 0.233 s PASSED 0.233 s 4 Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s	#	Step / Hook Details	Status	Duration
screenshot 4 Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s PASSED 0.190 s PASSED 0.188 s PASSED 0.188 s PASSED 0.188 s	3	Then user should click on the menu toggle in login page	PASSED	0.202 s
4 Then click on inbox to search for the Customer Document Details record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.233 s
4 Then click on inbox to search for the Customer Document Details record PASSED 0.859 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.278 s Then click on search button to search the record of Customer Document Details in inbox PASSED 0.190 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.180 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.188 s Then enter the reference id of the Customer Document Details record PASSED 0.188 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.188 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucu		AZENTO O O O O O O O O O O O O O O O O O O		
screenshot Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s PASSED 0.190 s 0.	4	Then click on inbox to search for the Customer Document Details record	PASSED	0.859 s
Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.190 s PASSED 0.190 s PASSED 0.190 s 0.190 s PASSED 0.190 s 0.190 s PASSED 0.190 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
Then click on search button to search the record of Customer Document Details in inbox AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on the entitle button of the Customer Document Details record of that reference id PASSED 0.190 s 0.190 s 0.190 s 0.190 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then click on the entitle button of the Customer Document Details record of that reference id PASSED 0.190 s 0.190 s 0.190 s		G come of the company		
Screenshot Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on the entitle button of the Customer Document Details record of that reference id PASSED 0.064 s 0.188 s	5	Then click on search button to search the record of Customer Document Details in inbox	PASSED	0.190 s
6 Then enter the reference id of the Customer Document Details record PASSED 0.064 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then click on the entitle button of the Customer Document Details record of that reference id PASSED 0.221 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
Then enter the reference id of the Customer Document Details record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) screenshot Then click on the entitle button of the Customer Document Details record of that reference id PASSED 0.064 s 0.188 s		screenshot	1	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then click on the entitle button of the Customer Document Details record of that reference id PASSED 0.188 s		Second S		
Screenshot 7 Then click on the entitle button of the Customer Document Details record of that reference id PASSED 0.221 s	6	Then enter the reference id of the Customer Document Details record	PASSED	0.064 s
7 Then click on the entitle button of the Customer Document Details record of that reference id PASSED 0.221 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
7 Then click on the entitle button of the Customer Document Details record of that reference id PASSED 0.221 s		screenshot	7	
		## ACCUPATION ## ACC		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.245 s	7	Then click on the entitle button of the Customer Document Details record of that reference id	PASSED	0.221 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
screenshot		screenshot	7	

#	Step / Hook Details	Status	Duration
	ADMINISTRATION OF STATE OF STA		
8	Then click on the Document Details tab	FAILED	10.376 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath'. ///ion-segment-button(@id=seg6f)' (fried for 10 second(s) with 500 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:321) at stepdefinitions.CustomerDocumentDetails.click_on_the_document_details_tab(CustomerDocumentDetails.java:31) at ?click on the Document Details tab(file://iic/1/Sers/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/ leatures/CustomerDocumentDetails.feature:12) Caused by. org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath","selector":"//ion-segment-button(@id=seg6f]) (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.dev exceptions/fino_such_element Build info: version: *4.0.0-c-1, revision: *10.0-511cbds System info: host: 'PG00XBKU', ip: '10.1.47.121', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [fibed231bcd7438528c46e621966fa19], findElement (using-path, value="fibed39bcd74455.", userDatabic: C:\UserSerNiNINDC-14NpDataLL], goog:chromeOploins: (debugger.button(@id=seg6f]) [Capabilities (accept)nsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: (chromedriverVersion: 99.0.4844.51) (d53*ec024745b userDatabic: C:\UserSerNiNINDC-14NpDataLL), goog:chromeOploins: (debugger.bers: localhost:60379), javascriptEnabled: true, networkConnectionEnabled: false, pageLoad/Strategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.ccp. ws./iocalhost:60379/devtoo secopylersion: 100.0.4896.60, setWindowRect: true, strictFielnetractability: false, timeouts: (implicit: o, pageLoad: 300000, s		


#	Step / Hook Details	Status	Duration
	at org.openga.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementwithFluentwait(WaitHelper.java:92)		
	at stepdefinitions.CustomerDocumentDetails.click_on_the_document_details_tab(CustomerDocumentDetails.java:81)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
	A SANTO OR OF B (100) (100) (100) (100) (100) (100) OR OF B (100) (100		
9	Then open the record of Customer Document Details to modify	SKIPPED	0.000 s
10	Then verify system should allow user to do a modification of Customer Document Details record before approved	SKIPPED	0.000 s
11	Then verify system should allow user to do a modification with valid data	SKIPPED	0.000 s
12	Then verify system display the confirmation message post clicking on save button of Customer Employment Details record	SKIPPED	0.000 s
13	And verify the same record of Customer Document Details should get saved in a system	SKIPPED	0.000 s
14	Then verify the functionality of Back button of Customer Document Details record	SKIPPED	0.000 s



EXPANDED SECTION -- 10 --





EXPANDED SECTION -- 12 --

