

Cucumber Report

17-Oct-2022, 5:38:28 pm

Start : Oct 17, 5:37:35.206 pm

End : Oct 17, 5:38:20.223 pm

Duration : 45.017 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 8
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	1	0	1	0	45.017 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of the Warehouse Master</u>	<u>verify while modification system enters the invalid data (Invalid data types)</u>	9	8	1	0	45.012 s


(F)- check the functionality of the Warehouse Master



FAILED	DURATION - 45.017 s	Scenarios		Steps	
/ 5:37:35.206 pm // 5:38:20.223 pm /		Total - 1		Total - 9	
		Pass - 0		Pass - 8	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	


(S)- verify while modification system enters the invalid data (Invalid data types)

<div>FAILED</div> <div>DURATION - 45.012 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
/ 5:37:35.211 pm // 5:38:20.223 pm /				
check the functionality of the Warehouse Master				
@AT_WHM_T006_Invalid				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	23.402 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.395 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.437 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		
			
4	And user click list view icon of Warehouse Master	PASSED	0.318 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
			
5	And user click Temp view icon of Warehouse Master	PASSED	0.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.040 s
	screenshot		
			
6	And user click on First Record Edit icon	PASSED	0.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
			
7	And user Enter the value in description and Modify it	PASSED	4.660 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user Enter the value in Address field and Modify it	PASSED	0.832 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
	screenshot		
			
9	And user Enter Invalid Data in warehouse Master	FAILED	1.368 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-badge[contains(text(),' Maximum allowed length is 50')]"}</p> <p>(Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b18ce4dcae2de62b626d09f11340f019, findElement {using=xpath, value=//ion-badge[contains(text(),' Maximum allowed length is 50')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62668}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62668/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b18ce4dcae2de62b626d09f11340f019</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p>		

#	Step / Hook Details	Status	Duration
	<div>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.WareHouseMaster.user_enter_invalid_data_in_warehouse_master(WareHouseMaster.java:722) at ?.user Enter Invalid Data in warehouse Master(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/MDM_Warehouse_Master.feature:198) * Not displayable characters are replaced by '?'. </div>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)


(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

The screenshot shows the AZENTIO ONE Banking application interface. On the left, there is a blue sidebar menu with the following items: Dashboard, Configurations (expanded), Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Due master, Product master, Pricing indicator, Transactions, and Reports. The main content area is currently blank, indicating that the Warehouse Master configuration page has not yet been loaded.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

The screenshot shows the AZENTIO ONE Banking application interface with the Warehouse Master configuration page loaded. The table displays the following data:


Action	Description	Address	Country	State	City	Zip Code	Phone 1	Fax	E-mail	Contact Person	Status	Current Stage
Modify_HNKDesc	Modify_HNKAddress	1105415	1105474	1105414	98303324	9876543210	4654321	azentio@gmail.com	MEEE	Active		
HNK_DESC	HNK_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	azentio@gmail.com	MEEE	Active		
HNK_DESC	Return_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	return@gmail.com	MEEE	Active	MAKER	
HNK_DESC	Return_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	return@gmail.com	MEEE	Active	CHECKER	
HNK_DESC	Reject_ADDRESS	1105415	1105474	1105414	98303324	9876543210	4654321	reject@gmail.com	MEEE	Active	CHECKER	

Showing 1 to 5 of 40 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master



The screenshot shows the 'Warehouse Master' form in the AZENTIO ONE Banking application. The form is titled 'Warehouse Master' and contains the following fields:


- Description: Modify_HNKDesc
- Country: INDIA
- Location: Thane
- Phone 1: 9876543210
- E-Mail: azentio@gmail.com
- Address: Modify_HNKAddress
- State: Maharastra
- Zip Code: PINS7946
- Fax: 4654321
- Contact Person: MEEE
- Status: (toggle switch)

The form is part of a larger application with a sidebar menu and a top navigation bar. The sidebar menu includes options like Dashboard, Configurations, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Due master, Product master, Pricing indicator, Transactions, and Reports. The top navigation bar includes options like EngL..., LOS, Aze..., and a user profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master



The screenshot shows the 'Warehouse Master' form in the AZENTIO ONE Banking application. The form is titled 'Warehouse Master' and contains the following fields:

- Description: Modify_HNKDesc
- Country: INDIA
- Location: Thane
- Phone 1: 9876543210
- E-Mail: azentio@gmail.com
- Address: Modify_HNKAddress
- State: Maharastra
- Zip Code: PINS7946
- Fax: 4654321
- Contact Person: MEEE
- Status: (toggle switch)

The form is part of a larger application with a sidebar menu and a top navigation bar. The sidebar menu includes options like Dashboard, Configurations, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Due master, Product master, Pricing indicator, Transactions, and Reports. The top navigation bar includes options like EngL..., LOS, Aze..., and a user profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify while modification system enters
the invalid data (Invalid data types)

(F) check the functionality of the
Warehouse Master

AZENTIO

ONEBOOKING

Search the menu

Dashboard

Configurations

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Due master

Product master

Pricing indicator

Transactions

Reports

Warehouse Master

Description

Modify_HNKDesc

Country

INDIA

Location

Thane

Phone 1

9876543210

E-Mail

azentio@gmail.com

Status

Address

Modify_HNKAddress

State

Maharastra

Zip Code

PIN57946

Fax

4654329.945687981E9994568798199945687981999456879819

Contact Person

MEEE