Cucumber Report

| **Start : Aug 11, 12:01:40.754 PM**	**End : Aug 11, 12:02:08.843 PM**	**Duration : 28.089 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 8

Features: 1

Scenarios: 1

Steps: 15

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 40 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Covenant Master	1	0	1	0	28.089 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Check the functionality of Covenant Master*	*Covenant Master - To verify the functionality of list view approved records*	*15*	*6*	*1*	*8*	*28.082 s*

(F)- Check the functionality of Covenant Master

FAILED	DURATION - 28.089 s		Scenarios		Steps	
/ 12:01:40.754 PM // 12:02:08.843 PM /			Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 15 Pass - 6 Fail - 1 Skip - 8	15

(S)- Covenant Master - To verify the functionality of list view approved records

| FAILED	DURATION - 28.082 s		Steps	
/ 12:01:40.760 PM // 12:02:08.842 PM /			Total - 15 Pass - 6 Fail - 1 Skip - 8	15
Check the functionality of Covenant Master				
@AT_CM_T013				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	7.049 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.881 s
	screenshot		
2	Then select data set ID for covenant master testcase013	PASSED	4.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.949 s
	screenshot		
3	And User Login as maker	PASSED	6.196 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
4	Then user should navigate to covenant master	PASSED	1.039 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
5	And click on approved records button of covenant master	PASSED	0.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.525 s
	screenshot		
6	Then verify add button should allow to create new record in covenant master	PASSED	1.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
7	Then verify search box should display matching record with matched data in covenant master	FAILED	1.165 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button _ngcontent-fcy-c530="" pbutton="" pripple="" icon="pi pi-search" type="button" tooltipposition="top" class="p-element p-button-sm p-button-info p-button-raised pull-right primelistbtn p-button p-component p-button-icon-only ng-star-inserted" ng-reflect-icon="pi pi-search" ng-reflect-tooltip-position="top" ng-reflect-text="Search">...</button> is not clickable at point (1096, 138). Other element would receive the click: <ion-item _ngcontent-fcy-c175="" lines="none" mode="ios" class="_textBox_item item-interactive item-input item-has-placeholder item ios item-lines-none item-fill-none ion-focusable hydrated ion-star-inserted ion-untouched ion-pristine ion-valid item-label item-label-stacked" ng-reflect-lines="none" ng-reflect-		

#	Step / Hook Details	Status	Duration

	mode="ios" ng-reflect-ng-class="[object Object]">...</ion-item> (Session info: chrome=115.0.5790.171) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.79', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [08244fb1dceb28b706fa49470467e765, clickElement {id=429827DFC582C6C191AD2C1E481E5290_element_44}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.171, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\ININDC~1\AppData\L. ..}, goog:chromeOptions: {debuggerAddress: localhost:57388}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57388/devtoo..., se:cdpVersion: 115.0.5790.171, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (08244fb1dceb28b706fa49470467e765)] -> xpath: //button[@ng-reflect-text='Search']] Session ID: 08244fb1dceb28b706fa49470467e765
	
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.CovenantMaster. verify_search_box_should_display_matching_record_with_matched_data_in_covenant_master(CovenantMaster.java:871)
	  at ?.verify search box should display matching record with matched data in covenant master(file:///C:/Users/ININDC00091/git/Azentio_ULS/ Devesh_ULS_03082023/Devesh_AzentioULSFramework_ExcelTest/src/test/java/features/CovenantMaster.feature:318)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then verify search box should not display any record with mismatched data in covenant master	SKIPPED	0.000 s
9	Then click on export to pdf button system should download Pdf file in covenant master	SKIPPED	0.000 s
10	Then click on export to excel button system should download Excel file in covenant master	SKIPPED	0.000 s
11	Then verify the functionality of ID field system should display ID number of that record	SKIPPED	0.000 s
12	Then verify the functionality of Description field system should display description of that record	SKIPPED	0.000 s
13	Then verify the functionality of Covenant Type field system should display Covenant Type of that record	SKIPPED	0.000 s
14	Then verify the functionality of Frequency field system should display frequency of that record	SKIPPED	0.000 s
15	Then verify the functionality of Status field system should display Status of that record	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Covenant Master - To verify the functionality of list view approved records

(F) Check the functionality of Covenant Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Covenant Master - To verify the functionality of list view approved records

(F) Check the functionality of Covenant Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Covenant Master - To verify the functionality of list view approved records

(F) Check the functionality of Covenant Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Covenant Master - To verify the functionality of list view approved records

(F) Check the functionality of Covenant Master

AZENTIO
ONEBanking

31-Jan-2023

English... | LOS | Cen...

Search the menu

Dashboard

Configurations

Config Manager

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Colleteral type

Fee master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Covenant Master - To verify the functionality of list view approved records

(F) Check the functionality of Covenant Master

AZENTIO
ONEBanking

31-Jan-2023

Engl... | LOS | Cen...

Search the menu

- Dashboard
- Configurations
  - Floating rate master
  - Employer master
  - Sub Product Master
  - SchemeMaster
  - BP Master
  - Bounce Master
  - Covenant Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Covenant Master - To verify the functionality of list view approved records

(F) Check the functionality of Covenant Master

AZENTIO
ONEBanking

31-Jan-2023

Engl... | LOS | Cen...

Search the menu

- Dashboard
- Configurations
  - Floating rate master
  - Employer master
  - Sub Product Master
  - SchemeMaster
  - BP Master
  - Bounce Master
  - Covenant Master

Covenant Master

Covenant Type *
Select

Description *

Editable

Actionable

Frequency *
Select

Waiver Allowed

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cumber. java.Scenario)

(S) Covenant Master - To verify the functionality of list view approved records

(F) Check the functionality of Covenant Master

☰　**AZENTIO** ONEBanking

31-Jan-2023 📅 ✉ ⊞　Engl... ▾　LOS ▾　Cen... ▾　👤 ▾

🔍 Search the menu

⊞ Dashboard

⚙ Configurations　∧

　Floating rate master 🕐 ☑

　Employer master 🕐 ☑

　Sub Product Master 🕐 ☑

　SchemeMaster 🕐 ☑

　BP Master 🕐 ☑

　Bounce Master 🕐 ☑

　Covenant Master 🕐 ☑

← **Covenant** Master　　　　💾 ⓘ

Covenant Type *　　　　　　　　　Description *　　　　　⊕

Select ▾　　　　　　　　　　　[   ]

Editable　　　　　　　　　　　　Actionable

⬤○　　　　　　　　　　　　　　⬤○

Frequency *　　　　　　　　　　Waiver Allowed

Select ▾　　　　　　　　　　　⬤○