

# Cucumber Report

Jul 25, 2022, 4:23:06 PM

Start : Jul 25, 4:22:43.542 PM

End : Jul 25, 4:23:05.612 PM

Duration : 22.070 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 9  
FAILED - 1  
SKIPPED - 54







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	22.070 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	64	9	1	54	22.067 s

**(F)- Product Master Retail Functionality**





<b>FAILED</b>	<b>DURATION - 22.070 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 64 Pass - 9 Fail - 1 Skip - 54	
/ 4:22:43.542 PM // 4:23:05.612 PM /					


**(S)- verify Checker user is able to Approve the record**

<div>FAILED</div> <div>DURATION - 22.067 s</div>		<div></div>	<div>Steps</div> <div>Total - 64</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 54</div>	<div></div>
/ 4:22:43.545 PM // 4:23:05.612 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail_Approve_Reject_Return				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.829 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.231 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.643 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.278 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.720 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	screenshot		
			
8	Then Enter Product Description	PASSED	1.681 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.101 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	0.280 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
			
10	Then verify the field Remarks	FAILED	0.175 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4e43c6af25008ac5240bd38e00ee7032, sendKeysToElement [id=189d317f-7ae2-4b1b-b409-c058e80e67ee, value=[Ljava.lang.CharSequence;@6e0d16a4]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome:</p>		

#	Step / Hook Details	Status	Duration
	<pre>{chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:62855}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62855/devtools..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (4e43c6af25008ac5240bd38e00ee7032)] -&gt; xpath: //ion-textarea[1]//textarea[1]] Session ID: 4e43c6af25008ac5240bd38e00ee7032</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_the_field_remarks(ProductMaster_Retail.java:186) at ?.verify the field Remarks(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:58) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.142 s
11	Then click on save button	SKIPPED	0.000 s
12	Then validate Success pop up	SKIPPED	0.000 s
13	Then click on inbox	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	And open record for Approve	SKIPPED	0.000 s
15	Then submit the Record	SKIPPED	0.000 s
16	Then click on Product Master eye icon	SKIPPED	0.001 s
17	Then click on Product Master add button	SKIPPED	0.000 s
18	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
19	Then Enter Product Code for Return	SKIPPED	0.001 s
20	Then Enter Product Description	SKIPPED	0.000 s
21	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
22	Then verify the field Remarks	SKIPPED	0.000 s
23	Then click on save button	SKIPPED	0.000 s
24	Then validate Success pop up	SKIPPED	0.000 s
25	Then click on inbox	SKIPPED	0.000 s
26	And open record for Return	SKIPPED	0.000 s
27	Then submit the Record	SKIPPED	0.000 s
28	Then click on Product Master eye icon	SKIPPED	0.000 s
29	Then click on Product Master add button	SKIPPED	0.000 s
30	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
31	Then Enter Product Code for reject	SKIPPED	0.000 s
32	Then Enter Product Description	SKIPPED	0.000 s
33	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.000 s
34	Then verify the field Remarks	SKIPPED	0.000 s
35	Then click on save button	SKIPPED	0.000 s
36	Then validate Success pop up	SKIPPED	0.000 s
37	Then click on inbox	SKIPPED	0.000 s
38	And open record for Reject	SKIPPED	0.000 s
39	Then submit the Record	SKIPPED	0.000 s
40	Then user logout from the application	SKIPPED	0.000 s
41	And User Login as Checker	SKIPPED	0.000 s
42	Then click on Menu	SKIPPED	0.000 s
43	Then click on inbox	SKIPPED	0.000 s
44	Then Open the record to approve it	SKIPPED	0.000 s
45	Then approve the record	SKIPPED	0.001 s
46	Then Open the record to return it	SKIPPED	0.000 s
47	Then return the record	SKIPPED	0.000 s



#	Step / Hook Details	Status	Duration
48	Then Open the record to reject it	SKIPPED	0.000 s
49	Then reject the record	SKIPPED	0.000 s
50	Then user logout from the application	SKIPPED	0.000 s
51	Given User launch the kuls application	SKIPPED	0.000 s
52	And User Login as maker	SKIPPED	0.000 s
53	Then click on Product Setup	SKIPPED	0.000 s
54	Then click on Product Master eye icon	SKIPPED	0.000 s
55	Then click on search icon	SKIPPED	0.000 s
56	Then search approved record	SKIPPED	0.000 s
57	Then close the search input field	SKIPPED	0.000 s
58	Then click on search icon	SKIPPED	0.000 s
59	Then search Rejected record	SKIPPED	0.001 s
60	Then close the search input field	SKIPPED	0.000 s
61	Then click on Product Master edit icon	SKIPPED	0.000 s
62	Then click on search icon	SKIPPED	0.000 s
63	Then search the record	SKIPPED	0.000 s
64	Then user logout from the application	SKIPPED	0.001 s

## (F) Product Master Retail Functionality

Azentio™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

## (F) Product Master Retail Functionality

Azentio™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record


(F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality



### (F) Product Master Retail Functionality

## Azentio™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English ▾

LOS ▾

Azentio Software ▾

Puneet  
01-Sep-2023

---

### Product Master

Export ▾

Action	Product Group ↑↓	Product Code ↑↓	Product Description ↑↓	Retail/Corporate ↑↓	Status ↑↓
	98303275	dep555	dep555	R	<span>Active</span>
	98303275	dep55	dep55	R	<span>Active</span>
	98303249	PR07	Loan	R	<span>Active</span>
	98303249	PR04	Loan	R	<span>Active</span>
	98303249	PR11	Loan	R	<span>Active</span>

Showing 1 to 5 of 117 entries

<<   <   
 1   
 2   3   4   5   
 >   >>

5 ▾

## (F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
  - Asset Auto Master
  - Asset CD Master
  - Product master**
  - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Menu

English

LOS

Azentio Software

**Puneet**  
 01-Sep-2023

Product Master

Product Master

Product Group \*

Lending

Product Description \*

Select

Deposits

DM Code

Lending

Trade

Remarks

Treasury

Product Code \*


Retail/Corporate \*

Select

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality




The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text field with 'PR10'), 'Product Description' (a text field with a lock icon), 'Retail/Corporate' (a dropdown menu with 'Select' selected), 'DM Code' (a text field), and 'Remarks' (a large text area). The form is styled with a clean, modern design using blue and white colors.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify Checker user is able to Approve  
the record

(F) Product Master Retail Functionality



The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text field with 'PR10'), 'Product Description' (a text field with 'Loan' entered and a lock icon), 'Retail/Corporate' (a dropdown menu with 'Select' selected), 'DM Code' (a text field), and 'Remarks' (a large text area). The form is styled with a clean, modern design using blue and white colors.

**AZENZIO™**

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group \*

Lending ▾

Product Description \*

Loan

DM Code

Remarks

Product Code \*

PR10

Retail/Corporate \*

Retail ▾

Select

Corporate

Retail ✓

English ▾LOS ▾Azertio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group \*

Lending ▾

Product Description \*

Loan

DM Code

Product Code \*

PR10

Retail/Corporate \*

Retail ▾

Remarks