

## **Cucumber Report**



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To Verify the fuctionalities of Customer Employment	1	0	1	0	2 m 11.904 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To Verify the fuctionalities of Customer	To verify fields in list view in customer employment	16	5	1	10	2 m 11.900 s
	Employment						

DETAILED SECTION -- 4 --

## **(F)-** To Verify the fuctionalities of Customer Employment

FAILED	DURATION - 2 m 11.904 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 10:17:37.115 A	AM // 10:19:49.019 AM /	Pass - 0	1	Pass - 5	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

## (S)- To verify fields in list view in customer employment



#	Step / Hook Details	Status	Duration
1	And Choose the data set id for list view validation in customer employment	PASSED	1.965 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		
	+		
2	Given Launch the kuls application and Navigate to Application details view list	PASSED	58.832 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.588 s
	screenshot		
	** *** *** *** *** *** *** *** *** ***		

#	Step / Hook Details	Status	Duration
3	Then Click the inbox in customer employment	PASSED	0.258 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
	ASSETTO		
4	And click the search button in customer employement	PASSED	0.654 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot	1	
	A SECURIO   # # 800 800 800 80		
5	Then Enter app data entry in the text bar	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
	A SENTIO  ## # # # # # # # # # # # # # # # # #		
6	And click the first action icon in customer employement	FAILED	1 m 2.545 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//td[text()=' APPDATAENT '])[1]//preceding-sibling::td[7]/button' (tried for 60 second(s) with 2000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.TransactionCustomerEmployment.  click_the_first_action_icon_in_customer_employement(TransactionCustomerEmployment.java:83) at ?.click the first action icon in customer employement(file:///C:/Users/inindc00073/git/ repository4/Kamala_Priya_AzentioULSFramework3/src/test/java/features/CustomerEmployment.feature:77)  Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//td[text()=' APPDATAENT '])[1]//preceding-sibling::td[7]/button"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016647', ip: '10.1.47.114', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.		

#	Step / Hook Details	Status	Duration
	version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [72e4442c601e988e5e3326ffede5870f, findElement		
	{using=xpath, value=(//td[text()=' APPDATAENT '])[1]//preceding-sibling::td[7]/button}] Capabilities {acceptInsecureCerts: false, browserName:		
	chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir:		
	C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:54633}, javascriptEnabled: true,		
	networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54633/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,		
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 72e4442c601e988e5e3326ffede5870f		
	at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.TransactionCustomerEmployment.		
	click_the_first_action_icon_in_customer_employement(TransactionCustomerEmployment.java:83)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.lnvoker.dolnvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		

	Step / Hook Details	Status	Durati
at io.cucur	mber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
at io.cucur	mber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
at io.cucur	mber.core.runner.TestStep.executeStep(TestStep.java:92)		
at io.cucur	mber.core.runner.TestStep.run(TestStep.java:64)		
at io.cucur	mber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
at io.cucur	mber.core.runner.TestCase.run(TestCase.java:104)		
at io.cucur	mber.core.runner.Runner.runPickle(Runner.java:71)		
at io.cucur	mber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
at io.cucur	mber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
at io.cucur	mber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
at io.cucur	mber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
at java.bas	se/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
at java.bas	se/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
at java.bas	se/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
at java.bas	se/java.lang.reflect.Method.invoke(Method.java:568)		
at org.test	ng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
at org.test	ng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
at org.test	ng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
at org.test	ng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
_	ng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
_	ng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
_	ng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
_	ng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
-	se/java.util.ArrayList.forEach(ArrayList.java:1511)		
_	ng.TestRunner.privateRun(TestRunner.java:794)		
_	ng.TestRunner.run(TestRunner.java:596)		
_	ng.SuiteRunner.runTest(SuiteRunner.java:377)		
_	ng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
_	ng.SuiteRunner.privateRun(SuiteRunner.java:332)		
_	ng.SuiteRunner.run(SuiteRunner.java:276)		
_	ng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
_	ng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
_	ng.TestNG.runSuitesSequentially(TestNG.java:1212)		
_	ng.TestNG.runSuitesLocally(TestNG.java:1134)		
	ng.TestNG.runSuites(TestNG.java:1063)		
_	ng.TestNG.run(TestNG.java:1031)		
_	ng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	ng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	ng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	able characters are replaced by '?'.		
AFTER ST	EP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s

DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	A SENTE S S S S S S S S S S S S S S S S S S S		
7	Then Click the customer finanace tab in customer employment	SKIPPED	0.000 s
8	And click the first edit icon in customer finance tab	SKIPPED	0.000 s
9	Then verify field Employer name in listview of the customer employment	SKIPPED	0.000 s
10	Then verify field nature of employment in listview of the customer employment	SKIPPED	0.000 s
11	Then verify field employment type in listview of the customer employment	SKIPPED	0.000 s
12	Then verify field status in listview of the customer employment	SKIPPED	0.000 s
13	And verify the functionality of Search box with matching data in list view of the customer employment	SKIPPED	0.000 s
14	And verify the functionality of Search box with mismatch data in list view of the customer employment	SKIPPED	0.000 s
15	Then verify the functionality of Export to PDF button in the list view of the customer employment	SKIPPED	0.000 s
16	Then verify the functionality of Export to Excel button in the list view of the customer employment	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify fields in list view in customer
employment

(F) To Verify the fuctionalities of Customer Employment

(Step) AFTER\_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify fields in list view in customer employment

(F) To Verify the fuctionalities of Customer Employment

(F) To Verify the fuctionalities of Customer Employment

(Step) AFTER\_STEP - stepdefinitions.

Application Details

Application Details

Application Details

Application Details

(Comparison

Application Details

Application Details


Application Details

Application Details

Application Details

Application Details

EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

