

# Cucumber Report

Jul 25, 2022, 11:18:02 PM

**Start : Jul 25, 11:17:38.565 PM**

**End : Jul 25, 11:18:01.632 PM**

**Duration : 23.067 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 8**


**FAILED - 1**

**SKIPPED - 14**







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	23.067 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	System should not allow user to save the records with invalid data	23	8	1	14	23.064 s


**(F)- Product Master Retail Functionality**




<b>FAILED</b>	<b>DURATION - 23.067 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 23 Pass - 8 Fail - 1 Skip - 14	
/ 11:17:38.565 PM // 11:18:01.632 PM /					


**(S)- System should not allow user to save the records with invalid data**

<div>FAILED</div> <div>DURATION - 23.064 s</div>		<div></div>	<div>Steps</div> <div>Total - 23</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 14</div>	<div></div>
<div>/ 11:17:38.568 PM // 11:18:01.632 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail_invalid</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.969 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.641 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	4.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	1.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
			
9	Then verify functionality of the field DM Code	FAILED	0.208 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [48e74d51aa3fd8d99ae6cdb98652543c, sendKeysToElement {id=56b3dc20-1e3a-42c0-81e5-d36dce69a91a, value=[Ljava.lang.CharSequence;@79f5a6ed]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\pfnldbfkpih...}, goog:chromeOptions: {debuggerAddress: localhost:50935}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50935/devtools, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (48e74d51aa3fd8d99ae6cdb98652543c)] -&gt; xpath: //ion-row[1]/ion-col[6]/ion-item[1]/ion-input[1]/input] Session ID: 48e74d51aa3fd8d99ae6cdb98652543c</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_functionality_of_the_field_dm_code(ProductMaster_Retail.java:159) at ?.verify functionality of the field DM Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/ java/features/ProductMaster_Retail.feature:29) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.145 s
10	Then verify the field Remarks	SKIPPED	0.000 s
11	Then click on save button	SKIPPED	0.000 s
12	Then validate the impact of any mandatory field blank	SKIPPED	0.001 s
13	Then verify the functionality of Back button	SKIPPED	0.000 s
14	Then click on Product Master add button	SKIPPED	0.000 s
15	Then verify functionality and asterik mark of the field Product Group	SKIPPED	0.000 s
16	Then verify functionality and asterik mark of the field Product Code	SKIPPED	0.000 s
17	Then Enter Product Description	SKIPPED	0.000 s
18	Then verify functionality and asterik mark of the field RetailCorporate	SKIPPED	0.001 s
19	Then verify functionality of the field DM Code	SKIPPED	0.000 s
20	Then verify the field Remarks with special characters value	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
21	Then click on save button	SKIPPED	0.000 s
22	Then validate the impact of special characters value in any field	SKIPPED	0.001 s
23	Then user logout from the application	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should not allow user to save  
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should not allow user to save  
the records with invalid data

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should not allow user to save  
the records with invalid data


(F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should not allow user to save  
the records with invalid data

(F) Product Master Retail Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should not allow user to save  
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), LOS, Azentio Software, and user profile (Puneet, 01-Sep-2023). Below the header is a 'Product Master' section with a search bar and an 'Export' button. A table lists products with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data. At the bottom, it says 'Showing 1 to 5 of 121 entries' with pagination controls.




Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	dep003	dep003	R	Active
	98303275	dep001	dep001	R	Active
	98303275	dep60	desc11	R	Active
	98303275	dep57	dep57	R	Active
	98303275	dep555	dep555	R	In-active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should not allow user to save  
the records with invalid data

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area has a top header with the same navigation and user profile. Below the header is a 'Product Master' section with a back arrow and a save icon. The form contains several fields: Product Group (dropdown with 'Lending' selected), Product Code (text input), Product Description (dropdown with 'Deposits' selected), Retail/Corporate (dropdown with 'Select' selected), DM Code (dropdown with 'Lending' selected), and Remarks (text input). A 'Save' button is at the bottom right.

English LOS Azentio Software 

Puneet


01-Sep-2023

←


Product Master

Product Master

Product Group \*

Lending 

Product Description \*




DM Code

Remarks

Product Code \*

PR10

Retail/Corporate \*

Select 

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

←

Product Master

Product Master

Product Group \*

Lending ▾

Product Description \*

DM Code

Remarks

Product Code \*

PR10

Retail/Corporate \*

Retail ▾

Select

Corporate


Retail




- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) System should not allow user to save  
the records with invalid data

(F) Product Master Retail Functionality





Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

**Product master**

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

Product Master

Product Master

Product Group \*

Lending

Product Code \*

PR10

Product Description \*

Retail/Corporate \*

Retail

DM Code

Remarks

Save