Cucumber Report

Start : Nov 21, 5:35:45.838 pm	End : Nov 21, 5:37:44.017 pm	Duration : 1 m 58.179 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 17

1

1

25

0 %

0 %

28 %

#	Feature Name	T	P	F	S	Duration
1	To verify the functional flow for customer entity layout facility details	1	0	1	0	1 m 58.179 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*To verify the functional flow for customer entity layout facility details*	*To verify the functional flow for customer entity layout facility details*	25	7	1	17	1 m 58.172 s

(F)- To verify the functional flow for customer entity layout facility details

FAILED	DURATION - 1 m 58.179 s	Scenarios		Steps	
	/ 5:35:45.838 pm // 5:37:44.017 pm /	Total - 1		Total - 25	
		Pass - 0	1	Pass - 7	25
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 17	

(S)- To verify the functional flow for customer entity layout facility details

| FAILED	DURATION - 1 m 58.172 s		Steps	
	/ 5:35:45.845 pm // 5:37:44.017 pm /		Total - 25	
	To verify the functional flow for customer entity layout facility details		Pass - 7	25
			Fail - 1	
	@AT_FD_001		Skip - 17	

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	28.874 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.597 s
	screenshot		
2	And user click on Inbox Icon	PASSED	0.705 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.554 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And User click the action edit icon in customer entity layout facility details	PASSED	3.531 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.345 s
	screenshot		
4	And User click the facility info tab in customer entity layout facility details	PASSED	5.840 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.585 s
	screenshot		
5	And User click the add icon in customer entity layout facility details	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.568 s
	screenshot		
6	And User click the back button in customer entity layout facility details	PASSED	0.297 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.941 s
	screenshot		
7	And User click the add icon in customer entity layout facility details	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.173 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And User enter the primary product in customer entity layout facility details	FAILED	1 m 0.224 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-label[contains(text(),'Primary Product')]//following-sibling::ion-select' (tried for 60 second(s) with 5000 milliseconds interval)		

org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-label[contains(text(),'Primary Product')]//following-sibling::ion-select' (tried for 60 second(s) with 5000 milliseconds interval)
  at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)
  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)
  at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)
  at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails.
user_enter_the_primary_product_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:123)
  at ?.User enter the primary product in customer entity layout facility details(file:///C:/Users/inindc00075/git/Arshath_ULS/ Arshath_AzentioULSFramework/src/test/java/features/ULS_FacilityDetails.feature:12)
Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[contains(text(),'Primary Product')]//following-sibling::ion-select"}   (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [de4f02ba15e81472931766663b7337e3, findElement {using=xpath, value=//ion-label[contains(text(),'Primary Product')]//following-sibling::ion-select}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64215}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64215/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: de4f02ba15e81472931766663b7337e3
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
  at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)
  at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)
  at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)
 at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_enter_the_primary_product_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:123)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.228 s
9	And User enter the primary sub product in customer entity layout facility details	SKIPPED	0.000 s
10	And User enter the scheme in customer entity layout facility details	SKIPPED	0.000 s
11	And User enter the program code in customer entity layout facility details	SKIPPED	0.000 s
12	And User enter the facility type in customer entity layout facility details	SKIPPED	0.000 s
13	And User enter the servicing branch in customer entity layout facility details	SKIPPED	0.000 s
14	And User enter the pricing or interest indicator in customer entity layout facility details	SKIPPED	0.000 s
15	And User enter the declared asset value in customer entity layout facility details	SKIPPED	0.000 s
16	And User enter the declared down payment amount in customer entity layout facility details	SKIPPED	0.000 s
17	And User enter the requested amount in customer entity layout facility details	SKIPPED	0.000 s
18	And User enter the currency in customer entity layout facility details	SKIPPED	0.000 s
19	And User enter the expiry date in customer entity layout facility details	SKIPPED	0.000 s
20	And User enter the loan tenure month in customer entity layout facility details	SKIPPED	0.001 s
21	And User click the save icon in customer entity layout facility details	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
22	And User get the save confirmation messege in customer entity layout facility details	SKIPPED	0.000 s
23	Then User click the action edit icon in conventional facility details	SKIPPED	0.000 s
24	And User verify the primary product field should be non editable in customer entity layout facility details	SKIPPED	0.000 s
25	And User verify the primary sub product field should be non editable in customer entity layout facility details	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the functional flow for customer entity layout facility details

(F) To verify the functional flow for customer entity layout facility details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the functional flow for customer entity layout facility details

(F) To verify the functional flow for customer entity layout facility details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the functional flow for customer entity layout facility details

(F) To verify the functional flow for customer entity layout facility details

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the functional flow for customer entity layout facility details

(F) To verify the functional flow for customer entity layout facility details