


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Customer Address Details screen	1	0	1	0	17.778 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Customer	verify the functionality of save button post entering all valid	23	6	1	16	17.771 s
	Address Details screen	details and clicking on save button					

(F)- Check the functionality of Customer Address Details screen

FAILED	DURATION - 17.778 s	Scenarios		Steps	
		Total - 1		Total - 23	
/ 8:45:32.559 F	PM // 8:45:50.337 PM /	Pass - 0	1	Pass - 6	23
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	

(S)- verify the functionality of save button post entering all valid details and clicking on save button

FAILED DURATION - 17.771 s	6 -										-			1 1		$\overline{}$	Steps			
/ 8:45:32.564 PM // 8:45:50.335 PM /	4 -	-				-						 				-	Total - 23			
Check the functionality of Customer Address Details screen	2 -	-	-									<u>-</u>				-	Pass - 6		23	
	0 -	_				_	<u>.</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>		_	Skip - 16	_		
@AT_CAD_002		1	1 2	3	4	5	6	7	8	9	10 1	11 1	12	13 14	1 18	5				


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	5.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
	AZENTIO (MILENTE) TOTAL		
2	And User Login as maker	PASSED	3.376 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.757 s
	screenshot		


#	Step / Hook Details	Status	Duration
	2 ASSETTION 12 TO 9 12 TO 10 T		
3	Then user should click on the menu toggle	PASSED	0.737 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.396 s
	screenshot		
	ALEXATO DE SE DE		
4	Then click on inbox	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		
5	And user click search icon	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.279 s
6	Then search Customer Address Details record AETER STER standafinitions Hooks Class add Screenshot (in queumber java Scenario)	PASSED	0.166 s 0.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 S
	screenshot		

#	Step / Hook Details	Status	Duration
	## Company Fig. Fig		
7	And maker user open the record from inbox	FAILED	0.032 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath"; selector":"/spanf(contains(text), 506)]/J././/d/button"] (Session info: chrome=100.0.4896.60) For documentation on this error, please visit: https://selenium.devexceptions/#no_such_element Build info: version: "4.0-0-rc-1; revision: "bc5511cbda" System info: host: "PG00X8KU", ip: "10.1.47.121", os.name: "Windows 10", os.arch: 'amd64", os.version: '10.0", java.version: '17.0.1" Driver info: org.openqa. selenium.chrome.ChromeDriver Commani: [Vid590747259717b786b893dbl2a2fef, findElement {using=xpath, value=//span[contains(retx],5060]/J././d/button]] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.60, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\UserSylNiNDC-1\AppDataL); goog:chromeOptions: {debuggerAddress: localhost:51822}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), secucj: ws://localhost:51822/devtoo, sec.dpVersion: 100.0.4896.60, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 04d59b74725b717b786b893dbf2a2fef at jdk.internal.reflect.GeneratedConstructorAccessor16.newInstance(Unknown Source) at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:230) at org.openqa.selenium.remote.etc.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.betorecodec.w3c.W3CHttpResponseCo		
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	ALENTO		
8	Then click on Additional customer info Segment button	SKIPPED	0.000 s
9	Then click on Action button of Customer Personal Information	SKIPPED	0.000 s
10	Then from customer identification screen click on add button of Address details	SKIPPED	0.001 s
11	Then select Address Type	SKIPPED	0.000 s
12	Then select Address Status	SKIPPED	0.000 s
13	Then select Residential or Occupancy Status	SKIPPED	0.000 s
14	Then Enter Address Line1	SKIPPED	0.002 s
15	Then Enter Address Line2	SKIPPED	0.000 s
16	Then select Country	SKIPPED	0.000 s
17	Then select Province ID	SKIPPED	0.001 s
18	Then Enter Neighbourhood District Name	SKIPPED	0.000 s
19	Then select City ID	SKIPPED	0.002 s
20	Then Enter Zip Code	SKIPPED	0.000 s
21	Then Enter Mobile Number primary	SKIPPED	0.000 s
22	Then Enter Occupancy Date	SKIPPED	0.000 s
23	Then click on save button of Address Detail	SKIPPED	0.000 s





EXPANDED SECTION -- 10 --

