Cucumber Report

| Start : Feb 23, 9:55:25.265 am	End : Feb 23, 9:55:58.504 am	Duration : 33.239 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 27 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 379

Features: 1

Scenarios: 27

Steps: 379

Pass %: 0 %

#	Feature Name	T	P	F	S	Duration
1	To verify the Asset CD Master full flow	27	0	27	0	33.239 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the Asset CD Master full flow	To verify the Asset CD Master all flow	26	0	0	26	3.379 s
2	To verify the Asset CD Master full flow	To verify user able to approve in checker stage for Asset-CD-Master	11	0	0	11	1.261 s
3	To verify the Asset CD Master full flow	To verify user able to approve in checker stage and verify in maker stage for Asset-CD-Master	7	0	0	7	1.069 s
4	To verify the Asset CD Master full flow	To verify the Asset CD Master all flow	21	0	0	21	1.217 s
5	To verify the Asset CD Master full flow	To verify the user able to reject the record in asset CD master	10	0	0	10	1.455 s
6	To verify the Asset CD Master full flow	To verify the rejected record shown in asset CD master maker stage	8	0	0	8	1.265 s
7	To verify the Asset CD Master full flow	To verify the Asset CD Master all flow	21	0	0	21	1.118 s
8	To verify the Asset CD Master full flow	To verify the user able to return the record in asset CD master	10	0	0	10	1.314 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
9	To verify the Asset CD Master full flow	To verify the rejected record shown in asset CD master maker stage	8	0	0	8	1.148 s
10	To verify the Asset CD Master full flow	To verify the impact when user keep any mandatory field blank and click on save button	11	0	0	11	1.045 s
11	To verify the Asset CD Master full flow	To verify the Asset CD Master all flow	21	0	0	21	1.121 s
12	To verify the Asset CD Master full flow	To verify user able to approve in checker stage for Asset-CD-Master	11	0	0	11	1.083 s
13	To verify the Asset CD Master full flow	To verify system allow user to modify the Personal details before approve the record	13	0	0	13	1.003 s
14	To verify the Asset CD Master full flow	To verify the Asset CD Master all flow	21	0	0	21	1.104 s
15	To verify the Asset CD Master full flow	To verify user able to approve in checker stage for Asset-CD-Master	11	0	0	11	1.062 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
16	To verify the Asset CD Master full flow	To verify the functionality of Submit button at Maker stage	16	0	0	16	1.001 s
17	To verify the Asset CD Master full flow	To verify the functionality of Approve button at Checker stage	11	0	0	11	1.139 s
18	To verify the Asset CD Master full flow	To verify the Asset CD Master all flow	21	0	0	21	1.071 s
19	To verify the Asset CD Master full flow	To verify user able to approve in checker stage for Asset-CD-Master	11	0	0	11	1.043 s
20	To verify the Asset CD Master full flow	To verify the functionality of Submit button at Maker stage	16	0	0	16	1.034 s
21	To verify the Asset CD Master full flow	To verify the user able to reject the record in asset CD master	9	0	0	9	1.014 s
22	To verify the Asset CD Master full flow	To verify the Asset CD Master all flow	21	0	0	21	1.075 s
23	To verify the Asset CD Master full flow	To verify user able to approve in checker stage for Asset-CD-Master	11	0	0	11	1.027 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
24	To verify the Asset CD Master full flow	To verify the functionality of Submit button at Maker stage	16	0	0	16	1.017 s
25	To verify the Asset CD Master full flow	To verify the user able to return the record in asset CD master	10	0	0	10	1.023 s
26	To verify the Asset CD Master full flow	To verify the functionality of Activate/Deactivate button	12	0	0	12	1.065 s
27	To verify the Asset CD Master full flow	To verify the functionality of search and pdf, excel download	15	0	0	15	1.100 s

(F)- To verify the Asset CD Master full flow

FAILED	DURATION - 33.239 s		Scenarios		Steps	
			Total - 27		Total - 379	
/ 9:55:25.265 am // 9:55:58.504 am /			Pass - 0	27	Pass - 0	379
			Fail - 27		Fail - 0	
			Skip - 0		Skip - 379	

(S)- To verify the Asset CD Master all flow

FAILED	DURATION - 3.379 s			Steps	
/ 9:55:25.272 am // 9:55:28.651 am /				Total - 26	
				Pass - 0	26
To verify the Asset CD Master full flow				Fail - 0	
@AT-ACD-T001				Skip - 26	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	3.289 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	   at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	   at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase001	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.001 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And User click the edit icon in asset CD master	SKIPPED	0.001 s
6	And User click the add icon in asset CD master	SKIPPED	0.000 s
7	And User verify the save back help button in asset CD master	SKIPPED	0.000 s
8	And User verify the all mentioned fields in asset CD master	SKIPPED	0.000 s
9	Then User click the back button in asset CD master	SKIPPED	0.001 s
10	And User click the add icon in asset CD master	SKIPPED	0.001 s
11	Then User verify the asset category fields in asset CD master	SKIPPED	0.002 s
12	And User enter the value in asset category for asset CD master	SKIPPED	0.000 s
13	And User enter the value in asset type for asset CD master	SKIPPED	0.003 s
14	And User enter the value in manufacturer for asset CD master	SKIPPED	0.002 s
15	And User enter the value in model for asset CD master	SKIPPED	0.001 s
16	And User enter the value in year of manufacture for asset CD master	SKIPPED	0.000 s
17	And User enter the value in country for asset CD master	SKIPPED	0.001 s
18	And User enter the value in remarks for asset CD master	SKIPPED	0.000 s
19	And User click the save button for asset CD master	SKIPPED	0.000 s
20	Then User verify the confirmation message in asset CD master	SKIPPED	0.000 s
21	Then User click the inboxmail icon in asset CD master	SKIPPED	0.000 s
22	And User click the search icon in asset CD master and get the reference id	SKIPPED	0.000 s
23	And User click the submit icon in asset CD master maker	SKIPPED	0.001 s
24	And User enter the popup remark and submit the asset CD master	SKIPPED	0.000 s
25	And User get confirmation message and checker id in asset CD master	SKIPPED	0.000 s
26	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify user able to approve in checker stage for Asset-CD-Master

FAILED	DURATION - 1.261 s
	/ 9:55:28.909 am // 9:55:30.170 am /
	To verify the Asset CD Master full flow
	@AT-ACD-T002

Steps
Total - 11
Pass - 0
Fail - 0
Skip - 11

11

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.242 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase001	SKIPPED	0.001 s
2	Given User login as uls checker in asset CD master	SKIPPED	0.000 s
3	And User click the inboxicon in asset CD master checker	SKIPPED	0.000 s
4	And User click the search icon in asset CD master and get the reference id	SKIPPED	0.002 s
5	And User search the respective reference id and click on Action button in asset CD master	SKIPPED	0.000 s
6	And User click on Approve icon in asset CD master checker	SKIPPED	0.001 s

| #	Step / Hook Details	Status	Duration
7	And User click the popup remarks in asset CD master checker	SKIPPED	0.000 s
8	Then User enter the popup remarks in asset CD master checker	SKIPPED	0.001 s
9	And User click the popup approve in asset CD master checker	SKIPPED	0.000 s
10	Then User verify the Record got Approved in asset CD checker	SKIPPED	0.001 s
11	And User Logout from application	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify user able to approve in checker stage and verify in maker stage for Asset-CD-Master

FAILED	DURATION - 1.069 s		Steps	
/ 9:55:30.219 am // 9:55:31.288 am /			Total - 7	
To verify the Asset CD Master full flow			Pass - 0	7
@AT-ACD-T002.1			Fail - 0	
			Skip - 7	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.063 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase001	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.000 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.001 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And Click the Asset CD Master setup eye icon in Asset CD master	SKIPPED	0.000 s
6	Then User validate the updated record in list view in Asset CD master	SKIPPED	0.000 s
7	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the Asset CD Master all flow

FAILED	DURATION - 1.217 s
/ 9:55:31.329 am // 9:55:32.546 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T003	

Steps
Total - 21
Pass - 0
Fail - 0
Skip - 21

21

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.197 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase003	SKIPPED	0.001 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.000 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And User click the edit icon in asset CD master	SKIPPED	0.000 s
6	And User click the add icon in asset CD master	SKIPPED	0.000 s
7	And User enter the value in asset category for asset CD master	SKIPPED	0.003 s
8	And User enter the value in asset type for asset CD master	SKIPPED	0.000 s
9	And User enter the value in manufacturer for asset CD master	SKIPPED	0.001 s
10	And User enter the value in model for asset CD master	SKIPPED	0.001 s
11	And User enter the value in year of manufacture for asset CD master	SKIPPED	0.000 s
12	And User enter the value in country for asset CD master	SKIPPED	0.000 s
13	And User enter the value in remarks for asset CD master	SKIPPED	0.000 s
14	And User click the save button for asset CD master	SKIPPED	0.000 s
15	Then User verify the confirmation message in asset CD master	SKIPPED	0.000 s
16	Then User click the inboxmail icon in asset CD master	SKIPPED	0.000 s
17	And User click the search icon in asset CD master and get the reference id reject	SKIPPED	0.000 s
18	And User click the submit icon in asset CD master maker	SKIPPED	0.000 s
19	And User enter the popup remark and submit the asset CD master	SKIPPED	0.000 s
20	And User get confirmation message and checker id in asset CD master reject	SKIPPED	0.000 s
21	And User Logout from application	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the user able to reject the record in asset CD master

FAILED	DURATION - 1.455 s
/ 9:55:32.610 am // 9:55:34.065 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T003.1	

Steps

Total - 10

Pass - 0

Fail - 0

Skip - 10

10

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.441 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase003	SKIPPED	0.000 s
2	Given User login as uls checker in asset CD master	SKIPPED	0.000 s
3	And User click the inboxicon in asset CD master checker	SKIPPED	0.000 s
4	And User click the search icon in asset CD master and get the reference id reject1	SKIPPED	0.001 s
5	And User search the respective reference id and click on Action button in asset CD master	SKIPPED	0.000 s
6	And User click the reject icon in asset CD master checker	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
7	And User enter the reject remark in asset CD master checker	SKIPPED	0.000 s
8	And User click the final reject icon in asset CD master checker	SKIPPED	0.002 s
9	Then User verify the Record got Rejected in asset CD checker	SKIPPED	0.000 s
10	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the rejected record shown in asset CD master maker stage

FAILED	DURATION - 1.265 s
/ 9:55:34.109 am // 9:55:35.374 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T003.2	

Steps
Total - 8
Pass - 0
Fail - 0
Skip - 8

8

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.256 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	  at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase003	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.001 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And Click the Asset CD Master setup eye icon in Asset CD master	SKIPPED	0.000 s
6	Then User click the inboxmail icon in asset CD master	SKIPPED	0.000 s
7	And User verify the rejected record removed from the system in asset CD master	SKIPPED	0.000 s
8	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the Asset CD Master all flow

FAILED	DURATION - 1.118 s
/ 9:55:35.413 am // 9:55:36.531 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T004	

Steps
Total - 21
Pass - 0
Fail - 0
Skip - 21

21

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.099 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase004	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.001 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.001 s
5	And User click the edit icon in asset CD master	SKIPPED	0.000 s
6	And User click the add icon in asset CD master	SKIPPED	0.001 s
7	And User enter the value in asset category for asset CD master	SKIPPED	0.000 s
8	And User enter the value in asset type for asset CD master	SKIPPED	0.000 s
9	And User enter the value in manufacturer for asset CD master	SKIPPED	0.000 s
10	And User enter the value in model for asset CD master	SKIPPED	0.001 s
11	And User enter the value in year of manufacture for asset CD master	SKIPPED	0.000 s
12	And User enter the value in country for asset CD master	SKIPPED	0.000 s
13	And User enter the value in remarks for asset CD master	SKIPPED	0.000 s
14	And User click the save button for asset CD master	SKIPPED	0.000 s
15	Then User verify the confirmation message in asset CD master	SKIPPED	0.000 s
16	Then User click the inboxmail icon in asset CD master	SKIPPED	0.002 s
17	And User click the search icon in asset CD master and get the reference id return	SKIPPED	0.001 s
18	And User click the submit icon in asset CD master maker	SKIPPED	0.001 s
19	And User enter the popup remark and submit the asset CD master	SKIPPED	0.001 s
20	And User get confirmation message and checker id in asset CD master return	SKIPPED	0.000 s
21	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the user able to return the record in asset CD master

FAILED	DURATION - 1.314 s
/ 9:55:36.563 am // 9:55:37.877 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T004.1	

Steps

Total - 10

Pass - 0

Fail - 0

Skip - 10

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.307 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	  at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)
	  at resources.BaseClass.initializeDriver(BaseClass.java:28)
	  at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		

1	And User get the testdata for Assert CD Master testcase004	SKIPPED	0.000 s
2	Given User login as uls checker in asset CD master	SKIPPED	0.001 s
3	And User click the inboxicon in asset CD master checker	SKIPPED	0.000 s
4	And User click the search icon in asset CD master and get the reference id return1	SKIPPED	0.000 s
5	And User search the respective reference id and click on Action button in asset CD master	SKIPPED	0.000 s
6	And User click the return icon in asset CD master checker	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
7	And User enter the return remark in asset CD master checker	SKIPPED	0.001 s
8	And User click the final return icon in asset CD master checker	SKIPPED	0.000 s
9	Then User verify the Record got Returned in asset CD checker	SKIPPED	0.000 s
10	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the rejected record shown in asset CD master maker stage

FAILED	DURATION - 1.148 s		Steps
/ 9:55:37.902 am // 9:55:39.050 am /			Total - 8
			Pass - 0
To verify the Asset CD Master full flow			Fail - 0
@AT-ACD-T004.2			Skip - 8

8

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.143 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase004	SKIPPED	0.001 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.000 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And Click the Asset CD Master setup eye icon in Asset CD master	SKIPPED	0.000 s
6	Then User click the inboxmail icon in asset CD master	SKIPPED	0.000 s
7	And User verify the returned record removed from the system in asset CD master	SKIPPED	0.000 s
8	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the impact when user keep any mandatory field blank and click on save button

FAILED	DURATION - 1.045 s		Steps	
/ 9:55:39.081 am // 9:55:40.126 am /			Total - 11	
To verify the Asset CD Master full flow			Pass - 0 Fail - 0	11
@AT-ACD-T005			Skip - 11	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.039 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase005	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.000 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And User click the edit icon in asset CD master	SKIPPED	0.000 s
6	And User click the add icon in asset CD master	SKIPPED	0.001 s
7	And Verify the impact when user enter characters value in numeric field in asset CD master	SKIPPED	0.000 s
8	And Verify the impact when user enter numeric value in character field in asset CD master	SKIPPED	0.000 s
9	And User click the save button for asset CD master	SKIPPED	0.000 s
10	And Verify the impact when user keep any mandatory field blank in asset CD master	SKIPPED	0.001 s
11	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

## (S)- To verify the Asset CD Master all flow

FAILED	DURATION - 1.121 s
/ 9:55:40.151 am // 9:55:41.272 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T006	

Steps
Total - 21
Pass - 0
Fail - 0
Skip - 21

21

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.112 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)
	    at resources.BaseClass.initializeDriver(BaseClass.java:28)
	    at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		

1	And User get the testdata for Assert CD Master testcase006	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.001 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And User click the edit icon in asset CD master	SKIPPED	0.000 s
6	And User click the add icon in asset CD master	SKIPPED	0.000 s
7	And User enter the value in asset category for asset CD master	SKIPPED	0.000 s
8	And User enter the value in asset type for asset CD master	SKIPPED	0.000 s
9	And User enter the value in manufacturer for asset CD master	SKIPPED	0.000 s
10	And User enter the value in model for asset CD master	SKIPPED	0.000 s
11	And User enter the value in year of manufacture for asset CD master	SKIPPED	0.000 s
12	And User enter the value in country for asset CD master	SKIPPED	0.000 s
13	And User enter the value in remarks for asset CD master	SKIPPED	0.000 s
14	And User click the save button for asset CD master	SKIPPED	0.000 s
15	Then User verify the confirmation message in asset CD master	SKIPPED	0.000 s
16	Then User click the inboxmail icon in asset CD master	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
17	And User click the search icon in asset CD master and get the reference id beforeapproved	SKIPPED	0.000 s
18	And User click the submit icon in asset CD master maker	SKIPPED	0.000 s
19	And User enter the popup remark and submit the asset CD master	SKIPPED	0.000 s
20	And User get confirmation message and checker id in asset CD master beforeapproved	SKIPPED	0.000 s
21	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify user able to approve in checker stage for Asset-CD-Master

FAILED	DURATION - 1.083 s
/ 9:55:41.295 am // 9:55:42.378 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T006.1	

Steps
Total - 11
Pass - 0
Fail - 0
Skip - 11

11

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.078 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase006	SKIPPED	0.000 s
2	Given User login as uls checker in asset CD master	SKIPPED	0.000 s
3	And User click the inboxicon in asset CD master checker	SKIPPED	0.000 s
4	And User click the search icon in asset CD master and get the reference id beforeapproved	SKIPPED	0.000 s
5	And User search the respective reference id and click on Action button in asset CD master	SKIPPED	0.000 s
6	And User click on Approve icon in asset CD master checker	SKIPPED	0.000 s
7	And User click the popup remarks in asset CD master checker	SKIPPED	0.000 s
8	Then User enter the popup remarks in asset CD master checker	SKIPPED	0.000 s
9	And User click the popup approve in asset CD master checker	SKIPPED	0.000 s
10	Then User verify the Record got Approved in asset CD checker	SKIPPED	0.001 s
11	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify system allow user to modify the Personal details before approve the record

FAILED	DURATION - 1.003 s		Steps	
/ 9:55:42.402 am // 9:55:43.405 am /			Total - 13	
To verify the Asset CD Master full flow			Pass - 0	
			Fail - 0	13
@AT-ACD-T006.2			Skip - 13	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	0.997 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}],		

| #	Step / Hook Details	Status	Duration

	desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	   at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	   at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)
	   at resources.BaseClass.initializeDriver(BaseClass.java:28)
	   at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		

1	And User get the testdata for Assert CD Master testcase006D2	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.001 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And Click the Asset CD Master setup eye icon in Asset CD master	SKIPPED	0.000 s
6	And Click the listview pencil icon in asset CD master	SKIPPED	0.000 s
7	And User update the assetcategory in asset CD master	SKIPPED	0.000 s
8	And User update the model in asset CD master	SKIPPED	0.000 s
9	And User click the update button for asset CD master	SKIPPED	0.000 s
10	And User verify while modification keep any mandatory field blank and click on save button	SKIPPED	0.000 s
11	And User update the assettype in asset CD master	SKIPPED	0.000 s
12	And User click the update button for asset CD master	SKIPPED	0.000 s
13	And User Logout from application	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the Asset CD Master all flow

FAILED	*DURATION - 1.104 s*
/ 9:55:43.435 am // 9:55:44.539 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T007	

Steps

Total - 21

Pass - 0

Fail - 0

Skip - 21

21

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.093 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase001	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.000 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And User click the edit icon in asset CD master	SKIPPED	0.000 s
6	And User click the add icon in asset CD master	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
7	And User enter the value in asset category for asset CD master	SKIPPED	0.000 s
8	And User enter the value in asset type for asset CD master	SKIPPED	0.001 s
9	And User enter the value in manufacturer for asset CD master	SKIPPED	0.000 s
10	And User enter the value in model for asset CD master	SKIPPED	0.000 s
11	And User enter the value in year of manufacture for asset CD master	SKIPPED	0.000 s
12	And User enter the value in country for asset CD master	SKIPPED	0.000 s
13	And User enter the value in remarks for asset CD master	SKIPPED	0.001 s
14	And User click the save button for asset CD master	SKIPPED	0.000 s
15	Then User verify the confirmation message in asset CD master	SKIPPED	0.000 s
16	Then User click the inboxmail icon in asset CD master	SKIPPED	0.001 s
17	And User click the search icon in asset CD master and get the reference id	SKIPPED	0.000 s
18	And User click the submit icon in asset CD master maker	SKIPPED	0.000 s
19	And User enter the popup remark and submit the asset CD master	SKIPPED	0.000 s
20	And User get confirmation message and checker id in asset CD master	SKIPPED	0.000 s
21	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify user able to approve in checker stage for Asset-CD-Master

FAILED	DURATION - 1.062 s		Steps	
/ 9:55:44.569 am // 9:55:45.631 am /			Total - 11	
			Pass - 0	**11**
To verify the Asset CD Master full flow			Fail - 0	
@AT-ACD-T007.1			Skip - 11	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.056 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}],		

| #	Step / Hook Details	Status	Duration
	desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase001	SKIPPED	0.000 s
2	Given User login as uls checker in asset CD master	SKIPPED	0.000 s
3	And User click the inboxicon in asset CD master checker	SKIPPED	0.000 s
4	And User click the search icon in asset CD master and get the reference id	SKIPPED	0.000 s
5	And User search the respective reference id and click on Action button in asset CD master	SKIPPED	0.000 s
6	And User click on Approve icon in asset CD master checker	SKIPPED	0.000 s
7	And User click the popup remarks in asset CD master checker	SKIPPED	0.001 s
8	Then User enter the popup remarks in asset CD master checker	SKIPPED	0.000 s
9	And User click the popup approve in asset CD master checker	SKIPPED	0.000 s
10	Then User verify the Record got Approved in asset CD checker	SKIPPED	0.000 s
11	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the functionality of Submit button at Maker stage

FAILED	DURATION - 1.001 s
	/ 9:55:45.656 am // 9:55:46.657 am /
	To verify the Asset CD Master full flow
	@AT-ACD-T007.2

Steps
Total - 16
Pass - 0
Fail - 0
Skip - 16

16

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	0.996 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	   at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	   at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)
	   at resources.BaseClass.initializeDriver(BaseClass.java:28)
	   at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		

1	And User get the testdata for Assert CD Master testcase007	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.000 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And Click the Asset CD Master setup eye icon in Asset CD master	SKIPPED	0.000 s
6	And Click the listview pencil icon in asset CD master	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
7	And User update the assetcategory in asset CD master	SKIPPED	0.000 s
8	And User update the assettype in asset CD master	SKIPPED	0.001 s
9	And User click the update button for asset CD master	SKIPPED	0.000 s
10	Then User verify the confirmation message in asset CD master	SKIPPED	0.000 s
11	Then User click the inboxmail icon in asset CD master	SKIPPED	0.000 s
12	And User click the search icon in asset CD master and get the reference id afterapproved	SKIPPED	0.000 s
13	And User click the submit icon in asset CD master maker	SKIPPED	0.000 s
14	And User enter the popup remark and submit the asset CD master	SKIPPED	0.000 s
15	And User get confirmation message and checker id in asset CD master afterapproved	SKIPPED	0.000 s
16	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the functionality of Approve button at Checker stage

FAILED	DURATION - 1.139 s
/ 9:55:46.682 am // 9:55:47.821 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T008	

Steps

Total - 11

Pass - 0

Fail - 0

Skip - 11

11

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.133 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase007	SKIPPED	0.001 s
2	Given User login as uls checker in asset CD master	SKIPPED	0.000 s
3	And User click the inboxicon in asset CD master checker	SKIPPED	0.000 s
4	And User click the search icon in asset CD master and get the reference id afterapproved	SKIPPED	0.000 s
5	And User search the respective reference id and click on Action button in asset CD master	SKIPPED	0.001 s
6	And User click on Approve icon in asset CD master checker	SKIPPED	0.000 s
7	And User click the popup remarks in asset CD master checker	SKIPPED	0.000 s
8	Then User enter the popup remarks in asset CD master checker	SKIPPED	0.000 s
9	And User click the popup approve in asset CD master checker	SKIPPED	0.000 s
10	Then User verify the Record got Approved in asset CD checker	SKIPPED	0.001 s
11	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the Asset CD Master all flow

FAILED	DURATION - 1.071 s		Steps	
/ 9:55:47.843 am // 9:55:48.914 am /			Total - 21	
To verify the Asset CD Master full flow			Pass - 0	
			Fail - 0	21
@AT-ACD-T009			Skip - 21	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.060 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)
	    at resources.BaseClass.initializeDriver(BaseClass.java:28)
	    at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		

1	And User get the testdata for Assert CD Master testcase001	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.001 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.001 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And User click the edit icon in asset CD master	SKIPPED	0.000 s
6	And User click the add icon in asset CD master	SKIPPED	0.000 s
7	And User enter the value in asset category for asset CD master	SKIPPED	0.000 s
8	And User enter the value in asset type for asset CD master	SKIPPED	0.000 s
9	And User enter the value in manufacturer for asset CD master	SKIPPED	0.000 s
10	And User enter the value in model for asset CD master	SKIPPED	0.000 s
11	And User enter the value in year of manufacture for asset CD master	SKIPPED	0.000 s
12	And User enter the value in country for asset CD master	SKIPPED	0.000 s
13	And User enter the value in remarks for asset CD master	SKIPPED	0.000 s
14	And User click the save button for asset CD master	SKIPPED	0.000 s
15	Then User verify the confirmation message in asset CD master	SKIPPED	0.000 s
16	Then User click the inboxmail icon in asset CD master	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
17	And User click the search icon in asset CD master and get the reference id	SKIPPED	0.000 s
18	And User click the submit icon in asset CD master maker	SKIPPED	0.000 s
19	And User enter the popup remark and submit the asset CD master	SKIPPED	0.000 s
20	And User get confirmation message and checker id in asset CD master	SKIPPED	0.001 s
21	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify user able to approve in checker stage for Asset-CD-Master

FAILED	DURATION - 1.043 s		Steps	
/ 9:55:48.943 am // 9:55:49.986 am /			Total - 11	
To verify the Asset CD Master full flow			Pass - 0 Fail - 0 Skip - 11	**11**
@AT-ACD-T009.1				

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.038 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)		

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase001	SKIPPED	0.000 s
2	Given User login as uls checker in asset CD master	SKIPPED	0.000 s
3	And User click the inboxicon in asset CD master checker	SKIPPED	0.000 s
4	And User click the search icon in asset CD master and get the reference id	SKIPPED	0.000 s
5	And User search the respective reference id and click on Action button in asset CD master	SKIPPED	0.000 s
6	And User click on Approve icon in asset CD master checker	SKIPPED	0.001 s
7	And User click the popup remarks in asset CD master checker	SKIPPED	0.000 s
8	Then User enter the popup remarks in asset CD master checker	SKIPPED	0.000 s
9	And User click the popup approve in asset CD master checker	SKIPPED	0.000 s
10	Then User verify the Record got Approved in asset CD checker	SKIPPED	0.000 s
11	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the functionality of Submit button at Maker stage

FAILED	DURATION - 1.034 s
/ 9:55:50.011 am // 9:55:51.045 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T009.2	

Steps
Total - 16
Pass - 0
Fail - 0
Skip - 16

16

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.029 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}],		

| #	Step / Hook Details	Status	Duration
	desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] 　　at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) 　　at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) 　　at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) 　　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) 　　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) 　　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) 　　at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) 　　at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) 　　at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) 　　at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) 　　at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) 　　at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) 　　at resources.BaseClass.initializeDriver(BaseClass.java:28) 　　at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase009	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.000 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And Click the Asset CD Master setup eye icon in Asset CD master	SKIPPED	0.000 s
6	And Click the listview pencil icon in asset CD master	SKIPPED	0.000 s
7	And User update the assetcategory in asset CD master	SKIPPED	0.000 s
8	And User update the assettype in asset CD master	SKIPPED	0.000 s
9	And User click the update button for asset CD master	SKIPPED	0.000 s
10	Then User verify the confirmation message in asset CD master	SKIPPED	0.000 s
11	Then User click the inboxmail icon in asset CD master	SKIPPED	0.001 s
12	And User click the search icon in asset CD master and get the reference id testcase009	SKIPPED	0.000 s
13	And User click the submit icon in asset CD master maker	SKIPPED	0.001 s
14	And User enter the popup remark and submit the asset CD master	SKIPPED	0.000 s
15	And User get confirmation message and checker id in asset CD master testcase009	SKIPPED	0.000 s
16	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null 　　at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the user able to reject the record in asset CD master

FAILED	DURATION - 1.014 s
/ 9:55:51.066 am // 9:55:52.080 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T009.3	

Steps
Total - 9
Pass - 0
Fail - 0
Skip - 9

9

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.009 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	   at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	   at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)
	   at resources.BaseClass.initializeDriver(BaseClass.java:28)
	   at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		

1	And User get the testdata for Assert CD Master testcase009	SKIPPED	0.000 s
2	Given User login as uls checker in asset CD master	SKIPPED	0.000 s
3	And User click the inboxicon in asset CD master checker	SKIPPED	0.000 s
4	And User search the respective reference id and click on Action button in asset CD master	SKIPPED	0.000 s
5	And User click the reject icon in asset CD master checker	SKIPPED	0.001 s
6	And User enter the reject remark in asset CD master checker	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
7	And User click the final reject icon in asset CD master checker	SKIPPED	0.000 s
8	Then User verify the Record got Rejected in asset CD checker	SKIPPED	0.001 s
9	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the Asset CD Master all flow

FAILED	DURATION - 1.075 s
/ 9:55:52.101 am // 9:55:53.176 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T010	

Steps
Total - 21
Pass - 0
Fail - 0
Skip - 21

21

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.067 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)
	    at resources.BaseClass.initializeDriver(BaseClass.java:28)		

#	Step / Hook Details	Status	Duration
	at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase001	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.000 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And User click the edit icon in asset CD master	SKIPPED	0.000 s
6	And User click the add icon in asset CD master	SKIPPED	0.000 s
7	And User enter the value in asset category for asset CD master	SKIPPED	0.000 s
8	And User enter the value in asset type for asset CD master	SKIPPED	0.000 s
9	And User enter the value in manufacturer for asset CD master	SKIPPED	0.000 s
10	And User enter the value in model for asset CD master	SKIPPED	0.000 s
11	And User enter the value in year of manufacture for asset CD master	SKIPPED	0.000 s
12	And User enter the value in country for asset CD master	SKIPPED	0.000 s
13	And User enter the value in remarks for asset CD master	SKIPPED	0.000 s
14	And User click the save button for asset CD master	SKIPPED	0.000 s
15	Then User verify the confirmation message in asset CD master	SKIPPED	0.000 s
16	Then User click the inboxmail icon in asset CD master	SKIPPED	0.000 s
17	And User click the search icon in asset CD master and get the reference id	SKIPPED	0.001 s
18	And User click the submit icon in asset CD master maker	SKIPPED	0.000 s
19	And User enter the popup remark and submit the asset CD master	SKIPPED	0.000 s
20	And User get confirmation message and checker id in asset CD master	SKIPPED	0.000 s
21	And User Logout from application	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify user able to approve in checker stage for Asset-CD-Master

FAILED	DURATION - 1.027 s
/ 9:55:53.191 am // 9:55:54.218 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T010.1	

Steps

Total - 11

Pass - 0

Fail - 0

Skip - 11

11

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.023 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase001	SKIPPED	0.001 s
2	Given User login as uls checker in asset CD master	SKIPPED	0.000 s
3	And User click the inboxicon in asset CD master checker	SKIPPED	0.001 s
4	And User click the search icon in asset CD master and get the reference id	SKIPPED	0.000 s
5	And User search the respective reference id and click on Action button in asset CD master	SKIPPED	0.000 s
6	And User click on Approve icon in asset CD master checker	SKIPPED	0.000 s

| #	Step / Hook Details	Status	Duration
7	And User click the popup remarks in asset CD master checker	SKIPPED	0.000 s
8	Then User enter the popup remarks in asset CD master checker	SKIPPED	0.000 s
9	And User click the popup approve in asset CD master checker	SKIPPED	0.000 s
10	Then User verify the Record got Approved in asset CD checker	SKIPPED	0.000 s
11	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the functionality of Submit button at Maker stage

FAILED	DURATION - 1.017 s		Steps
/ 9:55:54.239 am // 9:55:55.256 am /			Total - 16
To verify the Asset CD Master full flow			Pass - 0
@AT-ACD-T010.2			Fail - 0
			Skip - 16

16

| #	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.010 s
	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}] at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166) at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase010	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.000 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And Click the Asset CD Master setup eye icon in Asset CD master	SKIPPED	0.000 s
6	And Click the listview pencil icon in asset CD master	SKIPPED	0.000 s
7	And User update the assetcategory in asset CD master	SKIPPED	0.001 s
8	And User update the assettype in asset CD master	SKIPPED	0.000 s
9	And User click the update button for asset CD master	SKIPPED	0.000 s
10	Then User verify the confirmation message in asset CD master	SKIPPED	0.000 s
11	Then User click the inboxmail icon in asset CD master	SKIPPED	0.000 s
12	And User click the search icon in asset CD master and get the reference id testcase010	SKIPPED	0.000 s
13	And User click the submit icon in asset CD master maker	SKIPPED	0.001 s
14	And User enter the popup remark and submit the asset CD master	SKIPPED	0.000 s
15	And User get confirmation message and checker id in asset CD master testcase010	SKIPPED	0.000 s
16	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the user able to return the record in asset CD master

FAILED	DURATION - 1.023 s		Steps
/ 9:55:55.271 am // 9:55:56.294 am /			Total - 10 Pass - 0 Fail - 0 Skip - 10
To verify the Asset CD Master full flow			
@AT-ACD-T010.3			

10

| #	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.019 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	  at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	  at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	  at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)
	  at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)
	  at resources.BaseClass.initializeDriver(BaseClass.java:28)
	  at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		

1	And User get the testdata for Assert CD Master testcase010	SKIPPED	0.000 s
2	Given User login as uls checker in asset CD master	SKIPPED	0.000 s
3	And User click the inboxicon in asset CD master checker	SKIPPED	0.000 s
4	And User click the search icon in asset CD master and get the reference id testcase010	SKIPPED	0.001 s
5	And User search the respective reference id and click on Action button in asset CD master	SKIPPED	0.000 s
6	And User click the return icon in asset CD master checker	SKIPPED	0.000 s
7	And User enter the return remark in asset CD master checker	SKIPPED	0.001 s
8	And User click the final return icon in asset CD master checker	SKIPPED	0.000 s
9	Then User verify the Record got Returned in asset CD checker	SKIPPED	0.000 s
10	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the functionality of Activate/Deactivate button

FAILED	DURATION - 1.065 s		Steps
/ 9:55:56.314 am // 9:55:57.379 am /			Total - 12
To verify the Asset CD Master full flow			Pass - 0
			Fail - 0
@AT-ACD-T011			Skip - 12

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.060 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	   at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	   at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	   at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	   at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86)
	   at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41)
	   at resources.BaseClass.initializeDriver(BaseClass.java:28)
	   at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		

1	And User get the testdata for Assert CD Master testcase011	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.000 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And Click the Asset CD Master setup eye icon in Asset CD master	SKIPPED	0.000 s
6	And Click the listview pencil icon in asset CD master	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
7	And User click the backbutton in asset CD master	SKIPPED	0.000 s
8	And Click the listview pencil icon in asset CD master	SKIPPED	0.000 s
9	And Verify the active status in asset CD master	SKIPPED	0.000 s
10	And User click the status button in asset CD master	SKIPPED	0.000 s
11	And Verify the Deactive status in asset CD master	SKIPPED	0.000 s
12	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(S)- To verify the functionality of search and pdf, excel download

FAILED	DURATION - 1.100 s
/ 9:55:57.404 am // 9:55:58.504 am /	
To verify the Asset CD Master full flow	
@AT-ACD-T012	

Steps
Total - 15
Pass - 0
Fail - 0
Skip - 15

15

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	1.097 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 108 Current browser version is 110.0.5481.104 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.10.41', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:41) at resources.BaseClass.initializeDriver(BaseClass.java:28) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	And User get the testdata for Assert CD Master testcase012	SKIPPED	0.000 s
2	Given User login as uls maker in asset CD master	SKIPPED	0.000 s
3	Then User click the Configurations in asset auto master	SKIPPED	0.000 s
4	And User click the config manager in Bounce master	SKIPPED	0.000 s
5	And Click the Asset CD Master setup eye icon in Asset CD master	SKIPPED	0.000 s
6	And Verify the functionality of Export to PDF button in asset CD master	SKIPPED	0.000 s
7	And Verify the functionality of Export to Excel button in asset CD master	SKIPPED	0.000 s
8	And Verify the functionality of Search box with matching data in asset CD master	SKIPPED	0.000 s
9	And Verify the functionality of Search box with mismatch data in asset CD master	SKIPPED	0.000 s
10	And User click the edit icon in asset CD master	SKIPPED	0.000 s
11	And Verify the functionality of Export to PDF button in asset CD master	SKIPPED	0.000 s
12	And Verify the functionality of Export to Excel button in asset CD master	SKIPPED	0.000 s
13	And Verify the functionality of Search box with matching data in asset CD master	SKIPPED	0.000 s
14	And Verify the functionality of Search box with mismatch data in asset CD master	SKIPPED	0.000 s
15	And User Logout from application	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		