Cucumber Report

| Start : Mar 20, 2:16:39.513 pm	End : Mar 20, 2:19:30.890 pm	Duration : 2 m 51.377 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 5

Features: 1

Scenarios: 1

Steps: 18

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 66 %

#	Feature Name	T	P	F	S	Duration
1	To verify the Appropriation master full flow	1	0	1	0	2 m 51.377 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the Appropriation master full flow	To verify the user able to create the Appropriation record in maker stage	18	12	1	5	2 m 51.371 s

(F)- To verify the Appropriation master full flow

FAILED	DURATION - 2 m 51.377 s	Scenarios		Steps	
	/ 2:16:39.513 pm // 2:19:30.890 pm /	Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 18 Pass - 12 Fail - 1 Skip - 5	18

(S)- To verify the user able to create the Appropriation record in maker stage

FAILED	DURATION - 2 m 51.371 s		Steps	
	/ 2:16:39.519 pm // 2:19:30.890 pm /		Total - 18 Pass - 12 Fail - 1 Skip - 5	18
	To verify the Appropriation master full flow			
	@AT-AM-001			

#	Step / Hook Details	Status	Duration
1	Given User login as uls maker in asset CD master	PASSED	23.758 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.388 s
	screenshot		
2	Then User click the Configurations in asset auto master	PASSED	0.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then User click the config manager in Appropriation master	PASSED	10.511 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
4	And User click the Appropriation master edit icon	PASSED	0.182 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.436 s
	screenshot		
5	And User click the add icon in Appropriation master	PASSED	30.594 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.526 s
	screenshot		
6	And User enter the values in description for Appropriation master	PASSED	1.786 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.305 s
	screenshot		
7	And User enter the values in Appropriation Type for Appropriation master	PASSED	1.756 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	And User enter the values in Remarks for Appropriation master	PASSED	0.945 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		
9	And User click the save icon in Appropriation master	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
10	And User get the save confirmation msg in Appropriation master	PASSED	30.988 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
	screenshot		
11	And User click the action edit icon in Appropriation master	PASSED	0.351 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.207 s
	screenshot		

| #	Step / Hook Details	Status	Duration
12	And User click the add icon in list of Appropriation details for Appropriation master	PASSED	0.251 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.228 s
13	And User enter the values in due type for Appropriation master	FAILED	1 m 1.061 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-label[contains(text(),'Due Type')]//following-sibling::ion-select' (tried for 60 second(s) with 5000 milliseconds interval) 　　at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) 　　at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) 　　at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) 　　at stepdefinitions.Appropriation_MasterStep.user_enter_the_values_in_due_type_for_appropriation_master(Appropriation_MasterStep.java:275) 　　at ?.User enter the values in due type for Appropriation master(file:///C:/Users/ININDC00071/git/Azentio_ULS_Karthi_M_KULS/mKarthi_AzentioULSFramework4/src/test/java/features/Appropriation_Master_FullBatch.feature:17) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-label[contains(text(),'Due Type')]//following-sibling::ion-select"} (Session info: chrome=111.0.5563.65) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.59', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ff88ef7d2b0dd599c8ecbaa680e5bfbf, findElement {using=xpath, value=//ion-label[contains(text(),'Due Type')]//following-sibling::ion-select}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.65, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51484}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51484/devtoo..., se:cdpVersion: 111.0.5563.65, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ff88ef7d2b0dd599c8ecbaa680e5bfbf 　　at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) 　　at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) 　　at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) 　　at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.Appropriation_MasterStep.user_enter_the_values_in_due_type_for_appropriation_master(Appropriation_MasterStep.java:275)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
14	And User enter the values in sequence no for Appropriation master	SKIPPED	0.000 s
15	And User enter the values in parent sequence no for Appropriation master	SKIPPED	0.002 s
16	And User enter the values in list of appropriation remarks for Appropriation master	SKIPPED	0.000 s
17	And User click the save icon in Appropriation master	SKIPPED	0.000 s
18	And User get the save confirmation msg1 in Appropriation master	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the user able to create the
Appropriation record in maker stage

(F) To verify the Appropriation master full
flow

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the user able to create the
Appropriation record in maker stage

(F) To verify the Appropriation master full
flow

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the user able to create the
Appropriation record in maker stage

(F) To verify the Appropriation master full
flow

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the user able to create the
Appropriation record in maker stage

(F) To verify the Appropriation master full
flow

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the user able to create the Appropriation record in maker stage

(F) To verify the Appropriation master full flow

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the user able to create the Appropriation record in maker stage

(F) To verify the Appropriation master full flow

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify the user able to create the Appropriation record in maker stage	
(F) To verify the Appropriation master full flow	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify the user able to create the Appropriation record in maker stage	
(F) To verify the Appropriation master full flow	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the user able to create the
Appropriation record in maker stage

(F) To verify the Appropriation master full
flow

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the user able to create the
Appropriation record in maker stage

(F) To verify the Appropriation master full
flow

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the user able to create the Appropriation record in maker stage

(F) To verify the Appropriation master full flow

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the user able to create the Appropriation record in maker stage

(F) To verify the Appropriation master full flow

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify the user able to create the Appropriation record in maker stage

(F) To verify the Appropriation master full flow

AZENTIO
ONEBanking

22-Jan-2023

Engl... LOS Aze...

Profile

Search the menu

Dashboard

Configurations

Config Manager

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Colleteral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Transactions

Reports

Appropriation Master

Description
ok1

Appropriation Type *
Due Date

Remarks
ok2