

FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|----------|
| 1 | Check the functionality of product master | 1 | 1 | 0 | 0 | 34.190 s |

SCENARIOS SUMMARY -- 3 --



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------------|--|---|---|---|---|----------|
| 1 | Check the functionality of product | Product Master - to check the functionality of | 8 | 8 | 0 | 0 | 34.185 s |
| | master | status(active/deactive) and back button | | | | | |

DETAILED SECTION

(F)- Check the functionality of product master

| PASSED | DURATION - 34.190 s | Scenarios | | Steps | |
|------------------|-------------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 8 | |
| / 10:45:04.945 P | PM // 10:45:39.135 PM / | Pass - 1 | 1 | Pass - 8 | 8 |
| | | Fail - O | | Fail - 0 | |
| | | Skip - 0 | | Skip - 0 | |

(S)- Product Master - to check the functionality of status(active/deactive) and back button


| PASSED DURATION - 34.185 s | 6 - | | | - | | | | | | Steps | |
|---|------|------|---|-------|---|----------|---|---|---|-----------|---|
| / 10:45:04.950 PM // 10:45:39.135 PM / | 4 - | | | | | | - | | | Total - 8 | |
| Check the functionality of product master | 2 - | | | - | | - | | | + | Pass - 8 | 8 |
| | - 0- | | | | | 📙 | | | | Skip - 0 | |
| @ProductMaster @M9 | | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 5.887 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.385 s |
| | screenshot | | |
| | AZENTIO' End-to-ford Banking Suite Institute in manufacture for more and perfect formers of the | | |
| 2 | And User Login as maker | PASSED | 4.784 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.158 s |
| | screenshot | | |


| Then user should navigate to product master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on edit view of product master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Sc | # | Step / Hook Details | Status | Duration |
|--|---|---|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And click on edit view of product master AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then verify the functionality of status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.312 s PASSED 0.384 s 2.599 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.212 s | | AZENTIO O 190 190 190 190 190 190 190 190 190 190 | | |
| screenshot And click on edit view of product master AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 Then verify the functionality of status of the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.384 s 2.599 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.194 s 4.653 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | 3 | Then user should navigate to product master | PASSED | 0.982 s |
| And click on edit view of product master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify the functionality of status of the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.328 s |
| 4 And click on edit view of product master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then verify the functionality of status of the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.653 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify the functionality of status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.384 s PASSED 2.599 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.4653 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | | TARRYTO DE LOS DELOS DE LOS DE LOS DE LOS DE LOS DE LOS DE LOS DELOS DE LOS DELOS DE LOS DELOS DE LOS DELOS | | |
| screenshot Then verify the functionality of status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.653 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | 4 | And click on edit view of product master | PASSED | 0.312 s |
| 5 Then verify the functionality of status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.653 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.384 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.653 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.194 s | | | | |
| Screenshot 6 Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | 5 | Then verify the functionality of status of the record | PASSED | 2.599 s |
| 6 Then verify user can able to change the status from active to deactive AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 4.653 s 0.212 s | | screenshot | PASSED | 0.194 s |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s | | Post State Post Post State Post Stat | | |
| | 6 | Then verify user can able to change the status from active to deactive | PASSED | 4.653 s |
| screenshot | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.212 s |
| | | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | AZENTIO | | |
| 7 | Then verify user can able to change the status from deactive to active | PASSED | 4.597 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.186 s |
| | screenshot | | |
| | | | |
| 8 | Then verify the functionality of back button | PASSED | 1.529 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.241 s |
| | screenshot | | |
| | | | |


EXPANDED SECTION --- 7 -



EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

