Cucumber Report

Start : Jul 19, 10:59:29.799 PM	*End : Jul 19, 10:59:58.983 PM*	*Duration : 29.184 s*
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 6 FAILED - 0 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	29.184 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	6	6	0	0	29.181 s

(F)- Product Master Retail Functionality

PASSED	DURATION - 29.184 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 10:59:29.799 PM // 10:59:58.983 PM /		Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Product Master Retail Field validation

PASSED	DURATION - 29.181 s		Steps	
/ 10:59:29.802 PM // 10:59:58.983 PM /			Total - 6	
Product Master Retail Functionality			Pass - 6	6
@ProductMaster_Retail			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.018 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Product Setup	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.712 s
	screenshot 		
4	Then click on Product Master eye icon	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot 		
5	Then click on Product Master add button	PASSED	5.277 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.275 s
	screenshot 		
6	Then verify all the fields are available on the screen	PASSED	8.824 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		

#	Step / Hook Details	Status	Duration
	+		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Regulatory Product Defini...
Project Setup
Config Manager
Sample Screens

English ▾   LOS ▾   Azentio Software ▾

Puneet
01-Sep-2023

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

⊙ Asset Collateral Config
⊙ Business Rules
⊙ Corporate Masters
⊙ Misc Config
⊙ Other Masters
⊙ Product Definitions
⊙ Product Setup
⊙ Regulatory Product Defini...
⊙ Project Setup
⊙ Config Manager
⊙ Sample Screens

English ▾   LOS ▾   Azentio Software ▾

Puneet
01-Sep-2023

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality