


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To test the dept details screen	1	0	1	0	44.531 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the dept details screen	verify while modification, when user keep any mandatory	19	12	1	6	44.525 s
		field blank and Fill the Invalid details					

DETAILED SECTION -- 4 --

(F)- To test the dept details screen

FAILED	DURATION - 44.531 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 12:47:22.767 pr	m // 12:48:07.298 pm /	Pass - 0	1	Pass - 12	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- verify while modification, when user keep any mandatory field blank and Fill the Invalid details

FAILED DURATION -	44.525 s											-						Steps			
/ 12:47:22.773 pm // 12:48:0		15 -		- + -		! -	-	-!	+ -	-!		-	-!	- + -	-!	+-	-	Total - 19			N.
/ 12.47.22.773 pm // 12.40.0	π.290 μπ /	10 -	-	- +														Pass - 12		19	A
To test the dept details screen		5 -	-	- +			-					-		-				Fail - 1	-	10	J
@AT DD 04		0 -		-	<u> </u>	<u> </u>	-	<u> </u>	÷	<u> </u>	÷	<u> </u>	÷	-	<u> </u>	<u> </u>		Skip - 6	\		
S = = = = =			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	18.993 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	screenshot		
	CONTRACTOR STATE OF THE PROPERTY OF THE PROPER		
2	And click on mail box	PASSED	0.829 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
	screenshot		
	ACTION NAME OF THE OWN OWN OF THE		

AFTER_STEP stepdefinitions, HooksClass.addScreenshot(io.cucumber.java.Scenario) And select the app data entry first record AFTER_STEP stepdefinitions, HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP stepdefinitions, HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
screenshot And select the app data entry first record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) screenshot ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) ARTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)	3	And search for app data entry record	PASSED	0.484 s
And select the app data entry first record ATER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Ad user click on Customer Financials Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Ad user click on First Record Edit. Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) BASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
4 And select the app data entry first record PASSED 0.185 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Soreenshot 5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Soreenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Soreenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Soreenshot		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		The content of the		
screenshot And user click on Customer Financials Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	4	And select the app data entry first record	PASSED	0.185 s
5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.564 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		The state of the		
Screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 1.164 s	5	And user click on Customer Financials Tab	PASSED	1.620 s
6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.564 s PASSED 1.164 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.679 s
6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 1.164 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 1.164 s		AZENTO SOCIAL DE SOCIAL D		
screenshot	6	And user click on First Record Edit Icon	PASSED	0.564 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.164 s
		screenshot		
Action of the state of the stat				
7 And click on pencil icon in financial commitment list view record PASSED 0.697 s	7	And click on pencil icon in financial commitment list view record	PASSED	0.697 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.418 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s
screenshot		screenshot		


5
5
5
3
3
5
5
3
6 6

#	Step / Hook Details	Status	Duration
	ACCUPTION		
12	And Reupdate the sanction amount	PASSED	1.166 s
	AFTER STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot	†	


13	And user click the update button	FAILED	1.466 s
	org.openga.selenium.ElementClickInterceptedException: element click intercepted: Element savecmnbtn _ngcontent-smn-c740="" pbutton="" type="button" (ion="pi pi-save" iconpos="left" tooltipposition="top" class="p-element savecmnbtn p-button-info p-button-ism p-button-raised w-90 k-mx-2 p-button p-component p-button-icon-only ng-star-inserted" ng-reflect-icon="pi pi-save" ng-reflect-teon-pos="left" ng-reflect-teotlip-position="top" ng-reflect-text="Update">ng-reflect-teotlip-position="top" ng-reflect-text="Update">ng-reflect-text="Update">ng-reflect-text="Update">ng-reflect-text="Update">ng-reflect-text="Update">ng-reflect-text="Update">ng-reflect-text="Update">ng-reflect-text="Update">ng-reflect-text="Update" ng-reflect-text="Pin Tab" ng-reflect-teotlip-position="bottom">ngcontent-smn-c744="" ptoollip="Pin Tab" toollipposition="bottom">ngcontent-smn-c744="" ptoollip="Pin Tab" toollipposition="bottom">ngcontent-smn-c744="" ptoollip="Pin Tab" toollipposition="bottom">ngcontent-smn-c744="" ptoollip="Pin Tab" toollipposition="bottom">ngcontent-smn-c744="" ptoollipposition="bottom">ngcontent-smn-c744="" ptoollipposition="b		

DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:277) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.Property_Details.user_click_the_update_button(Property_Details.java:202) at ?.user click the update button(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ ULS_CustomerDeptDetails.feature:138) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
14	And user verify the validation Messgae for Blank Field	SKIPPED	0.000 s
15	And user click on back button	SKIPPED	0.000 s
16	And click on pencil icon in financial commitment list view record	SKIPPED	0.000 s
17	And user update Invalid data to interest rate percentage field	SKIPPED	0.000 s
18	And user click the update button	SKIPPED	0.000 s
19	And user verify the validation Messgae for Invalid data	SKIPPED	0.000 s




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --





EXPANDED SECTION -- 15 --

