Cucumber Report

| Start : Aug 03, 2:31:18.972 PM	End : Aug 03, 2:31:22.581 PM	Duration : 3.609 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 0 SKIPPED - 13

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	1	0	1	0	3.609 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Property Details screen	Verify the functionality of Activate/Deactivate button of Property Details screen	13	0	0	13	3.600 s

(F)- Check the functionality of Property Details screen

FAILED	DURATION - 3.609 s	Scenarios		Steps	
/ 2:31:18.972 PM // 2:31:22.581 PM /		Total - 1		Total - 13	
		Pass - 0	1	Pass - 0	13
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 13	

(S)- Verify the functionality of Activate/Deactivate button of Property Details screen

FAILED	DURATION - 3.600 s		Steps	
/ 2:31:18.981 PM // 2:31:22.581 PM /			Total - 13	
Check the functionality of Property Details screen			Pass - 0	13
@AT_PD_006			Fail - 0	
			Skip - 13	

#	Step / Hook Details	Status	Duration
	BEFORE - stepdefinitions.HooksClass.browserSetup(io.cucumber.java.Scenario)	FAILED	3.550 s

	org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: session not created: This version of ChromeDriver only supports Chrome version 110 Current browser version is 115.0.5790.111 with binary path C:\Program Files\Google\Chrome\Application\chrome.exe Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.214', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [null, newSession {capabilities=[Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}], desiredCapabilities=Capabilities {browserName: chrome, goog:chromeOptions: {args: [--remote-allow-origins=*], extensions: []}}}]
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:126)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:84)
	    at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:62)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:156)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.startSession(RemoteWebDriver.java:244)
	    at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:166)
	    at org.openqa.selenium.chromium.ChromiumDriver.<init>(ChromiumDriver.java:89)
	    at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:99)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:86) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:75) at resources.BaseClass.initializeDriver(BaseClass.java:31) at stepdefinitions.HooksClass.browserSetup(HooksClass.java:32)		
1	Given User launch the kuls application	SKIPPED	0.000 s
2	And User Login as maker	SKIPPED	0.000 s
3	Then user should click on the menu toggle from maker stage	SKIPPED	0.001 s
4	Then click on inbox to search for the Property Details record	SKIPPED	0.001 s
5	Then click on search button to search the record of Property Details in inbox	SKIPPED	0.000 s
6	Then enter the reference id of the Property Details record	SKIPPED	0.001 s
7	Then click on the entitle button of the Property Details record of that reference id	SKIPPED	0.001 s
8	Then click on the Property Details tab	SKIPPED	0.000 s
9	Then open the record of Property Details to modify	SKIPPED	0.000 s
10	Then verify on clicking toggle button system should allow user to change the status of the record as Activate or Deactivate	SKIPPED	0.001 s
11	Then verify the Label on button if the status of property details record is Active	SKIPPED	0.000 s
12	Then verify the Label on button if the status of property details record is Deactive	SKIPPED	0.000 s
13	Then verify the functionality of Back button on property details screen	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.close()" because "this.driver" is null at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		