Cucumber Report

| *Start : Nov 28, 12:37:37.130 pm*	*End : Nov 28, 12:38:51.467 pm*	*Duration : 1 m 14.337 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 70

#	Feature Name	T	P	F	S	Duration
1	To test the property details tab	1	0	1	0	1 m 14.337 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the property details tab	To create the property details with valid data	82	11	1	70	1 m 14.331 s

(F)- To test the property details tab

FAILED	DURATION - 1 m 14.337 s	Scenarios		Steps	
		Total - 1	1	Total - 82	82
/ 12:37:37.130 pm // 12:38:51.467 pm /		Pass - 0		Pass - 11	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 70	

(S)- To create the property details with valid data

FAILED	DURATION - 1 m 14.331 s		Steps	
			Total - 82	82
/ 12:37:37.136 pm // 12:38:51.467 pm /			Pass - 11	
To test the property details tab			Fail - 1	
@AT_PD_001			Skip - 70	

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	27.055 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.505 s
	screenshot		
2	And click on mail box	PASSED	1.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.493 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And search for app data entry record	PASSED	0.495 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.873 s
	screenshot		
4	And select the app data entry first record	PASSED	0.446 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.219 s
	screenshot		
5	And click on property detail record	PASSED	1.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.833 s
	screenshot		
6	And click on add button in property details tab	PASSED	0.614 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.282 s
	screenshot		
7	Then verify property details is showing in the screen	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.823 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then verify address details is showing in screen	PASSED	1.044 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.543 s
	screenshot		
9	Then verify charge details is showing in the screen	PASSED	0.068 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.600 s
	screenshot		
10	Then verify construction details is showing in the screen	PASSED	0.072 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.571 s
	screenshot		
11	Then verify security type field should be visisble and mandatory dropdown	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.181 s
	screenshot		

#	Step / Hook Details	Status	Duration
12	And user can able to select the data from the security dropdown	FAILED	1.143 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-sri-c322="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Select, Security Type *">...</ion-select> is not clickable at point (663, 97). Other element would receive the click: <ion-segment-button _ngcontent-sri-c735="" id="seg3" ng-reflect-value="[object Object]" class="ng-star-inserted ios in-toolbar in-segment segment-button-has-label segment-button-has-label-only segment-button-layout-icon-top ion-activatable ion-activatable-instant ion-focusable hydrated" role="tab" aria-selected="false" tabindex="-1">...</ion-segment-button> (Session info: chrome=107.0.5304.121) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f7229c4c86c5a187cf4eb5e1aa10870a, clickElement {id=169e9415-3884-4d52-b9d8-0d48b17f4605}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 107.0.5304.121, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57460}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57460/devtoo..., se:cdpVersion: 107.0.5304.121, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (f7229c4c86c5a187cf4eb5e1aa10870a)] -> xpath: //ion-label[text()=' Security Type ']//following-sibling::ion-select] Session ID: f7229c4c86c5a187cf4eb5e1aa10870a
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)		

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.PropertyDetails_Steps.user_can_able_to_select_the_data_from_the_security_dropdown(PropertyDetails_Steps.java:212) at ?.user can able to select the data from the security dropdown(file:///C:/Users/inindc00075/git/Arshath_ULS/ Arshath_AzentioULSFramework/src/test/java/features/ULS_Property_Details.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.383 s
13	Then verify property city field should be mandatory lookup	SKIPPED	0.000 s
14	And user can able to select the data from the property city field	SKIPPED	0.000 s
15	Then verify Type Of Transaction field should be mandatory lookup	SKIPPED	0.000 s
16	And user can able to select the data from the Type Of Transaction field	SKIPPED	0.000 s
17	Then verify Purchased from field should be mandatory lookup	SKIPPED	0.000 s
18	And user can able to select the data from the Purchased from field	SKIPPED	0.000 s
19	Then verify Property Type field should be mandatory lookup	SKIPPED	0.000 s
20	And user can able to select the data from the Property Type field	SKIPPED	0.001 s
21	Then verify APF Status field should be mandatory dropdown	SKIPPED	0.000 s
22	And user can able to select the data from the APF Status field	SKIPPED	0.000 s
23	Then verify Construction Status field should be mandatory dropdown	SKIPPED	0.001 s
24	And user can able to select the data from the Construction Status field	SKIPPED	0.000 s
25	Then verify Property Category field should be mandatory dropdown	SKIPPED	0.000 s
26	And user can able to select the data from the Property Category field	SKIPPED	0.000 s
27	Then verify Nature of Property field should be mandatory lookup	SKIPPED	0.000 s
28	And user can able to select the data from the Nature of Property field	SKIPPED	0.000 s
29	Then verify Occupancy Status field should be mandatory lookup	SKIPPED	0.000 s
30	And user can able to select the data from the Occupancy Status field	SKIPPED	0.001 s
31	Then verify name Of The Developer field should be mandatory lookup	SKIPPED	0.000 s
32	And user can able to select the data from the name Of The Developer field	SKIPPED	0.001 s
33	Then verify Project field should be mandatory lookup	SKIPPED	0.000 s
34	And user can able to select the data from the Project field	SKIPPED	0.001 s
35	Then verify Building Details field should be mandatory lookup	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
36	And user can able to select the data from the Building Details field	SKIPPED	0.000 s
37	Then verify Unit Details field should be mandatory lookup	SKIPPED	0.000 s
38	And user can able to select the data from the Unit Details field	SKIPPED	0.000 s
39	Then verify address line 1 field should be non mendatory text box	SKIPPED	0.000 s
40	And user can able to enter the data into the address line 1 input box	SKIPPED	0.000 s
41	Then verify address line 2 field should be non mendatory text box	SKIPPED	0.000 s
42	And user can able to enter the data into the address line 2 input box	SKIPPED	0.000 s
43	Then verify address line 3 field should be text box	SKIPPED	0.000 s
44	And user can able to enter the data into the address line 3 input box	SKIPPED	0.000 s
45	Then verify country field should be non mandatory lookup	SKIPPED	0.000 s
46	And user can able to select the data from the country field	SKIPPED	0.000 s
47	Then verify state field should be non mandatory lookup	SKIPPED	0.000 s
48	And user can able to select the data from the state field	SKIPPED	0.000 s
49	Then verify city field should be non mandatory lookup	SKIPPED	0.000 s
50	And user can able to select the data from the city field	SKIPPED	0.000 s
51	Then verify District Neighbourhood field should be non mandatory textbox	SKIPPED	0.000 s
52	And user can able to enter the data from into District Neighbourhood field	SKIPPED	0.001 s
53	Then verify pincode field should be non mandatory textbox	SKIPPED	0.000 s
54	And user can able to enter the data from into pincode field	SKIPPED	0.000 s
55	Then verify Type Of Charge field should be mandatory dropdown	SKIPPED	0.000 s
56	And user can able to select the data from the Type Of Charge field	SKIPPED	0.000 s
57	Then verify Name Of Charge Holder field should be non mandatory textbox	SKIPPED	0.000 s
58	And user can able to enter the data from into Name Of Charge Holder field	SKIPPED	0.000 s
59	Then verify Amount to the Charge Holder field should be non mandatory currency field	SKIPPED	0.000 s
60	And user can able to enter the data from into Amount to the Charge Holder field	SKIPPED	0.000 s
61	Then verify Measurement field should be mandatory dropdown	SKIPPED	0.000 s
62	And user can able to select the data from the Measurement field	SKIPPED	0.000 s
63	Then verify Approx Property Area field should be non mandatory textbox	SKIPPED	0.000 s
64	And user can able to enter the data from into Approx Property Area field	SKIPPED	0.000 s
65	Then verify Built Up Plot Area field should be non mandatory textbox	SKIPPED	0.001 s
66	And user can able to enter the data from into Built Up Plot Area field	SKIPPED	0.000 s
67	Then verify Carpet Area field should be non mandatory textbox	SKIPPED	0.000 s
68	And user can able to enter the data from into Carpet Area field	SKIPPED	0.000 s
69	Then verify Property Management field should be non mandatory lookup	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
70	And user can able to select the data from the Property Management field	SKIPPED	0.000 s
71	Then verify Year Of Construction field should be non mandatory calendar	SKIPPED	0.000 s
72	And user can able to select the date from the Year Of Construction field	SKIPPED	0.000 s
73	Then verify percentage of completion field should be non mandatory textbox	SKIPPED	0.000 s
74	And user can able to enter the data from into percentage of completion field	SKIPPED	0.000 s
75	Then verify Expected Completion Date field should be non mandatory calendar	SKIPPED	0.000 s
76	And user can able to select the date from the Expected Completion Date field	SKIPPED	0.000 s
77	Then verify Agreement Date field should be non mandatory calendar	SKIPPED	0.001 s
78	And user can able to select the date from the Agreement Date field	SKIPPED	0.000 s
79	Then verify Agreement Validity Date field should be non mandatory calendar	SKIPPED	0.000 s
80	And user can able to select the date from the Agreement Validity Date field	SKIPPED	0.000 s
81	And save the property details record	SKIPPED	0.000 s
82	Then verify record is saved in the system	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To create the property details with valid data

(F) To test the property details tab