Cucumber Report

| Start : Feb 13, 9:28:25.759 AM	End : Feb 13, 9:30:10.065 AM	Duration : 1 m 44.306 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 27
1	1	28

#	Feature Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	1	0	1	0	1 m 44.306 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functionality of Deposit Account master	To verify user is able to add new Deposite account record in the system by entering valid data	28	0	1	27	1 m 44.300 s

## (F)- To verify the functionality of Deposit Account master

FAILED	DURATION - 1 m 44.306 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 28 Pass - 0 Fail - 1 Skip - 27	28
/ 9:28:25.759 AM // 9:30:10.065 AM /					

(S)- To verify user is able to add new Deposite account record in the system by entering valid data

FAILED	DURATION - 1 m 44.300 s		Steps Total - 28 Pass - 0 Fail - 1 Skip - 27	28
/ 9:28:25.765 AM // 9:30:10.065 AM /				
To verify the functionality of Deposit Account master				
@DepositMaster_M1_1_1c				

#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	FAILED	1 m 15.195 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-item/ion-input[@type='password']/input' (tried for 60 second(s) with 2000 milliseconds interval)		
	at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:43)		
	at stepdefinitions.SchemeMaster.get_the_url_and_login_as_maker(SchemeMaster.java:44)		
	at ?.Get the URL and login as maker(file:///C:/Users/ININDC00073/git/Azentio_ULS/Kamala_Priya_AzentioULSFramework3/src/test/java/features/DepositAccountMaster.feature:6)		
	Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-item/ion-input[@type='password']/input"} (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [27c03563abfe3820cbc53d27c993761d, findElement {using=xpath, value=//ion-item/ion-input[@type='password']/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52198}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52198/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss		

#	Step / Hook Details	Status	Duration
	and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 27c03563abfe3820cbc53d27c993761d		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.KULS_Application_Login.loginUlsApplicationAsMaker(KULS_Application_Login.java:43)		
	at stepdefinitions.SchemeMaster.get_the_url_and_login_as_maker(SchemeMaster.java:44)		
	at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:578)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		

#	Step / Hook Details	Status	Duration
	at io.cumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	6.438 s
2	And Click the configuration	SKIPPED	0.001 s
3	Then Click the config Manager	SKIPPED	0.000 s
4	And Click the eye icon of deposit master	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	Then Choose the data set id for creation of deposit account master	SKIPPED	0.000 s
6	Then Click the Add button in the deposit master	SKIPPED	0.000 s
7	And Verify all the fields in deposit screen	SKIPPED	0.000 s
8	Then Select the Bank name in deposit master	SKIPPED	0.000 s
9	And Select the branch name in deposit master	SKIPPED	0.000 s
10	Then Choose the accounting type in deposit master	SKIPPED	0.000 s
11	And Enter the account number in depost master	SKIPPED	0.001 s
12	Then Choose the account currency in deposit master	SKIPPED	0.001 s
13	And Choose the payment account indicator	SKIPPED	0.014 s
14	Then Select the chart of account mapping type in deposit master	SKIPPED	0.001 s
15	And Select the account status	SKIPPED	0.001 s
16	Then Save the record in deposit master	SKIPPED	0.001 s
17	And Click the pencil icon in deposit master	SKIPPED	0.006 s
18	Then Click the branch maping	SKIPPED	0.000 s
19	And Verify the fields in branch mappinng	SKIPPED	0.001 s
20	Then Choose the availble collection	SKIPPED	0.000 s
21	And Map the available collection to selected	SKIPPED	0.002 s
22	Then save the record in branch mapping	SKIPPED	0.006 s
23	And Click the inbox in deposit master	SKIPPED	0.005 s
24	Then Search the record in serch field	SKIPPED	0.000 s
25	And Get the reference id and store it in json	SKIPPED	0.000 s
26	And Click the first action icon in deposit master	SKIPPED	0.000 s
27	Then Submit the record in deposit master	SKIPPED	0.000 s
28	And User Logout from application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)
(S) To verify user is able to add new Deposite account record in the system by entering valid data
(F) To verify the functionality of Deposit Account master