

Cucumber Report

Jul 25, 2022, 11:08:34 PM

Start : Jul 25, 11:08:05.922 PM

End : Jul 25, 11:08:33.919 PM

Duration : 27.997 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 13
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	1	0	0	27.997 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	13	13	0	0	27.989 s




(F)- Product Master Retail Functionality

PASSED	DURATION - 27.997 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 13 Pass - 13 Fail - 0 Skip - 0	
/ 11:08:05.922 PM // 11:08:33.919 PM /					

(S)- Product Master Retail Field validation

<div><div>PASSED</div><div>DURATION - 27.989 s</div></div>		<div></div>	<div><div>Steps</div><div>Total - 13</div><div>Pass - 13</div><div>Fail - 0</div><div>Skip - 0</div></div>	<div></div>
<div>/ 11:08:05.930 PM // 11:08:33.919 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.631 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.225 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	4.252 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.175 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field Product Description	PASSED	0.685 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	0.317 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		
			
10	Then verify functionality of the field DM Code	PASSED	0.227 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then verify the field Remarks	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
12	Then verify the functionality of Back button	PASSED	0.123 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		
			
13	Then user logout from the application	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation


(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality



(F) Product Master Retail Functionality

🔧

⚙️

📁

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup**
- Regulatory Product Defini...
- Project Setup
- Config Manager

☑️

English ▾

LOS ▾

Azentio Software ▾

👤

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Productcode	Amount Financed (M)
AHL	97.0
AAL	23.0
APL	26.0
CD	5.0
AFC	2.0
CC	2.0
TL	6.0

Subproduct-wise Amount Financed

Scheme wise Amount Financed

🔧

⚙️

📁

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup**
- Regulatory Product Defini...
- Project Setup
- Config Manager

☑️

English ▾

LOS ▾

Azentio Software ▾

👤

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Productcode	Amount Financed (M)
AHL	97.0
AAL	23.0
APL	26.0
CD	5.0
AFC	2.0
CC	2.0
TL	6.0

Subproduct-wise Amount Financed

Scheme wise Amount Financed

🔧

⚙️

📁

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup**
- Regulatory Product Defini...
- Project Setup
- Config Manager

☑️

English ▾

LOS ▾

Azentio Software ▾

👤

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Productcode	Amount Financed (M)
AHL	97.0
AAL	23.0
APL	26.0
CD	5.0
AFC	2.0
CC	2.0
TL	6.0

Subproduct-wise Amount Financed

Scheme wise Amount Financed

🔧

⚙️

📁

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup**
- Regulatory Product Defini...
- Project Setup
- Config Manager

☑️

English ▾

LOS ▾

Azentio Software ▾

👤

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Productcode	Amount Financed (M)
AHL	97.0
AAL	23.0
APL	26.0
CD	5.0
AFC	2.0
CC	2.0
TL	6.0

Subproduct-wise Amount Financed

Scheme wise Amount Financed

🔧

⚙️

📁

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup**
- Regulatory Product Defini...
- Project Setup
- Config Manager

☑️

English ▾

LOS ▾

Azentio Software ▾

👤

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Productcode	Amount Financed (M)
AHL	97.0
AAL	23.0
APL	26.0
CD	5.0
AFC	2.0
CC	2.0
TL	6.0

Subproduct-wise Amount Financed

Scheme wise Amount Financed

🔧

⚙️

📁

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup**
- Regulatory Product Defini...
- Project Setup
- Config Manager

☑️

English ▾

LOS ▾

Azentio Software ▾

👤

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Productcode	Amount Financed (M)
AHL	97.0
AAL	23.0
APL	26.0
CD	5.0
AFC	2.0
CC	2.0
TL	6.0

Subproduct-wise Amount Financed

(F) Product Master Retail Functionality

[illegible]

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area has a top header with a hamburger menu, language (English), location (LOS), software version (Azentio Software), and user profile (Puneet, 01-Sep-2023). Below the header is the 'Product Master' title and a search bar with an 'Export' button. A table lists products with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table contains five rows of data. At the bottom, a pagination bar shows 'Showing 1 to 5 of 121 entries' and a page selector with '1' highlighted.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303275	dep003	dep003	R	Active
	98303275	dep001	dep001	R	Active
	98303275	dep60	dep60	R	Active
	98303275	dep57	dep57	R	Active
	98303275	dep555	dep555	R	In-active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is identical to the previous screenshot. The main content area has a top header with the same navigation elements. Below the header is the 'Product Master' title and a back button. The form contains several fields: 'Product Group' (a dropdown menu currently showing 'Lending'), 'Product Code' (a text input field), 'Product Description' (a dropdown menu with 'Select' at the top and options 'Deposits', 'Lending' (checked), 'Trade', and 'Treasury'), 'Retail/Corporate' (a dropdown menu currently showing 'Select'), and 'Remarks' (a large text area). There is also a 'DM Code' field with 'Lending' selected.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form. The sidebar on the left lists various configuration options, with 'Product master' highlighted. The main form area contains fields for 'Product Group' (set to 'Lending'), 'Product Code' (set to 'PR10'), 'Product Description' (empty), 'Retail/Corporate' (set to 'Select'), 'DM Code' (empty), and 'Remarks' (empty). The top navigation bar includes the Azentio logo, a hamburger menu, and user information for 'Puneet' on '01-Sep-2023'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

This screenshot shows the same Azentio Product Master form, but with a modal window open for 'Product Description'. The modal contains five text input fields: 'Description(English)' (with 'Loan' entered), 'Description(French)' (with 'd'accord' entered), 'Description(German)' (with 'OK' entered), and 'Description(Arabic)' (with 'موافق' entered). The background form is partially visible, showing the same fields as the previous screenshot. The top navigation bar and sidebar remain the same.

(F) Product Master Retail Functionality

The screenshot displays the AZENTIO Product Master configuration interface. On the left is a dark blue sidebar with the AZENTIO logo at the top. Below the logo are three icons: a wrench and screwdriver, a document with a checklist, and a folder. The sidebar contains a list of menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area has a header bar with a hamburger menu icon, language selection (English), LOS selection, software version (Azentio Software), user profile (Puneet, 01-Sep-2023), and notification icons. Below the header is a breadcrumb trail showing 'Product Master'. The main form is titled 'Product Master' and includes several fields: 'Product Group *' with a dropdown set to 'Lending'; 'Product Description *' with a dropdown set to 'Loan' and a lock icon; 'DM Code' with an empty input field; 'Remarks' with a large text area; 'Product Code *' with a dropdown set to 'PR10'; and 'Retail/Corporate *' with a dropdown set to 'Retail'. A modal window is open over the 'Retail/Corporate *' dropdown, showing options: 'Select', 'Corporate', and 'Retail' (which is selected with a checkmark).

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Asset Auto Master

Asset CD Master

Product master

Sub Product Master

Regulatory Product Defini...

Project Setup

Config Manager

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product Master

Product Master

Product Group *

Lending

Product Code *

PR10

Product Description *

Loan

Retail/Corporate *

Retail

DM Code


Loan

Remarks

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality




The screenshot shows the Azentio Product Master form. The form has the following fields: Product Group (dropdown menu with 'Lending' selected), Product Code (text input with 'PR10'), Product Description (text input with 'Loan'), Retail/Corporate (dropdown menu with 'Retail' selected), DM Code (text input with 'Loan'), and Remarks (text area with 'HomeLoan'). The form is titled 'Product Master' and has a back button and a save button.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality



The screenshot shows the Azentio Product Master form. The form has the following fields: Product Group (dropdown menu with 'Lending' selected), Product Code (text input with 'PR10'), Product Description (text input with 'Loan'), Retail/Corporate (dropdown menu with 'Retail' selected), DM Code (text input with 'Loan'), and Remarks (text area with 'HomeLoan'). The form is titled 'Product Master' and has a back button and a save button.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality