Cucumber Report

Start : Jul 25, 8:22:01.026 PM	**End : Jul 25, 8:22:31.281 PM**	**Duration : 30.255 s**
Features	*Scenarios*	*Steps*
PASSED - 0 *FAILED - 1* *SKIPPED - 0*	*PASSED - 0* *FAILED - 1* *SKIPPED - 0*	*PASSED - 12* *FAILED - 1* *SKIPPED - 16*

1

1

29

0 %

0 %

41 %

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	0	1	0	30.255 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Check the functionality of product master*	*Product Master - Modify records (approve, reject and return) at maker stage*	29	*12*	*1*	*16*	*30.248 s*

(F)- Check the functionality of product master

| FAILED	DURATION - 30.255 s		Scenarios		Steps	
			Total - 1		Total - 29	
/ 8:22:01.026 PM // 8:22:31.281 PM /			Pass - 0	1	Pass - 12	29
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 16	

## (S)- Product Master - Modify records (approve, reject and return) at maker stage

FAILED	DURATION - 30.248 s		Steps	
			Total - 29	
/ 8:22:01.033 PM // 8:22:31.281 PM /			Pass - 12	29
Check the functionality of product master			Fail - 1	
@M5 @ProductMaster			Skip - 16	

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.885 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.524 s
	screenshot		
2	And User Login as maker	PASSED	5.057 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.413 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then user should navigate to product master	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
	screenshot		
4	And click on edit view of product master	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
5	Then click on edit button of record to modify	PASSED	3.859 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.318 s
	screenshot		
6	Then user should verify the buttons available on screen while modify	PASSED	1.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then verify system should modify the record before approved	PASSED	1.568 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.191 s
8	And click on eye icon of product master	PASSED	0.206 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.377 s
9	Then verify system should modify already approved record	PASSED	2.566 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.170 s
10	Then verify system allow user to save modified record with valid data	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.182 s

| #	Step / Hook Details	Status	Duration
11	Then system should display the confirmation message	PASSED	0.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.187 s
12	Then click on inbox button	PASSED	0.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.244 s
13	And select the modified record from inbox to approve	FAILED	0.022 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'5783')]/../../td/button"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [daa48a81ca9eb25342035c441e5cab68, findElement {using=xpath, value=//span[contains(text(),'5783')]/../../td/button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:58137}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58137/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: daa48a81ca9eb25342035c441e5cab68
	    at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.select_the_modified_record_from_inbox_to_approve(ProductMaster_Retail.java:166) at ?.select the modified record from inbox to approve(file:///C:/Users/inindc00091/git/Devesh_AzentioULS_FW/AzentioULSFrameworkCopy/src/test/java/features/ProductMaster_Retail.feature:17) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.196 s
14	Then click on submit button	SKIPPED	0.001 s
15	Then system should display confirmation message after submit	SKIPPED	0.001 s
16	And click on edit view of product master	SKIPPED	0.000 s
17	Then click on edit button of record2 to modify	SKIPPED	0.000 s
18	Then verify system should modify the record before approved	SKIPPED	0.000 s
19	Then click on inbox button	SKIPPED	0.001 s
20	And select the modified record from inbox to reject	SKIPPED	0.000 s
21	Then click on submit button	SKIPPED	0.000 s
22	Then system should display confirmation message after submit	SKIPPED	0.000 s
23	And click on edit view of product master	SKIPPED	0.000 s
24	Then click on edit button of record3 to modify	SKIPPED	0.001 s
25	Then verify system should modify the record before approved	SKIPPED	0.000 s
26	Then click on inbox button	SKIPPED	0.000 s
27	And select the modified record from inbox to return	SKIPPED	0.000 s
28	Then click on submit button	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
29	Then system should display confirmation message after submit	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) **(S) Product Master - Modify records (approve, reject and return) at maker stage** **(F) Check the functionality of product master**	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) **(S) Product Master - Modify records (approve, reject and return) at maker stage** **(F) Check the functionality of product master**	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
✏ 👁	98303275	dep57	desc11	R	Active	CHECKER
✏ 👁	98303275	dep56	dep56	R	Active	CHECKER
✏ 👁	98303249	PR11	Loan	R	Active	CHECKER
✏ 👁	98303249	PR12	Loan	R	Active	
✏ 👁	98303249	PR10	Loan	R	Active	CHECKER

Showing 1 to 5 of 169 entries

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Product Master - Modify records (approve, reject and return) at maker stage	
(F) Check the functionality of product master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Product Master - Modify records (approve, reject and return) at maker stage	
(F) Check the functionality of product master	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Product Master - Modify records (approve, reject and return) at maker stage

(F) Check the functionality of product master

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5781	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 20:14	TSW	
	5780	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:48	TSW	
	5779	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:44	TSW	
	5778	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 19:12	TSW	
	5777	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:59	TSW	
	5776	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:56	TSW	
	167	SCHEME_MST	MAKER	LOSMKR	in00135	25-Jul-2022 18:35	TSW	
	5775	SUB_PRD_MAST	MAKER	LOSMKR	in00135	25-Jul-2022 18:27	TSW	
	164	SCHEME_MST	MAKER	LOSMKR	in00135	25-Jul-2022 18:25	TSW	
						25-Jul-2022 18:23	TSW	

SequelizeUniqueConstraintError: Validation error