# Cucumber Report

| Start : Sep 30, 5:13:22.358 pm | End : Sep 30, 5:14:32.108 pm | Duration : 1 m 9.750 s |
|:---:|:---:|:---:|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 2<br>FAILED - 1<br>SKIPPED - 8 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Check the functionality of Asset Model Master | 1 | 0 | 1 | 0 | 1 m 9.750 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check the functionality of Asset Model Master | verify user is able to add new Template details  record in the system by entering invalid data | 11 | 2 | 1 | 8 | 1 m 9.745 s |

## (F)- Check the functionality of Asset Model Master

| FAILED | DURATION - 1 m 9.750 s | | Scenarios | | Steps | |
|---|---|---|---|---|---|---|
| | / 5:13:22.358 pm // 5:14:32.108 pm / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 11<br>Pass - 2<br>Fail - 1<br>Skip - 8 | 11 |

## (S)- verify user is able to add new Template details  record in the system by entering invalid data

| FAILED | DURATION - 1 m 9.745 s | | Steps | |
|---|---|---|---|---|
| | / 5:13:22.363 pm // 5:14:32.108 pm / | | Total - 11<br>Pass - 2<br>Fail - 1<br>Skip - 8 | 11 |
| | Check the functionality of Asset Model Master | | | |
| | @AT_AAM_T017 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given user log in as uls application maker | PASSED | 34.236 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.778 s |
| | screenshot<br> + | | |
| 2 | Then user click on configurations Tab | PASSED | 0.234 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.483 s |
| | screenshot<br> + | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 3 | When user click product set up menu | FAILED | 0.080 s |
| | org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//h4[text()='Product Setup']"}   (Session info: chrome=105.0.5195.127) For documentation on this error, please visit: https://selenium.dev/exceptions/ #no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f08378ee74fc6301e4437f45b80fe709, findElement {using=xpath, value=//h4[text()='Product Setup']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.127, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:60346}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60346/devtoo..., se:cdpVersion: 105.0.5195.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f08378ee74fc6301e4437f45b80fe709<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>   at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>   at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>   at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>   at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>   at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>   at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>   at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>   at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>   at jdk.proxy2/jdk.proxy2.$Proxy46.getWrappedElement(Unknown Source)<br>   at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)<br>   at java.base/java.util.stream.ReferencePipeline$3$1.accept(ReferencePipeline.java:197)<br>   at java.base/java.util.Spliterators$ArraySpliterator.forEachRemaining(Spliterators.java:992)<br>   at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)<br>   at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)<br>   at java.base/java.util.stream.ReduceOps$ReduceOp.evaluateSequential(ReduceOps.java:921)<br>   at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)<br>   at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)<br>   at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478)<br>   at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27)<br>   at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49)<br>   at stepdefinitions.Subproduct_MasterRetail.user_click_product_set_up_menu(Subproduct_MasterRetail.java:56) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at ?.user click product set up menu(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ MDM_Asset_ModelMaster.feature:6) <br> * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) <br><br> screenshot <br><br>  | PASSED | 0.423 s |
| 4 | And user click on Asset Auto Master Edit icon | SKIPPED | 0.001 s |
| 5 | And user click on Temp view First Record Edit Icon | SKIPPED | 0.000 s |
| 6 | And user click on Asset Model Master Tab | SKIPPED | 0.000 s |
| 7 | And user click on Asset Model Master Add icon | SKIPPED | 0.001 s |
| 8 | And user Enter Numeric value in character fields | SKIPPED | 0.000 s |
| 9 | And user Enter Characters value in Numeric Fields | SKIPPED | 0.000 s |
| 10 | And user click on Asset Model Master Save button | SKIPPED | 0.000 s |
| 11 | And user Validate the Message and verify it | SKIPPED | 0.001 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details  record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify user is able to add new
Template details  record in the system by
entering invalid data

(F) Check the functionality of Asset Model
Master

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) verify user is able to add new Template details  record in the system by entering invalid data

(F) Check the functionality of Asset Model Master