


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Title of your feature	1	0	1	0	12.549 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Title of your feature</u>	To verify user is able to view Customer Information tab at New App Stage	14	1	1	12	12.546 s

DETAILED SECTION -- 4 --

(F)- Title of your feature

FAILED	DURATION - 12.549 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 2:20:16.016 PI	M // 2:20:28.565 PM /	Pass - 0	1	Pass - 1	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 12	

(S)- To verify user is able to view Customer Information tab at New App Stage



#	Step / Hook Details	Status	Duration
1	Given navigate the IJARA URL	PASSED	3.582 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.366 s
	screenshot		
	AZENTIO CONTRACTO CO		
2	And login with valid credentials	FAILED	5.154 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: stale element not found (Session info: chrome=116.0.5845.188) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/troubleshooting/errors#stale-element-reference-exception Build info: version: '4.11.0', revision: '040bc5406b' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [65b115156287c9535c2d070dd41ab7e4, isElementDisplayed {id=9449DA545FF7130580B2DC60BA994EFA_element_13}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 116.0.5845.188, chrome: {chromedriverVersion: 116.0.5845.96 (1a3918166880, userDataDir: C:\Users\ININDC~2\AppData\L}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57052}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57052/devtoo, se:cdpVersion: 116.0.5845.188, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0,		

#	Step / Hook Details	Status	Duration
	pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true) Element: [org.openqa.selenium.remote.RemoteWebElement@b409f5f3 -> unknown locator] Session ID: 65b115156287c9535c2d070dd41ab7e4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:489) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:196) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PriverCommandExecutor.java:171) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:224) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:220) at stepdefinitions.ljaraLogin.loginWithljaraApplication(ljaraLogin.java:50) at stepdefinitions.ljaraTest.login_with_valid_credentials(jiaraTest.java:22) at ?.login with valid credentials(file:///C/Users/ININDC00627/git/ULS_ljarah_Tauqeer/KULS_Sankar/src/test/java/features/testijarah.feature:11) * Not displayable characters are replaced		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.182 s
	AMERICA INCLUDED A RESIDUAL OF THE SECOND OF		
3	And User get the test data for test case AT_CD_01	SKIPPED	0.000 s
4	And User click the module name dropdown in ULS application	SKIPPED	0.000 s
5	And User select the module name as LOS in ULS application	SKIPPED	0.001 s
6	And User click the Mail box in ULS application	SKIPPED	0.000 s
7	And User click the Search button under inbox	SKIPPED	0.001 s
8	And User search the Ref id under inbox	SKIPPED	0.000 s
9	And User click the Entitle button under inbox	SKIPPED	0.000 s
10	And user click the customer details tab	SKIPPED	0.000 s
11	And user click the add button under customer details tab	SKIPPED	0.000 s

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
12	And user verify the back button	SKIPPED	0.000 s
13	And user verify the save button	SKIPPED	0.001 s
14	And user verify all the details under personal details	SKIPPED	0.000 s

EXPANDED SECTION --- 7 -

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) **AZENTIO** (S) To verify user is able to view Customer Information tab at New App Stage (F) Title of your feature AZENTIO 31-Jan-2023 📰 🗠 🔐 Eng... 🔻 Co... 🔻 Cen... 🔻 🌘 🔻 (Step) AFTER_STEP - stepdefinitions. **ONE**Banking 88 HooksClass.addScreenshot(io.cucumber. java.Scenario) 0 (S) To verify user is able to view Customer Information tab at New App Stage (F) Title of your feature