


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To test the dept details screen	1	0	1	0	51.265 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To test the dept details screen	verify while modification, when user keep any mandatory	16	12	1	3	51.260 s
		field blank and Fill the Invalid details					

DETAILED SECTION

(F)- To test the dept details screen

FAILED	DURATION - 51.265 s	Scenarios		Steps	
		Total - 1		Total - 16	
/5:50:23.422	pm // 5:51:14.687 pm /	Pass - 0	1	Pass - 12	16
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 3	

(S)- verify while modification, when user keep any mandatory field blank and Fill the Invalid details

FAILED	DURATION - 51.260 s				-			-	-			1					-	Steps			
/ 5:50:23.427	7 pm // 5:51:14.687 pm /	10						-		-		-		-				Total - 16			
		5			!			!-	- ! -	-!			1		ı			Pass - 12		16	
To test the de	ept details screen	,							i									Fail - 1		ر"	,
@AT_DD_04		0	-		-	<u> </u>	<u> </u>	-	<u> </u>	<u> </u>	÷	+ -	+	-	<u> </u>			Skip - 3	•		
				1 2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	#	Step / Hook Details	Status	Duration
1		Given User Launch the KULS url for Transaction	PASSED	13.937 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
		screenshot		
		A SECTION IN SECT		
2		And click on mail box	PASSED	0.835 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
		screenshot		
		ADDITION 10 10 10 10 10 10 10 1		

And search for app data entry record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And select the app data entry first record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP. Stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP. Stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP. Stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.S	#	Step / Hook Details	Status	Duration
And select the app data entry first record After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And user click on Customer Financials Tab AFTER STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 7 And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.552 s PASSED 0.295 s 0.247 s	3	And search for app data entry record	PASSED	0.572 s
4 And select the app data entry first record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 And User Click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.261 s PASSED 0.720 s 1.552 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.885ED 0.989 s		screenshot	PASSED	0.156 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user click on Customer Financials Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.552 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.089 s				
screenshot 5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.261 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.461 s 7 And click on pencil icon in financial commitment list view record PASSED 1.552 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.989 s	4	And select the app data entry first record	PASSED	0.295 s
5 And user click on Customer Financials Tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.552 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.989 s			PASSED	0.247 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.720 s 0.720 s 0.720 s 0.720 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.720 s 0.720 s 0.720 s		** A SERVITO *** **		
screenshot 6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.552 s PASSED 0.989 s	5	And user click on Customer Financials Tab	PASSED	5.984 s
6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.552 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.989 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.720 s
6 And user click on First Record Edit Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.552 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.989 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.552 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.461 s				
7 And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.989 s	6	And user click on First Record Edit Icon	PASSED	0.261 s
7 And click on pencil icon in financial commitment list view record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.552 s 0.989 s		screenshot	PASSED	0.461 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.989 s				
	7	And click on pencil icon in financial commitment list view record	PASSED	1.552 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.989 s
Solicition		screenshot		


#	Step / Hook Details	Status	Duration
	AZENTO S P P NO		
8	And Reupdate the finance type dropdown fied	PASSED	1.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		
	A SECTION		
9	And Reupdate the financial institution dropdown field	PASSED	0.486 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.379 s
	screenshot		
	To Be and the second se		
10	And Reupdate the account number field	PASSED	0.362 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		
	ASSTON		
11	And Reupdate the sanction amount	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		

#	Step / Hook Details	Status	Duration
	## A PARTICLE ##		
12	And user click the update button	PASSED	0.370 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.594 s
	screenshot		
	## A P # 100 100 100 10 10 10 10 10 10 10 10 10		
13	And user verify the validation Messgae for Blank Field	FAILED	10.237 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-badge[contains(text(),' Positive Integer Allowed')]' (tried for 10 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at helper.WaitHelper.waitForElementToVisibleWithFluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ULS_CustomerDeptDetailsSteps.user_verify_the_validation_messgae_for_Blank_Field(ULS_CustomerDeptDetailsSteps.java:1185) at ?.user verify the validation Messgae for Blank Field(flie:///C://Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ULS_CustomerDeptDetailsFEATURE.feature:80) at ?.user verify the validation Messgae for Blank Field(flie:///C://Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/ULS_CustomerDeptDetailsFEATURE.feature:80) at ?.user.julia.git.git.git.git.git.git.git.git.git.git		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)		
	at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307)		
	at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)		
	at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)		
	at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)		
	at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)		
	at stepdefinitions.ULS_CustomerDeptDetailsSteps.user_verify_the_validation_messgae_for_Blank_Field(ULS_CustomerDeptDetailsSteps.		
	java:1185)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		


#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
*	Not displayable characters are replaced by '?'.		
A	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
S	screenshot		
	2.00HD = 2.5 M M M M M .		
	State of the state		
	The state of the s		
14	And user update Invalid data to interest rate percentage field	SKIPPED	0.000 s
15 A	And user click the update button	SKIPPED	0.000 s
16 A	And user verify the validation Messgae for Invalid data	SKIPPED	0.001 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION


-- 11 --








EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

